






































Thermal Transfer Labels

Thermal Transfer Materials Chart	79
Label Index by Part Number	81
Label Index by Size	85
Labels by Application	
Circuit Board and Component Identification	101
Wire and Cable Marking	110
Sleeves for Wire and Cable Marking by Size	111
Terminal Block Marking	113
Data Communications Equipment and Cabling Labels and Tags	114
Industrial Thermal Transfer Materials	115
Industrial Material Comparison	116
General and Industrial Identification	117
Security Identification	121
Ribbon Information and Cross-Reference Guide	123


















Type	Max. Service Temp. °F (°C)	Color	Finish	Use	Special Properties
ACETATE					
B-358	176 (80) 30 days	Clear	Gloss	Package seals and tamper-evident labeling	Flexible; tamper-resistant
B-359	176 (80) 30 days	White	Gloss	Package seals and tamper-evident labeling	Flexible; tamper-resistant
GLASS CLOTH					
B-520	932 (500) 10 min.	White	Matte	High temperature work in process ID	Label is pressure sensitive at room temperature and becomes permanently affixed at temperatures above 400°C
NYLON CLOTH					
B-499	194 (90) 30 days	White	Matte	Wire and electronic component marking	Permanent adhesive 
PAPER					
B-353	194 (90) 30 days	White	Matte	Package seals and tamper-evident labeling	Low internal strength; tamper-resistant
B-402	158 (70) 30 days	White	Matte	Bar code and general labeling	Aggressive adhesive for bonding to corrugated, films, plastic and steel
B-408	70 (21) 30 days	White	Matte	Bar code and general labeling	Repositionable adhesive
B-424	158 (70) 30 days	White	Matte	Bar code and general labeling	Good contrast and smear resistance
POLYESTER					
B-422	248 (120) 30 days	White	Gloss	Electronic PCB and component; bar code label and rating plates	2 mil adhesive recommended for application on textured surfaces  
B-423	248 (120) 30 days	White	Gloss	Electronic PCB and component; bar code label and rating plates	  
B-428	176 (80) 30 days	Silver	Matte	Rating plates; electronic component marking	  
B-430	212 (100) 30 days	Clear	Gloss	General labeling rating/name plates	Translucent 
B-432	212 (100) 30 days	Clear	Gloss	General labeling rating/name plates	Translucent; 2 mil adhesive recommended for application on textured surfaces 
B-433	248 (120) 30 days	White	Gloss	Electronic component and PCB marking; bar code label and general-purpose ID	Removable adhesive 
B-434	194 (90) 30 days	Silver	Gloss	Rating plates and general-purpose labeling	2 mil adhesive recommended for application on textured surfaces  
B-435	212 (100) 30 days	Silver	Gloss	Rating plates and general-purpose labeling	Designed to withstand solvents while maintaining excellent image quality   
B-438	104 (40) 30 days	Silver	Matte	Rating plates and tamper-evident labeling	Metallized; checkerboard footprints when removed
B-459	212 (100) 30 days	White	Matte	Electronic PCB and component; bar code label and rating plates	 
B-461	230 (110) 30 days	Clear	Matte	Laboratory applications such as liquid nitrogen, autoclave, freezer and hot water bath	Can be offered in a self-laminating format with a white printable zone
B-464	176 (80) 30 days	Silver	Gloss	Long distance bar code scanning	Retro-reflective surface
B-473	248 (120) 30 days	White	Gloss	Electronic PCB and component; bar code labeling and rating plates	Static dissipative adhesive and liner   
B-483	248 (120) 30 days	White	Gloss	General purpose labeling	Highest adhesion product for thermal transfer printing, designed for powder coated surfaces  
B-484	248 (120) 30 days	White	Gloss	Textured/rough surfaces, angled/curved surfaces	Low profile construction 
B-486	248 (120) 30 days	Silver	Matte	Rating plates; electronic component marking	Highest adhesion product for thermal transfer printing, designed for powder coated surfaces 
B-488	248 (120) 30 days	White	Matte	Electronic PCB and component; bar code label and rating plates	High performance matte white   
B-489	212 (100) 30 days	White	Matte	General purpose labeling	Highest adhesion product for thermal transfer printing, designed for powder coated surfaces
B-490	—	White	Matte	Thermal transfer printable label stock capable of adhering to cold/frozen surfaces	This material offers the unique ability to apply identification to a frost covered/cryogenically frozen surfaces
B-7546	175 (80) 30 days	White	Gloss	Rating plates and tamper-evident labeling	"Void" footprint when removed  
B-7566	175 (80) 30 days	Clear	Gloss	Rating plates and tamper-evident labeling	"Void" footprint when removed
B-7576	212 (100) 30 days	Silver	Matte	Rating plates and tamper-evident labeling	Metallized; leaves "Void" footprint when removed 
B-8423	248 (120) 30 days	White	Satin	General purpose labeling	 
POLYESTER/PAPER					
B-350	194 (90) 30 days	White	Gloss	Control of invalid warranty claims	Provides evidence of exposure to water 
B-354	194 (90) 30 days	White	Gloss	Control of invalid warranty claims	Provides evidence of exposure to water 
POLYETHYLENE NAPHTHALATE (PEN)					
B-495	464 (240) 5 min.	White	Gloss	Top- or bottom-side board application for SMT, or Topside or Through hole	Good contrast and smear resistance
POLYIMIDE					
B-426	662 (350) 80 sec.	Amber	Matte	Top- or bottom-side board application for SMT or Through hole	Withstands extremely high temperatures
B-436	662 (350) 80 sec.	Amber	Matte	Printed circuit board and component marking	Label will remove cleanly after high-temperature exposure
B-457	662 (350) 80 sec.	White	Gloss	Top- or bottom-side board application for SMT or Through hole	Good contrast and smear resistance 

-  These materials have static dissipative adhesives.
-  *These materials are UL recognized.
-  *These materials are CSA approved.
-  *These materials are AGA approved.

*Refer to the full page charts on pages 280-281 for more information and complete listing of parts.
 **Currently in testing.

Thermal Transfer Materials Chart

Type	Max. Service Temp. °F (°C)	Color	Finish	Use	Special Properties
POLYIMIDE (continued)					
B-477	662 (350) 80 sec.	White	Gloss	Top- or bottom-side board application for SMT or Through hole	Static dissipative adhesive and liner 
B-478	662 (350) 80 sec.	White	Gloss	Top- or bottom-side board application for SMT or Through hole	Static dissipative adhesive and liner, low profile construction, good contrast and smear resistance 
B-479	662 (350) 80 sec.	White	Matte	Top- or bottom-side board application for SMT or Through hole	Static dissipative adhesive and liner, low profile construction, excellent resistance to solder balling, matte finish 
B-487	662 (350) 80 sec.	White	Matte	Top- or bottom-side board application for SMT or Through hole	Excellent resistance to solder balling, matte finish 
B-497	662 (350) 80 sec.	White	Matte	Top- or bottom-side board application for SMT or Through hole	Low-profile construction, excellent resistance to solder balling, matte finish 
POLYOLEFIN					
B-407	194 (90) 30 days	Clear	Matte	General purpose labeling	Clear Polyolefin 
B-449	194 (90) 30 days	White	Matte	Temporary labeling application	Removable; good solvent resistance and print performance 
POLYPROPYLENE					
B-8425	194 (90) 30 days	White	Gloss	Rating plates and general purpose labeling	Excellent abrasion and smudge resistance 
SLEEVE MATERIALS					
B-341 Polyolefin	275 (135) 30 days	White	Matte	Wire marking	2-to-1 shrink ratio, self-extinguishing; meets MIL-1-23053/5 class 1; MIL-M-81531; MIL-STD-202F; method 215 and UL 224 
B-342 Polyolefin	275 (135) 30 days	White/Yellow	Matte	Wire marking	3-to-1 shrink ratio, self-extinguishing; meets MIL-1-23053/5 class 1; MIL-M-81531; MIL-STD-202F; method 215 and UL 224 
TAG MATERIAL					
B-109	176 (80) 30 days	White	Matte	Multi-purpose identification tag, where durability and computer printability are required	Cross-laminated polyethylene provides extreme tear resistance and excellent cold-weather performance
B-411	122 (50) 30 days	White	Matte	Tag material designed for general purpose marking	Spunbound polyolefin provides resistance to water and chemicals
B-412	212 (100) 30 days	White	Matte	Wire, cable and product inventory identification	Polypropylene tag designed for outdoor and harsh environmental applications or where tensile strength is needed
TEDLAR®					
B-437	275 (135) 30 days	White/Yellow	Matte	Aerospace and military cable marking	Self-extinguishing; available in white or yellow
VINYL					
B-351	212 (100) 30 days	White	Matte	Tamper-resistant labels	Flexible; solvent resistant; tamper-resistant
B-352	176 (80) 30 days	Silver	Matte	Tamper-resistant labels	Flexible; solvent resistant; tamper-resistant
B-427	158 (70) 30 days	White	Matte	Self-laminating wire and cable marking	Excellent abrasion and smudge resistance, perforations exist between each row of labels for easy tear-off or fan folding 
B-439	104 (40) 30 days	White/Colors	Gloss	Rating plates and general-purpose labeling	Available in 9 colors
VINYL CLOTH					
B-498	175 (80) 30 days	White	Semi-Gloss	Wire and electronic component marking	Repositionable adhesive 

 These materials have static dissipative adhesives.
 *These materials are UL recognized.
 *These materials are CSA approved.

*Refer to the full page charts on pages 280-281 for more information and complete listing of parts.

Part Number	Size Inch (mm)	Specifications on Page	Part Number	Size Inch (mm)	Specifications on Page	Part Number	Size Inch (mm)	Specifications on Page			
3PS-094-2-WT	0.094 dia. x 2.000	(2.39 x 50.80)	112	THT-5-428	1.000 x 0.500	(25.40 x 12.70)	90	THT-13-457	1.250 x 0.250	(31.75 x 6.35)	91
3PS-125-2-WT	0.125 dia. x 2.000	(318 x 50.80)	112	THT-5-433	1.000 x 0.500	(25.40 x 12.70)	90	THT-13-473	1.250 x 0.250	(31.75 x 6.35)	91
3PS-187-2-WT	0.187 dia. x 2.000	(4.75 x 50.80)	112	THT-5-434	1.000 x 0.500	(25.40 x 12.70)	90	THT-14-351	0.650 x 0.200	(16.51 x 5.08)	88
3PS-250-2-WT	0.250 dia. x 2.000	(6.35 x 50.80)	112	THT-5-435	1.000 x 0.500	(25.40 x 12.70)	90	THT-14-353	0.650 x 0.200	(16.51 x 5.08)	88
3PS-375-2-WT	0.375 dia. x 2.000	(9.53 x 50.80)	112	THT-5-437	1.000 x 0.500	(25.40 x 12.70)	90	THT-14-354	0.650 x 0.200	(16.51 x 5.08)	88
3PS-500-2-WT	0.500 dia. x 2.000	(12.70 x 50.80)	112	THT-5-437-YL	1.000 x 0.500	(25.40 x 12.70)	90	THT-14-423	0.650 x 0.200	(16.51 x 5.08)	88
PS-094-150-WT	0.094 dia. x 1.500	(2.39 x 38.10)	111	THT-5-438	1.000 x 0.500	(25.40 x 12.70)	90	THT-14-426	0.650 x 0.200	(16.51 x 5.08)	88
PS-094-2-WT	0.094 dia. x 2.000	(2.39 x 50.80)	111	THT-5-449	1.000 x 0.500	(25.40 x 12.70)	91	THT-14-436	0.650 x 0.200	(16.51 x 5.08)	88
PS-125-150-WT	0.125 dia. x 1.500	(3.18 x 38.10)	111	THT-5-459	1.000 x 0.500	(25.40 x 12.70)	91	THT-14-437	0.650 x 0.200	(16.51 x 5.08)	88
PS-125-2-WT	0.125 dia. x 2.000	(3.18 x 50.80)	111	THT-5-473	1.000 x 0.500	(25.40 x 12.70)	91	THT-14-438	0.650 x 0.200	(16.51 x 5.08)	88
PS-187-150-WT	0.187 dia. x 1.500	(4.75 x 38.10)	111	THT-5-478	1.000 x 0.500	(25.40 x 12.70)	91	THT-14-457	0.650 x 0.200	(16.51 x 5.08)	88
PS-187-2-WT	0.187 dia. x 2.000	(4.75 x 50.80)	111	THT-5-479	1.000 x 0.500	(25.40 x 12.70)	91	THT-14-459	0.650 x 0.200	(16.51 x 5.08)	88
PS-250-150-WT	0.250 dia. x 1.500	(6.35 x 38.10)	111	THT-5-483	1.000 x 0.500	(25.40 x 12.70)	91	THT-14-473	0.650 x 0.200	(16.51 x 5.08)	88
PS-250-2-WT	0.250 dia. x 2.000	(6.35 x 50.80)	111	THT-5-484	1.000 x 0.500	(25.40 x 12.70)	91	THT-14-477	0.650 x 0.200	(16.51 x 5.08)	88
PS-375-150-WT	0.375 dia. x 1.500	(9.53 x 38.10)	111	THT-5-486	1.000 x 0.500	(25.40 x 12.70)	91	THT-14-478	0.650 x 0.200	(16.51 x 5.08)	88
PS-375-2-WT	0.375 dia. x 2.000	(9.53 x 50.80)	111	THT-5-488	1.000 x 0.500	(25.40 x 12.70)	91	THT-14-479	0.650 x 0.200	(16.51 x 5.08)	88
PS-500-150-WT	0.500 dia. x 1.500	(12.70 x 38.10)	111	THT-5-489	1.000 x 0.500	(25.40 x 12.70)	91	THT-14-487	0.650 x 0.200	(16.51 x 5.08)	88
PS-500-2-WT	0.500 dia. x 2.000	(12.70 x 50.80)	111	THT-5-495	1.000 x 0.500	(25.40 x 12.70)	91	THT-14-488	0.650 x 0.200	(16.51 x 5.08)	88
PS-1000-2-WT	1.000 dia. x 2.000	(25.40 x 50.80)	111	THT-5-498	1.000 x 0.500	(25.40 x 12.70)	91	THT-14-495	0.650 x 0.200	(16.51 x 5.08)	88
DSTHT-15-390	0.590 x 0.163	(15.00 x 4.14)	87	THT-5-7546	1.000 x 0.500	(25.40 x 12.70)	91	THT-14-497	0.650 x 0.200	(16.51 x 5.08)	88
DSTHT-30-390	1.181 x 0.163	(30.00 x 4.14)	87	THT-5-7576	1.000 x 0.500	(25.40 x 12.70)	91	THT-14-498	0.650 x 0.200	(16.51 x 5.08)	88
THT-1-351	0.750 x 0.250	(19.05 x 6.35)	88	THT-6-351	1.500 x 0.750	(38.10 x 19.05)	93	THT-15-351	2.000 x 0.250	(50.80 x 6.35)	94
THT-1-400	0.750 x 0.250	(19.05 x 6.35)	88	THT-6-352	1.500 x 0.750	(38.10 x 19.05)	93	THT-15-423	2.000 x 0.250	(50.80 x 6.35)	94
THT-1-423	0.750 x 0.250	(19.05 x 6.35)	88	THT-6-354	1.500 x 0.750	(38.10 x 19.05)	93	THT-15-426	2.000 x 0.250	(50.80 x 6.35)	94
THT-1-426	0.750 x 0.250	(19.05 x 6.35)	88	THT-6-423	1.500 x 0.750	(38.10 x 19.05)	93	THT-15-457	2.000 x 0.250	(50.80 x 6.35)	94
THT-1-428	0.750 x 0.250	(19.05 x 6.35)	88	THT-6-428	1.500 x 0.750	(38.10 x 19.05)	93	THT-15-473	2.000 x 0.250	(50.80 x 6.35)	94
THT-1-435	0.750 x 0.250	(19.05 x 6.35)	88	THT-6-434	1.500 x 0.750	(38.10 x 19.05)	93	THT-15-477	2.000 x 0.250	(50.80 x 6.35)	94
THT-1-436	0.750 x 0.250	(19.05 x 6.35)	88	THT-6-438	1.500 x 0.750	(38.10 x 19.05)	93	THT-15-487	2.000 x 0.250	(50.80 x 6.35)	94
THT-1-437	0.750 x 0.250	(19.05 x 6.35)	88	THT-6-486	1.500 x 0.750	(38.10 x 19.05)	93	THT-15-488	2.000 x 0.250	(50.80 x 6.35)	94
THT-1-438	0.750 x 0.250	(19.05 x 6.35)	88	THT-6-7546	1.500 x 0.750	(38.10 x 19.05)	93	THT-15-497	2.000 x 0.250	(50.80 x 6.35)	94
THT-1-457	0.750 x 0.250	(19.05 x 6.35)	88	THT-6-7576	1.500 x 0.750	(38.10 x 19.05)	93	THT-16-423	3.000 x 0.250	(76.20 x 6.35)	95
THT-1-459	0.750 x 0.250	(19.05 x 6.35)	88	THT-7-351	2.750 x 1.250	(69.85 x 31.75)	95	THT-16-426	3.000 x 0.250	(76.20 x 6.35)	95
THT-1-473	0.750 x 0.250	(19.05 x 6.35)	88	THT-7-352	2.750 x 1.250	(69.85 x 31.75)	95	THT-16-478	3.000 x 0.250	(76.20 x 6.35)	95
THT-1-477	0.750 x 0.250	(19.05 x 6.35)	89	THT-7-358	2.750 x 1.250	(69.85 x 31.75)	95	THT-16-479	3.000 x 0.250	(76.20 x 6.35)	95
THT-1-478	0.750 x 0.250	(19.05 x 6.35)	89	THT-7-359	2.750 x 1.250	(69.85 x 31.75)	95	THT-16-495	3.000 x 0.250	(76.20 x 6.35)	95
THT-1-479	0.750 x 0.250	(19.05 x 6.35)	89	THT-7-422	2.750 x 1.250	(69.85 x 31.75)	95	THT-16-497	3.000 x 0.250	(76.20 x 6.35)	95
THT-1-487	0.750 x 0.250	(19.05 x 6.35)	89	THT-7-423	2.750 x 1.250	(69.85 x 31.75)	95	THT-17-351	2.000 x 1.000	(50.80 x 25.40)	94
THT-1-488	0.750 x 0.250	(19.05 x 6.35)	89	THT-7-424	2.750 x 1.250	(69.85 x 31.75)	95	THT-17-352	2.000 x 1.000	(50.80 x 25.40)	94
THT-1-495	0.750 x 0.250	(19.05 x 6.35)	89	THT-7-428	2.750 x 1.250	(69.85 x 31.75)	95	THT-17-354	2.000 x 1.000	(50.80 x 25.40)	94
THT-1-497	0.750 x 0.250	(19.05 x 6.35)	89	THT-7-438	2.750 x 1.250	(69.85 x 31.75)	95	THT-17-358	2.000 x 1.000	(50.80 x 25.40)	94
THT-1-498	0.750 x 0.250	(19.05 x 6.35)	89	THT-7-483	2.750 x 1.250	(69.85 x 31.75)	95	THT-17-359	2.000 x 1.000	(50.80 x 25.40)	94
THT-1-8457	0.750 x 0.250	(19.05 x 6.35)	89	THT-7-486	2.750 x 1.250	(69.85 x 31.75)	95	THT-17-402	2.000 x 1.000	(50.80 x 25.40)	94
THT-2-423	0.900 x 0.250	(22.86 x 6.35)	89	THT-7-489	2.750 x 1.250	(69.85 x 31.75)	95	THT-17-407	2.000 x 1.000	(50.80 x 25.40)	94
THT-2-426	0.900 x 0.250	(22.86 x 6.35)	89	THT-7-7546	2.750 x 1.250	(69.85 x 31.75)	95	THT-17-408	2.000 x 1.000	(50.80 x 25.40)	94
THT-2-437	0.900 x 0.250	(22.86 x 6.35)	89	THT-7-7566	2.750 x 1.250	(69.85 x 31.75)	95	THT-17-422	2.000 x 1.000	(50.80 x 25.40)	94
THT-2-457	0.900 x 0.250	(22.86 x 6.35)	89	THT-7-7576	2.750 x 1.250	(69.85 x 31.75)	95	THT-17-423	2.000 x 1.000	(50.80 x 25.40)	94
THT-2-473	0.900 x 0.250	(22.86 x 6.35)	89	THT-8-427	0.500 x 1.437	(12.70 x 36.50)	99	THT-17-424	2.000 x 1.000	(50.80 x 25.40)	94
THT-2-478	0.900 x 0.250	(22.86 x 6.35)	89	THT-9-427	1.000 x 1.437	(25.40 x 36.50)	99	THT-17-428	2.000 x 1.000	(50.80 x 25.40)	94
THT-2-479	0.900 x 0.250	(22.86 x 6.35)	89	THT-10-427	1.000 x 3.750	(25.40 x 92.25)	99	THT-17-430	2.000 x 1.000	(50.80 x 25.40)	94
THT-2-488	0.900 x 0.250	(22.86 x 6.35)	89	THT-11-423	0.250 x 0.250	(6.35 x 6.35)	85	THT-17-434	2.000 x 1.000	(50.80 x 25.40)	94
THT-2-495	0.900 x 0.250	(22.86 x 6.35)	89	THT-11-426	0.250 x 0.250	(6.35 x 6.35)	85	THT-17-438	2.000 x 1.000	(50.80 x 25.40)	94
THT-3-422	1.000 x 0.375	(25.40 x 9.53)	90	THT-11-436	0.250 x 0.250	(6.35 x 6.35)	85	THT-17-449	2.000 x 1.000	(50.80 x 25.40)	94
THT-3-423	1.000 x 0.375	(25.40 x 9.53)	90	THT-11-457	0.250 x 0.250	(6.35 x 6.35)	85	THT-17-483	2.000 x 1.000	(50.80 x 25.40)	94
THT-3-426	1.000 x 0.375	(25.40 x 9.53)	90	THT-11-473	0.250 x 0.250	(6.35 x 6.35)	85	THT-17-484	2.000 x 1.000	(50.80 x 25.40)	94
THT-3-428	1.000 x 0.375	(25.40 x 9.53)	90	THT-12-351	0.500 x 0.437	(12.70 x 11.10)	87	THT-17-486	2.000 x 1.000	(50.80 x 25.40)	94
THT-3-430	1.000 x 0.375	(25.40 x 9.53)	90	THT-12-423	0.500 x 0.437	(12.70 x 11.10)	87	THT-17-488	2.000 x 1.000	(50.80 x 25.40)	94
THT-3-473	1.000 x 0.375	(25.40 x 9.53)	90	THT-12-426	0.500 x 0.437	(12.70 x 11.10)	87	THT-17-489	2.000 x 1.000	(50.80 x 25.40)	95
THT-3-478	1.000 x 0.375	(25.40 x 9.53)	90	THT-12-428	0.500 x 0.437	(12.70 x 11.10)	87	THT-17-546	2.000 x 1.000	(50.80 x 25.40)	95
THT-3-479	1.000 x 0.375	(25.40 x 9.53)	90	THT-12-433	0.500 x 0.437	(12.70 x 11.10)	87	THT-17-7566	2.000 x 1.000	(50.80 x 25.40)	95
THT-3-495	1.000 x 0.375	(25.40 x 9.53)	90	THT-12-435	0.500 x 0.437	(12.70 x 11.10)	87	THT-17-7576	2.000 x 1.000	(50.80 x 25.40)	95
THT-4-351	1.500 x 0.250	(38.10 x 6.35)	90	THT-12-438	0.500 x 0.437	(12.70 x 11.10)	87	THT-18-351	3.000 x 1.000	(76.20 x 25.40)	95
THT-4-423	1.500 x 0.250	(38.10 x 6.35)	90	THT-12-457	0.500 x 0.437	(12.70 x 11.10)	87	THT-18-352	3.000 x 1.000	(76.20 x 25.40)	95
THT-4-426	1.500 x 0.250	(38.10 x 6.35)	90	THT-12-473	0.500 x 0.437	(12.70 x 11.10)	87	THT-18-358	3.000 x 1.000	(76.20 x 25.40)	95
THT-4-457	1.500 x 0.250	(38.10 x 6.35)	90	THT-12-477	0.500 x 0.437	(12.70 x 11.10)	87	THT-18-359	3.000 x 1.000	(76.20 x 25.40)	95
THT-4-473	1.500 x 0.250	(38.10 x 6.35)	90	THT-12-478	0.500 x 0.437	(12.70 x 11.10)	87	THT-18-402	3.000 x 1.000	(76.20 x 25.40)	95
THT-4-478	1.500 x 0.250	(38.10 x 6.35)	90	THT-12-479	0.500 x 0.437	(12.70 x 11.10)	87	THT-18-407	3.000 x 1.000	(76.20 x 25.40)	95
THT-4-479	1.500 x 0.250	(38.10 x 6.35)	90	THT-12-487	0.500 x 0.437	(12.70 x 11.10)	87	THT-18-408	3.000 x 1.000	(76.20 x 25.40)	96
THT-4-495	1.500 x 0.250	(38.10 x 6.35)	90	THT-12-495	0.500 x 0.437	(12.70 x 11.10)	87	THT-18-422	3.000 x 1.000	(76.20 x 25.40)	96
THT-5-351	1.000 x 0.500	(25.40 x 12.70)	90	THT-12-497	0.500 x 0.437	(12.70 x 11.10)	87	THT-18-423	3.000 x 1.000	(76.20 x 25.40)	96
THT-5-352	1.000 x 0.500	(25.40 x 12.70)	90	THT-13-423	1.250 x 0.250	(31.75 x 6.35)	91	THT-18-424	3.000 x 1.000	(76.20 x 25.40)	96
THT-5-422	1.000 x 0.500	(25.40 x 12.70)	90	THT-13-426	1.250 x 0.250	(31.75 x 6.35)	91	THT-18-428	3.000 x 1.000	(76.20 x 25.40)	96
THT-5-423	1.000 x 0.500	(25.40 x 12.70)	90	THT-13-433	1.250 x 0.250	(31.75 x 6.35)	91	THT-18-430	3.000 x 1.000	(76.20 x 25.40)	96
THT-5-426	1.000 x 0.500	(25.40 x 12.70)	90	THT-13-449	1.250 x 0.250	(31.75 x 6.35)	91	THT-18-433	3.000 x 1.000	(76.20 x 25.40)	96

Label Index by Part Number

Part Number	Size Inch (mm)	Specifications on Page	Part Number	Size Inch (mm)	Specifications on Page	Part Number	Size Inch (mm)	Specifications on Page
THT-18-434	3.000 x 1.000 (76.20 x 25.40)	96	THT-29-478	1.250 x 0.375 (31.75 x 9.53)	92	THT-44-495	1.375 x 0.250 (35.05 x 6.35)	92
THT-18-435	3.000 x 1.000 (76.20 x 25.40)	96	THT-29-479	1.250 x 0.375 (31.75 x 9.53)	92	THT-44-497	1.375 x 0.250 (35.05 x 6.35)	92
THT-18-438	3.000 x 1.000 (76.20 x 25.40)	96	THT-29-495	1.250 x 0.375 (31.75 x 9.53)	92	THT-45-423	1.500 x 0.250 (38.10 x 6.35)	92
THT-18-449	3.000 x 1.000 (76.20 x 25.40)	96	THT-31-423	1.100 x 0.380 (27.94 x 9.65)	91	THT-45-426	1.500 x 0.250 (38.10 x 6.35)	92
THT-18-483	3.000 x 1.000 (76.20 x 25.40)	96	THT-33-109	3.000 x 6.000 (76.20 x 152.40)	100	THT-45-457	1.500 x 0.250 (38.10 x 6.35)	92
THT-18-484	3.000 x 1.000 (76.20 x 25.40)	96	THT-33-411	3.000 x 6.000 (76.20 x 152.40)	100	THT-45-473	1.500 x 0.250 (38.10 x 6.35)	92
THT-18-486	3.000 x 1.000 (76.20 x 25.40)	96	THT-33-412	3.000 x 6.000 (76.20 x 152.40)	100	THT-45-477	1.500 x 0.250 (38.10 x 6.35)	92
THT-18-488	3.000 x 1.000 (76.20 x 25.40)	96	THT-36-422	0.500 x 0.200 (12.70 x 5.08)	87	THT-45-478	1.500 x 0.250 (38.10 x 6.35)	92
THT-18-489	3.000 x 1.000 (76.20 x 25.40)	96	THT-36-423	0.500 x 0.200 (12.70 x 5.08)	87	THT-45-479	1.500 x 0.250 (38.10 x 6.35)	92
THT-18-7546	3.000 x 1.000 (76.20 x 25.40)	96	THT-36-473	0.500 x 0.200 (12.70 x 5.08)	87	THT-45-487	1.500 x 0.250 (38.10 x 6.35)	92
THT-18-7566	3.000 x 1.000 (76.20 x 25.40)	96	THT-37-351	1.500 x 0.500 (38.10 x 12.70)	93	THT-45-495	1.500 x 0.250 (38.10 x 6.35)	92
THT-18-7576	3.000 x 1.000 (76.20 x 25.40)	96	THT-37-352	1.500 x 0.500 (38.10 x 12.70)	93	THT-45-497	1.500 x 0.250 (38.10 x 6.35)	92
THT-19-351	3.000 x 2.000 (76.20 x 50.80)	96	THT-37-422	1.500 x 0.500 (38.10 x 12.70)	93	THT-46-354	0.750 x 0.250 (19.05 x 6.35)	88
THT-19-352	3.000 x 2.000 (76.20 x 50.80)	96	THT-37-423	1.500 x 0.500 (38.10 x 12.70)	93	THT-46-423	0.750 x 0.250 (19.05 x 6.35)	88
THT-19-358	3.000 x 2.000 (76.20 x 50.80)	96	THT-37-428	1.500 x 0.500 (38.10 x 12.70)	93	THT-46-426	0.750 x 0.250 (19.05 x 6.35)	88
THT-19-359	3.000 x 2.000 (76.20 x 50.80)	96	THT-37-430	1.500 x 0.500 (38.10 x 12.70)	93	THT-46-457	0.750 x 0.250 (19.05 x 6.35)	88
THT-19-402	3.000 x 2.000 (76.20 x 50.80)	96	THT-37-434	1.500 x 0.500 (38.10 x 12.70)	93	THT-46-473	0.750 x 0.250 (19.05 x 6.35)	88
THT-19-407	3.000 x 2.000 (76.20 x 50.80)	96	THT-37-438	1.500 x 0.500 (38.10 x 12.70)	93	THT-46-477	0.750 x 0.250 (19.05 x 6.35)	89
THT-19-408	3.000 x 2.000 (76.20 x 50.80)	96	THT-37-483	1.500 x 0.500 (38.10 x 12.70)	93	THT-46-478	0.750 x 0.250 (19.05 x 6.35)	89
THT-19-422	3.000 x 2.000 (76.20 x 50.80)	96	THT-37-486	1.500 x 0.500 (38.10 x 12.70)	93	THT-46-479	0.750 x 0.250 (19.05 x 6.35)	89
THT-19-423	3.000 x 2.000 (76.20 x 50.80)	96	THT-37-489	1.500 x 0.500 (38.10 x 12.70)	93	THT-46-487	0.750 x 0.250 (19.05 x 6.35)	89
THT-19-424	3.000 x 2.000 (76.20 x 50.80)	96	THT-37-7546	1.500 x 0.500 (38.10 x 12.70)	93	THT-46-495	0.750 x 0.250 (19.05 x 6.35)	89
THT-19-428	3.000 x 2.000 (76.20 x 50.80)	96	THT-37-7576	1.500 x 0.500 (38.10 x 12.70)	93	THT-46-497	0.750 x 0.250 (19.05 x 6.35)	89
THT-19-430	3.000 x 2.000 (76.20 x 50.80)	96	THT-38-423	0.375 x 0.375 (9.53 x 9.53)	86	THT-47-423	0.650 x 0.200 (16.51 x 5.08)	88
THT-19-432	3.000 x 2.000 (76.20 x 50.80)	96	THT-38-426	0.375 x 0.375 (9.53 x 9.53)	86	THT-47-426	0.650 x 0.200 (16.51 x 5.08)	88
THT-19-433	3.000 x 2.000 (76.20 x 50.80)	96	THT-38-457	0.375 x 0.375 (9.53 x 9.53)	86	THT-47-457	0.650 x 0.200 (16.51 x 5.08)	88
THT-19-434	3.000 x 2.000 (76.20 x 50.80)	96	THT-38-473	0.375 x 0.375 (9.53 x 9.53)	86	THT-47-473	0.650 x 0.200 (16.51 x 5.08)	88
THT-19-435	3.000 x 2.000 (76.20 x 50.80)	96	THT-38-477	0.375 x 0.375 (9.53 x 9.53)	86	THT-47-477	0.650 x 0.200 (16.51 x 5.08)	88
THT-19-438	3.000 x 2.000 (76.20 x 50.80)	96	THT-38-478	0.375 x 0.375 (9.53 x 9.53)	86	THT-47-478	0.650 x 0.200 (16.51 x 5.08)	88
THT-19-449	3.000 x 2.000 (76.20 x 50.80)	96	THT-38-479	0.375 x 0.375 (9.53 x 9.53)	86	THT-47-479	0.650 x 0.200 (16.51 x 5.08)	88
THT-19-459	3.000 x 2.000 (76.20 x 50.80)	96	THT-38-487	0.375 x 0.375 (9.53 x 9.53)	86	THT-47-487	0.650 x 0.200 (16.51 x 5.08)	88
THT-19-483	3.000 x 2.000 (76.20 x 50.80)	96	THT-38-495	0.375 x 0.375 (9.53 x 9.53)	86	THT-47-495	0.650 x 0.200 (16.51 x 5.08)	88
THT-19-484	3.000 x 2.000 (76.20 x 50.80)	96	THT-38-497	0.375 x 0.375 (9.53 x 9.53)	86	THT-47-497	0.650 x 0.200 (16.51 x 5.08)	88
THT-19-486	3.000 x 2.000 (76.20 x 50.80)	96	THT-39-358	1.000 x 0.500 (25.40 x 12.70)	90	THT-48-423	2.000 x 0.250 (50.80 x 6.35)	94
THT-19-488	3.000 x 2.000 (76.20 x 50.80)	96	THT-39-407	1.000 x 0.500 (25.40 x 12.70)	90	THT-48-426	2.000 x 0.250 (50.80 x 6.35)	94
THT-19-489	3.000 x 2.000 (76.20 x 50.80)	96	THT-39-430	1.000 x 0.500 (25.40 x 12.70)	90	THT-48-457	2.000 x 0.250 (50.80 x 6.35)	94
THT-19-7546	3.000 x 2.000 (76.20 x 50.80)	96	THT-39-7566	1.000 x 0.500 (25.40 x 12.70)	91	THT-48-473	2.000 x 0.250 (50.80 x 6.35)	94
THT-19-7576	3.000 x 2.000 (76.20 x 50.80)	96	THT-40-423	1.375 x 0.250 (34.93 x 6.35)	92	THT-48-477	2.000 x 0.250 (50.80 x 6.35)	94
THT-19-8423	3.000 x 2.000 (76.20 x 50.80)	96	THT-40-426	1.375 x 0.250 (34.93 x 6.35)	92	THT-48-478	2.000 x 0.250 (50.80 x 6.35)	94
THT-19-8425	3.000 x 2.000 (76.20 x 50.80)	96	THT-40-457	1.375 x 0.250 (34.93 x 6.35)	92	THT-48-479	2.000 x 0.250 (50.80 x 6.35)	94
THT-20-402	3.000 x 5.000 (76.20 x 127.00)	96	THT-40-477	1.375 x 0.250 (34.93 x 6.35)	92	THT-48-487	2.000 x 0.250 (50.80 x 6.35)	94
THT-20-408	3.000 x 5.000 (76.20 x 127.00)	96	THT-40-487	1.375 x 0.250 (34.93 x 6.35)	92	THT-48-495	2.000 x 0.250 (50.80 x 6.35)	94
THT-20-424	3.000 x 5.000 (76.20 x 127.00)	96	THT-40-497	1.375 x 0.250 (34.93 x 6.35)	92	THT-48-497	2.000 x 0.250 (50.80 x 6.35)	94
THT-21-407	3.000 x 300 ft (76.20 x 9144 m)	96	THT-41-423	1.000 x 0.187 (25.40 x 4.75)	89	THT-49-423	0.900 x 0.250 (22.86 x 6.35)	89
THT-21-423	3.000 x 300 ft (76.20 x 9144 m)	96	THT-41-426	1.000 x 0.187 (25.40 x 4.75)	89	THT-49-426	0.900 x 0.250 (22.86 x 6.35)	89
THT-21-424	3.000 x 300 ft (76.20 x 9144 m)	96	THT-42-354	1.000 x 0.187 (25.40 x 4.75)	89	THT-49-457	0.900 x 0.250 (22.86 x 6.35)	89
THT-21-428	3.000 x 300 ft (76.20 x 9144 m)	96	THT-42-423	1.000 x 0.187 (25.40 x 4.75)	89	THT-49-473	0.900 x 0.250 (22.86 x 6.35)	89
THT-21-430	3.000 x 300 ft (76.20 x 9144 m)	96	THT-42-426	1.000 x 0.187 (25.40 x 4.75)	89	THT-49-478	0.900 x 0.250 (22.86 x 6.35)	89
THT-21-434	3.000 x 300 ft (76.20 x 9144 m)	97	THT-42-457	1.000 x 0.187 (25.40 x 4.75)	89	THT-49-479	0.900 x 0.250 (22.86 x 6.35)	89
THT-21-437	3.000 x 300 ft (76.20 x 9144 m)	97	THT-42-477	1.000 x 0.187 (25.40 x 4.75)	90	THT-49-495	0.900 x 0.250 (22.86 x 6.35)	89
THT-21-437-YL	3.000 x 300 ft (76.20 x 9144 m)	97	THT-42-478	1.000 x 0.187 (25.40 x 4.75)	90	THT-50-423	0.750 x 0.750 (19.05 x 19.05)	89
THT-21-438	3.000 x 300 ft (76.20 x 9144 m)	97	THT-42-479	1.000 x 0.187 (25.40 x 4.75)	90	THT-50-426	0.750 x 0.750 (19.05 x 19.05)	89
THT-21-439	3.000 x 300 ft (76.20 x 9144 m)	97	THT-42-487	1.000 x 0.187 (25.40 x 4.75)	90	THT-51-423	1.000 x 0.250 (25.40 x 6.35)	90
THT-21-483	3.000 x 300 ft (76.20 x 9144 m)	97	THT-42-495	1.000 x 0.187 (25.40 x 4.75)	90	THT-51-426	1.000 x 0.250 (25.40 x 6.35)	90
THT-21-486	3.000 x 300 ft (76.20 x 9144 m)	97	THT-42-497	1.000 x 0.187 (25.40 x 4.75)	90	THT-53-351	2.000 x 0.500 (50.80 x 12.70)	94
THT-21-489	3.000 x 300 ft (76.20 x 9144 m)	97	THT-43-354	1.250 x 0.250 (31.75 x 6.35)	91	THT-53-352	2.000 x 0.500 (50.80 x 12.70)	94
THT-22-423	1.250 x 0.750 (31.75 x 19.05)	98	THT-43-423	1.250 x 0.250 (31.75 x 6.35)	91	THT-53-423	2.000 x 0.500 (50.80 x 12.70)	94
THT-22-428	1.250 x 0.750 (31.75 x 19.05)	98	THT-43-426	1.250 x 0.250 (31.75 x 6.35)	91	THT-53-424	2.000 x 0.500 (50.80 x 12.70)	94
THT-23-423	2.000 x 1.000 (50.80 x 25.40)	98	THT-43-457	1.250 x 0.250 (31.75 x 6.35)	91	THT-53-428	2.000 x 0.500 (50.80 x 12.70)	94
THT-23-428	2.000 x 1.000 (50.80 x 25.40)	98	THT-43-473	1.250 x 0.250 (31.75 x 6.35)	91	THT-53-438	2.000 x 0.500 (50.80 x 12.70)	94
THT-24-423	2.750 x 1.750 (69.85 x 44.45)	98	THT-43-477	1.250 x 0.250 (31.75 x 6.35)	91	THT-53-486	2.000 x 0.500 (50.80 x 12.70)	94
THT-24-428	2.750 x 1.750 (69.85 x 44.45)	98	THT-43-478	1.250 x 0.250 (31.75 x 6.35)	91	THT-53-7546	2.000 x 0.500 (50.80 x 12.70)	94
THT-25-402	4.000 x 6.000 (101.60 x 152.40)	97	THT-43-479	1.250 x 0.250 (31.75 x 6.35)	91	THT-53-7576	2.000 x 0.500 (50.80 x 12.70)	94
THT-25-408	4.000 x 6.000 (101.60 x 152.40)	97	THT-43-487	1.250 x 0.250 (31.75 x 6.35)	91	THT-55-402	4.000 x 2.000 (101.60 x 50.80)	97
THT-25-424	4.000 x 6.000 (101.60 x 152.40)	97	THT-43-495	1.250 x 0.250 (31.75 x 6.35)	92	THT-55-408	4.000 x 2.000 (101.60 x 50.80)	97
THT-26-427	2.500 x 2.250 (63.50 x 57.15)	99	THT-43-497	1.250 x 0.250 (31.75 x 6.35)	92	THT-55-423	4.000 x 2.000 (101.60 x 50.80)	97
THT-27-427	2.000 x 3.750 (50.80 x 95.25)	99	THT-44-423	1.375 x 0.250 (35.05 x 6.35)	92	THT-55-424	4.000 x 2.000 (101.60 x 50.80)	97
THT-28-423	1.500 x 0.125 (38.10 x 3.18)	92	THT-44-426	1.375 x 0.250 (35.05 x 6.35)	92	THT-55-428	4.000 x 2.000 (101.60 x 50.80)	97
THT-28-426	1.500 x 0.125 (38.10 x 3.18)	92	THT-44-457	1.375 x 0.250 (35.05 x 6.35)	92	THT-55-434	4.000 x 2.000 (101.60 x 50.80)	97
THT-29-423	1.250 x 0.375 (31.75 x 9.53)	92	THT-44-477	1.375 x 0.250 (35.05 x 6.35)	92	THT-55-435	4.000 x 2.000 (101.60 x 50.80)	97
THT-29-426	1.250 x 0.375 (31.75 x 9.53)	92	THT-44-478	1.375 x 0.250 (35.05 x 6.35)	92	THT-55-449	4.000 x 2.000 (101.60 x 50.80)	97
THT-29-437	1.250 x 0.375 (31.75 x 9.53)	92	THT-44-479	1.375 x 0.250 (35.05 x 6.35)	92	THT-55-483	4.000 x 2.000 (101.60 x 50.80)	97
THT-29-437-YL	1.250 x 0.375 (31.75 x 9.53)	92	THT-44-487	1.375 x 0.250 (35.05 x 6.35)	92	THT-55-484	4.000 x 2.000 (101.60 x 50.80)	97

LABEL INDEX BY PART NUMBER THERMAL TRANSFER LABELS

Part Number	Size Inch (mm)	Specifications on Page	Part Number	Size Inch (mm)	Specifications on Page	Part Number	Size Inch (mm)	Specifications on Page			
THT-55-488	4.000 x 2.000	(101.60 x 50.80)	97	THT-77-402	4.000 x 4.000	(101.60 x 101.60)	97	THT-118-427	1.500 x 1.000	(38.10 x 25.40)	99
THT-55-489	4.000 x 2.000	(101.60 x 50.80)	97	THT-78-402	4.000 x 6.500	(101.60 x 165.10)	97	THT-119-427	1.500 x 1.500	(38.10 x 38.10)	99
THT-56-427	0.750 x 0.938	(19.05 x 23.81)	99	THT-78-408	4.000 x 6.500	(101.60 x 165.10)	97	THT-120-427	1.750 x 1.000	(44.45 x 25.40)	99
THT-57-423	0.700 x 0.375	(17.78 x 9.53)	88	THT-79-423	2.000 x 0.400	(50.80 x 10.16)	94	THT-121-427	1.750 x 1.500	(44.45 x 38.10)	99
THT-57-426	0.700 x 0.375	(17.78 x 9.53)	88	THT-80-427	0.500 x 0.750	(12.70 x 19.05)	99	THT-122-461	1.800 x 0.500	(45.72 x 12.70)	100
THT-57-473	0.700 x 0.375	(17.78 x 9.53)	88	THT-81-427	1.000 x 6.000	(25.40 x 152.40)	99	THT-123-461	1.800 x 0.375	(45.72 x 9.53)	100
THT-58-457	1.000 x 0.375	(25.40 x 9.53)	90	THT-82-427	2.000 x 6.000	(50.80 x 152.40)	99	THT-125-499	0.900 x 0.500	(22.86 x 12.70)	89
THT-58-473	1.000 x 0.375	(25.40 x 9.53)	90	THT-83-427	2.000 x 7.000	(50.80 x 177.80)	99	THT-126-499	0.900 x 0.500	(22.86 x 12.70)	89
THT-58-478	1.000 x 0.375	(25.40 x 9.53)	90	THT-84-427	1.000 x 6.000	(25.40 x 152.40)	100	THT-127-427	2.200 x 0.500	(55.88 x 12.70)	100
THT-58-479	1.000 x 0.375	(25.40 x 9.53)	90	THT-85-427	2.000 x 6.000	(50.80 x 152.40)	100	THT-127-461	2.200 x 1.000	(55.88 x 25.40)	100
THT-58-495	1.000 x 0.375	(25.40 x 9.53)	90	THT-86-427	2.000 x 7.000	(50.80 x 177.80)	100	THT-131-427	2.625 x 0.500	(66.68 x 25.40)	100
THT-59-351	1.000 x 0.500	(25.40 x 12.70)	90	THT-87-498	0.500 x 1.437	(12.70 x 36.50)	87	THT-131-461	2.625 x 1.000	(66.68 x 25.40)	95
THT-59-352	1.000 x 0.500	(25.40 x 12.70)	90	THT-88-498	1.000 x 0.750	(25.40 x 19.05)	91	THT-133-461	1.625 x 0.600	(41.28 x 15.24)	100
THT-59-354	1.000 x 0.500	(25.40 x 12.70)	90	THT-89-498	1.000 x 1.437	(25.40 x 36.50)	91	THT-134-461	3.500 x 1.500	(88.90 x 38.10)	100
THT-59-359	1.000 x 0.500	(25.40 x 12.70)	90	THT-90-498	0.250 x 1.437	(6.35 x 36.50)	86	THT-135-427-AW	1.500 x 0.750	(38.10 x 19.05)	93
THT-59-423	1.000 x 0.500	(25.40 x 12.70)	90	THT-91-498	0.750 x 0.937	(19.05 x 23.80)	89	THT-136-499	1.500 x 0.750	(38.10 x 19.05)	93
THT-59-438	1.000 x 0.500	(25.40 x 12.70)	91	THT-92-498	0.375 x 165 ft	(9.53 x 50.80 m)	86	THT-137-427-AW	2.000 x 1.000	(50.80 x 25.40)	94
THT-59-457	1.000 x 0.500	(25.40 x 12.70)	91	THT-93-498	0.318 x 165 ft	(8.08 x 50.80 m)	86	THT-137-499	2.000 x 1.000	(50.80 x 25.40)	95
THT-59-473	1.000 x 0.500	(25.40 x 12.70)	91	THT-94-498	0.240 x 165 ft	(6.10 x 50.80 m)	85	THT-139-461	1.000 x 5.250	(25.40 x 133.35)	99
THT-59-477	1.000 x 0.500	(25.40 x 12.70)	91	THT-95-498	0.800 x 1.437	(15.24 x 36.50)	89	THT-140-488	0.900 x 0.750	(22.86 x 19.05)	89
THT-59-478	1.000 x 0.500	(25.40 x 12.70)	91	THT-96-354	0.500 x 0.275	(12.70 x 6.99)	87	THT-141-488	0.900 x 0.900	(22.86 x 22.86)	89
THT-59-479	1.000 x 0.500	(25.40 x 12.70)	91	THT-96-473	0.500 x 0.275	(12.70 x 6.99)	87	THT-142-423	2.250 x 0.200	(63.50 x 5.08)	95
THT-59-483	1.000 x 0.500	(25.40 x 12.70)	91	THT-96-477	0.500 x 0.275	(12.70 x 6.99)	87	THT-143-499	0.375 (9.52) dia.		86
THT-59-486	1.000 x 0.500	(25.40 x 12.70)	91	THT-96-487	0.500 x 0.275	(12.70 x 6.99)	87	THT-144-499	0.500 (12.70) dia.		87
THT-59-487	1.000 x 0.500	(25.40 x 12.70)	91	THT-96-497	0.500 x 0.275	(12.70 x 6.99)	87	THT-147-358	1.500 x 0.375	(38.10 x 9.50)	93
THT-59-489	1.000 x 0.500	(25.40 x 12.70)	90	THT-97-423	0.500 x 0.200	(12.70 x 5.08)	87	THT-147-359	1.500 x 0.375	(38.10 x 9.50)	93
THT-59-495	1.000 x 0.500	(25.40 x 12.70)	90	THT-97-457	0.500 x 0.200	(12.70 x 5.08)	87	THT-147-422	1.500 x 0.375	(38.10 x 9.50)	93
THT-59-497	1.000 x 0.500	(25.40 x 12.70)	90	THT-97-473	0.500 x 0.200	(12.70 x 5.08)	87	THT-147-430	1.500 x 0.375	(38.10 x 9.50)	93
THT-59-7546	1.000 x 0.500	(25.40 x 12.70)	90	THT-97-477	0.500 x 0.200	(12.70 x 5.08)	87	THT-147-7566	1.500 x 0.375	(38.10 x 9.50)	93
THT-59-7576	1.000 x 0.500	(25.40 x 12.70)	90	THT-97-478	0.500 x 0.200	(12.70 x 5.08)	87	THT-148-422	0.500 x 0.375	(12.70 x 9.50)	87
THT-60-457	1.500 x 0.125	(38.10 x 3.18)	92	THT-97-479	0.500 x 0.200	(12.70 x 5.08)	87	THT-148-430	0.500 x 0.375	(12.70 x 9.50)	87
THT-60-477	1.500 x 0.125	(38.10 x 3.18)	92	THT-97-487	0.500 x 0.200	(12.70 x 5.08)	87	THT-149-358	0.500 x 0.500	(12.70 x 12.70)	87
THT-60-478	1.500 x 0.125	(38.10 x 3.18)	92	THT-97-495	0.500 x 0.200	(12.70 x 5.08)	87	THT-149-422	0.500 x 0.500	(12.70 x 12.70)	87
THT-60-479	1.500 x 0.125	(38.10 x 3.18)	92	THT-97-497	0.500 x 0.200	(12.70 x 5.08)	87	THT-149-430	0.500 x 0.500	(12.70 x 12.70)	87
THT-60-487	1.500 x 0.125	(38.10 x 3.18)	92	THT-99-359	0.500 x 0.500	(12.70 x 12.70)	87	THT-149-7566	0.500 x 0.500	(12.70 x 12.70)	87
THT-60-495	1.500 x 0.125	(38.10 x 3.18)	92	THT-99-473	0.500 x 0.500	(12.70 x 12.70)	87	THT-150-412	1.938 x 0.375	(49.20 x 9.50)	93
THT-60-497	1.500 x 0.125	(38.10 x 3.18)	92	THT-99-477	0.500 x 0.500	(12.70 x 12.70)	87	THT-151-499	2.000 x 0.250	(50.80 x 6.35)	94
THT-61-427	0.500 x 1.437	(12.70 x 36.50)	100	THT-99-478	0.500 x 0.500	(12.70 x 12.70)	87	THT-152-499	1.000 x 0.375	(25.40 x 9.53)	90
THT-62-427	0.750 x 1.750	(19.05 x 44.45)	100	THT-99-479	0.500 x 0.500	(12.70 x 12.70)	87	THT-153-461	2.625 x 0.600	(66.68 x 15.24)	100
THT-63-427	0.800 x 1.437	(20.32 x 36.50)	100	THT-99-487	0.500 x 0.500	(12.70 x 12.70)	87	THT-154-490	1.250 x 0.375	(31.75 x 9.53)	92
THT-64-427	1.000 x 2.250	(25.40 x 57.15)	100	THT-99-495	0.500 x 0.500	(12.70 x 12.70)	87	THT-155-490	1.625 x 0.600	(41.28 x 15.24)	93
THT-65-427	1.000 x 3.750	(25.40 x 95.25)	100	THT-99-497	0.500 x 0.500	(12.70 x 12.70)	87	THT-156-490	1.900 x 1.000	(48.26 x 25.40)	93
THT-66-427	1.900 x 3.187	(48.26 x 80.95)	100	THT-100-473	0.700 x 0.375	(17.78 x 9.53)	88	THT-157-490	3.750 x 1.500	(55.88 x 38.10)	95
THT-67-427	2.000 x 2.250	(50.80 x 57.15)	100	THT-102-422	1.500 x 3.700	(38.10 x 93.98)	93	THT-158-490	3.750 x 1.500	(95.25 x 38.10)	97
THT-68-498	0.500 x 0.750	(12.70 x 36.50)	87	THT-103-423	1.000 x 0.250	(25.40 x 6.35)	90	THT-159-422	2.875 x 0.375	(73.03 x 9.50)	95
THT-68-499	0.500 x 0.750	(12.70 x 36.50)	87	THT-103-426	1.000 x 0.250	(25.40 x 6.35)	90	THT-160-422	3.600 x 0.375	(91.44 x 9.50)	97
THT-69-499	0.800 x 1.437	(20.32 x 36.50)	89	THT-103-457	1.000 x 0.250	(25.40 x 6.35)	90	THT-161-423	4.000 x 4.000	(101.60 x 101.60)	97
THT-70-350	0.250 x 0.250	(6.35 x 6.35)	85	THT-103-473	1.000 x 0.250	(25.40 x 6.35)	90	THT-161-483	4.000 x 4.000	(101.60 x 101.60)	97
THT-70-354	0.250 x 0.250	(6.35 x 6.35)	85	THT-103-477	1.000 x 0.250	(25.40 x 6.35)	90	THT-161-486	4.000 x 4.000	(101.60 x 101.60)	97
THT-70-457	0.250 x 0.250	(6.35 x 6.35)	85	THT-103-478	1.000 x 0.250	(25.40 x 6.35)	90	THT-162-499	0.800 x 1.437	(20.32 x 36.50)	89
THT-70-473	0.250 x 0.250	(6.35 x 6.35)	85	THT-103-479	1.000 x 0.250	(25.40 x 6.35)	90	THT-163-499	1.000 x 0.375 dia.	(25.40 x 9.53)	90
THT-70-477	0.250 x 0.250	(6.35 x 6.35)	85	THT-103-487	1.000 x 0.250	(25.40 x 6.35)	90	THT-164-488	0.900 x 0.900	(22.86 x 22.86)	89
THT-70-478	0.250 x 0.250	(6.35 x 6.35)	85	THT-103-495	1.000 x 0.250	(25.40 x 6.35)	90	THTHD-42-426*	0.187 x 1.000	(4.75 x 25.40)	85
THT-70-479	0.250 x 0.250	(6.35 x 6.35)	85	THT-103-497	1.000 x 0.250	(25.40 x 6.35)	90	THTHD-42-457*	0.187 x 1.000	(4.75 x 25.40)	85
THT-70-487	0.250 x 0.250	(6.35 x 6.35)	85	THT-104-354	0.315 x 0.177	(8.00 x 4.50)	86	THTHD-42-477*	0.187 x 1.000	(4.75 x 25.40)	85
THT-70-495	0.250 x 0.250	(6.35 x 6.35)	85	THT-104-497	0.315 x 0.177	(8.00 x 4.50)	86	THTHD-42-478*	0.187 x 1.000	(4.75 x 25.40)	85
THT-70-497	0.250 x 0.250	(6.35 x 6.35)	85	THT-105-437	1.500 x 300 ft	(38.10 x 91.44 m)	93	THTHD-42-487*	0.187 x 1.000	(4.75 x 25.40)	85
THT-71-457	0.315 x 0.315	(8.00 x 8.00)	86	THT-105-437-YL	1.500 x 300 ft	(38.10 x 91.44 m)	93	THTHD-42-495*	0.187 x 1.000	(4.75 x 25.40)	85
THT-71-478	0.315 x 0.315	(8.00 x 8.00)	86	THT-106-423	2.000 x 300 ft	(50.80 x 91.44 m)	95	THTHD-43-426*	0.250 x 1.250	(6.35 x 31.75)	86
THT-71-479	0.315 x 0.315	(8.00 x 8.00)	86	THT-106-428	2.000 x 300 ft	(50.80 x 91.44 m)	95	THTHD-43-457*	0.250 x 1.250	(6.35 x 31.75)	86
THT-71-495	0.315 x 0.315	(8.00 x 8.00)	86	THT-106-439	2.000 x 300 ft	(50.80 x 91.44 m)	95	THTHD-43-477*	0.250 x 1.250	(6.35 x 31.75)	86
THT-72-457	1.750 x 0.250	(44.45 x 6.35)	93	THT-106-483	2.000 x 300 ft	(50.80 x 91.44 m)	95	THTHD-43-478*	0.250 x 1.250	(6.35 x 31.75)	86
THT-72-478	1.750 x 0.250	(44.45 x 6.35)	93	THT-106-486	2.000 x 300 ft	(50.80 x 91.44 m)	95	THTHD-43-487*	0.250 x 1.250	(6.35 x 31.75)	86
THT-72-479	1.750 x 0.250	(44.45 x 6.35)	93	THT-107-423	4.000 x 300 ft	(101.60 x 91.44m)	97	THTHD-43-495*	0.250 x 1.250	(6.35 x 31.75)	86
THT-72-495	1.750 x 0.250	(44.45 x 6.35)	93	THT-107-428	4.000 x 300 ft	(101.60 x 91.44m)	97	THTHD-44-426*	0.250 x 1.375	(6.35 x 34.93)	86
THT-72-497	1.750 x 0.250	(44.45 x 6.35)	93	THT-107-439	4.000 x 300 ft	(101.60 x 91.44m)	97	THTHD-44-457*	0.250 x 1.375	(6.35 x 34.93)	86
THT-73-427	0.750 x 1.750	(19.05 x 44.45)	99	THT-107-483	4.000 x 300 ft	(101.60 x 91.44m)	97	THTHD-44-477*	0.250 x 1.375	(6.35 x 34.93)	86
THT-74-427	0.800 x 1.437	(20.32 x 36.50)	99	THT-107-486	4.000 x 300 ft	(101.60 x 91.44m)	97	THTHD-44-478*	0.250 x 1.375	(6.35 x 34.93)	86
THT-75-427	1.000 x 2.250	(25.40 x 57.15)	99	THT-113-427	0.500 x 1.000	(12.70 x 25.40)	99	THTHD-44-487*	0.250 x 1.375	(6.35 x 34.93)	86
THT-76-422	4.000 x 3.000	(101.60 x 76.20)	97	THT-114-427	0.500 x 1.250	(12.70 x 31.75)	99	THTHD-44-495*	0.250 x 1.375	(6.35 x 34.93)	86
THT-76-449	4.000 x 3.000	(101.60 x 76.20)	97	THT-115-427	1.000 x 0.750	(25.40 x 19.05)	99	THTHD-45-426*	0.250 x 1.500	(6.35 x 38.10)	86
THT-76-483	4.000 x 3.000	(101.60 x 76.20)	97	THT-116-427	1.000 x 1.000	(25.40 x 25.40)	99	THTHD-45-457*	0.250 x 1.500	(6.35 x 38.10)	86
THT-76-489	4.000 x 3.000	(101.60 x 76.20)	97	THT-117-427	1.000 x 1.250	(25.40 x 31.75)	91	THTHD-45-477*</			

Label Index by Part Number

Part Number	Size Inch (mm)	Specifications on Page	Part Number	Size Inch (mm)	Specifications on Page	Part Number	Size Inch (mm)	Specifications on Page
THTHD-45-478*	0.250 x 1.500 (6.35 x 38.10)	86	THTHD-49-487*	0.250 x 0.900 (6.35 x 22.86)	86	THTHD-108-495*	0.150 x 1.500 (3.81 x 38.10)	86
THTHD-45-487*	0.250 x 1.500 (6.35 x 38.10)	86	THTHD-49-495*	0.250 x 0.900 (6.35 x 22.86)	86	XTHT-1-8423	0.750 x 0.250 (19.05 x 6.35)	89
THTHD-45-495*	0.250 x 1.500 (6.35 x 38.10)	86	THTHD-70-426*	0.250 x 0.250 (6.35 x 6.35)	85	XTHT-2-8423	0.900 x 0.250 (22.86 x 6.35)	89
THTHD-46-426*	0.250 x 0.750 (6.35 x 19.05)	85	THTHD-70-457*	0.250 x 0.250 (6.35 x 6.35)	85	XTHT-3-8423	1.000 x 0.375 (25.40 x 9.53)	90
THTHD-46-457*	0.250 x 0.750 (6.35 x 19.05)	85	THTHD-70-477*	0.250 x 0.250 (6.35 x 6.35)	85	XTHT-4-8423	1.500 x 0.250 (38.10 x 6.35)	93
THTHD-46-477*	0.250 x 0.750 (6.35 x 19.05)	85	THTHD-70-478*	0.250 x 0.250 (6.35 x 6.35)	85	XTHT-5-8423	1.000 x 0.500 (25.40 x 12.70)	91
THTHD-46-478*	0.250 x 0.750 (6.35 x 19.05)	85	THTHD-70-487*	0.250 x 0.250 (6.35 x 6.35)	85	XTHT-5-8425	1.000 x 0.500 (25.40 x 12.70)	91
THTHD-46-487*	0.250 x 0.750 (6.35 x 19.05)	85	THTHD-70-495*	0.250 x 0.250 (6.35 x 6.35)	85	XTHT-7-8425	2.750 x 1.250 (69.85 x 31.75)	95
THTHD-46-495*	0.250 x 0.750 (6.35 x 19.05)	85	THTHD-103-426*	0.250 x 1.000 (6.35 x 25.40)	86	XTHT-17-8423	2.000 x 1.000 (50.80 x 25.40)	95
THTHD-47-426*	0.200 x 0.650 (5.08 x 16.51)	85	THTHD-103-457*	0.250 x 1.000 (6.35 x 25.40)	86	XTHT-17-8425	2.000 x 1.000 (50.80 x 25.40)	95
THTHD-47-457*	0.200 x 0.650 (5.08 x 16.51)	85	THTHD-103-477*	0.250 x 1.000 (6.35 x 25.40)	86	XTHT-18-8423	3.000 x 1.000 (76.20 x 25.40)	96
THTHD-47-477*	0.200 x 0.650 (5.08 x 16.51)	85	THTHD-103-478*	0.250 x 1.000 (6.35 x 25.40)	86	XTHT-18-8425	3.000 x 1.000 (76.20 x 25.40)	96
THTHD-47-478*	0.200 x 0.650 (5.08 x 16.51)	85	THTHD-103-487*	0.250 x 1.000 (6.35 x 25.40)	86	XTHT-19-8423	3.000 x 2.000 (76.20 x 50.80)	96
THTHD-47-487*	0.200 x 0.650 (5.08 x 16.51)	85	THTHD-103-495*	0.250 x 1.000 (6.35 x 25.40)	86	XTHT-19-8425	3.000 x 2.000 (76.20 x 50.80)	96
THTHD-47-495*	0.200 x 0.650 (5.08 x 16.51)	85	THTHD-108-426*	0.150 x 1.500 (3.81 x 38.10)	86	XTHT-20-8425	3.000 x 5.000 (76.20 x 127.00)	96
THTHD-49-426*	0.250 x 0.900 (6.35 x 22.86)	85	THTHD-108-457*	0.150 x 1.500 (3.81 x 38.10)	86	XTHT-55-8423	4.000 x 2.000 (101.60 x 50.80)	97
THTHD-49-457*	0.250 x 0.900 (6.35 x 22.86)	86	THTHD-108-477*	0.150 x 1.500 (3.81 x 38.10)	86	XTHT-55-8425	4.000 x 2.000 (101.60 x 50.80)	97
THTHD-49-477*	0.250 x 0.900 (6.35 x 22.86)	86	THTHD-108-478*	0.150 x 1.500 (3.81 x 38.10)	86	XTHT-76-8425	4.000 x 3.000 (101.60 x 76.20)	97
THTHD-49-478*	0.250 x 0.900 (6.35 x 22.86)	86	THTHD-108-487*	0.150 x 1.500 (3.81 x 38.10)	86			

THTHD-108-426-2.5

Thermal Transfer technology

Die # 108, 0.150" x 1.500"


Package Quantity, 2,500

Material B-426, White Vinyl Cloth

PART NUMBER EXPLANATION:

Most Brady part numbers for printable labels follow the same four-part format:

The first code indicates the technology, the second part is a number indicating the die size used (where applicable), the third part indicates the Brady material used (where applicable), and the final code indicates package quantity.




Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
0.150" Label Width										
THTHD-108-426-2.5*	2,500	Polyimide	Amber	1	0.150 (3.81)	1.500 (38.10)	—	1.600 (40.64)	0.450 (11.43)	R4311
THTHD-108-457-2.5*	2,500	Polyimide	White	1	0.150 (3.81)	1.500 (38.10)	—	1.600 (40.64)	0.450 (11.43)	R6011
THTHD-108-477-2.5*	2,500	Polyimide	White	1	0.150 (3.81)	1.500 (38.10)	—	1.600 (40.64)	0.450 (11.43)	R6011
THTHD-108-478-2.5*	2,500	Polyimide	White	1	0.150 (3.81)	1.500 (38.10)	—	1.600 (40.64)	0.450 (11.43)	R6011
THTHD-108-487-2.5*	2,500	Polyimide	White	1	0.150 (3.81)	1.500 (38.10)	—	1.600 (40.64)	0.450 (11.43)	R6011
THTHD-108-495-2.5*	2,500	PEN	White	1	0.150 (3.81)	1.500 (38.10)	—	1.600 (40.64)	0.450 (11.43)	R6011
0.187" Label Width										
THTHD-42-426-4*	4,000	Polyimide	Amber	1	0.187 (4.75)	1.000 (25.40)	—	1.100 (27.94)	0.450 (11.43)	R4311
THTHD-42-457-4*	4,000	Polyimide	White	1	0.187 (4.75)	1.000 (25.40)	—	1.100 (27.94)	0.450 (11.43)	R6011
THTHD-42-477-4*	4,000	Polyimide	White	1	0.187 (4.75)	1.000 (25.40)	—	1.100 (27.94)	0.450 (11.43)	R6011
THTHD-42-478-4*	4,000	Polyimide	White	1	0.187 (4.75)	1.000 (25.40)	—	1.100 (27.94)	0.450 (11.43)	R6011
THTHD-42-487-4*	4,000	Polyimide	White	1	0.187 (4.75)	1.000 (25.40)	—	1.100 (27.94)	0.450 (11.43)	R6011
THTHD-42-495-4*	4,000	PEN	White	1	0.187 (4.75)	1.000 (25.40)	—	1.100 (27.94)	0.450 (11.43)	R6011
0.200" Label Width										
THTHD-47-426-5.5*	5,500	Polyimide	Amber	1	0.200 (5.08)	0.650 (16.51)	—	0.725 (18.42)	0.450 (11.43)	R4311
THTHD-47-457-5.5*	5,500	Polyimide	White	1	0.200 (5.08)	0.650 (16.51)	—	0.725 (18.42)	0.450 (11.43)	R6011
THTHD-47-477-5.5*	5,500	Polyimide	White	1	0.200 (5.08)	0.650 (16.51)	—	0.725 (18.42)	0.450 (11.43)	R6011
THTHD-47-478-5.5*	5,500	Polyimide	White	1	0.200 (5.08)	0.650 (16.51)	—	0.725 (18.42)	0.450 (11.43)	R6011
THTHD-47-487-5.5*	5,500	Polyimide	White	1	0.200 (5.08)	0.650 (16.51)	—	0.725 (18.42)	0.450 (11.43)	R6011
THTHD-47-495-5.5*	5,500	PEN	White	1	0.200 (5.08)	0.650 (16.51)	—	0.725 (18.42)	0.450 (11.43)	R6011
0.240" Label Width										
THT-94-498-2	1	Vinyl Cloth	White	1	0.240 (6.10)	165 ft (50.80 m)	—	—	1000 (25.40)	R4311
0.250" Label Width										
THT-70-350-5	5,000	Polyester/Paper	White	7	0.250 (6.35)	0.250 (6.35)	0.320 (8.13)	0.350 (8.89)	2.370 (60.20)	R6000
THT-70-350-20	20,000	Polyester/Paper	White	7	0.250 (6.35)	0.250 (6.35)	0.320 (8.13)	0.350 (8.89)	2.370 (60.20)	R6000
THT-70-354-20	20,000	Polyester/Paper	White	7	0.250 (6.35)	0.250 (6.35)	0.320 (8.13)	0.350 (8.89)	2.370 (60.20)	R6200
THT-11-423-10	10,000	Polyester	White	12	0.250 (6.35)	0.250 (6.35)	0.250 (6.35)	0.375 (9.53)	3.200 (81.28)	R6002
THT-11-426-10	10,000	Polyimide	Amber	12	0.250 (6.35)	0.250 (6.35)	0.250 (6.35)	0.375 (9.53)	3.200 (81.28)	R4300
THTHD-70-426-12*	12,000	Polyimide	Amber	1	0.250 (6.35)	0.250 (6.35)	—	0.350 (8.89)	0.450 (11.43)	R4311
THT-11-436-10	10,000	Polyimide	Amber	12	0.250 (6.35)	0.250 (6.35)	0.250 (6.35)	0.375 (9.53)	3.200 (81.28)	R4300
THT-11-457-10	10,000	Polyimide	White	12	0.250 (6.35)	0.250 (6.35)	0.250 (6.35)	0.375 (9.53)	3.200 (81.28)	R6002
THT-70-457-20	20,000	Polyimide	White	7	0.250 (6.35)	0.250 (6.35)	0.320 (8.13)	0.350 (8.89)	2.370 (60.20)	R6000
THTHD-70-457-12*	12,000	Polyimide	White	1	0.250 (6.35)	0.250 (6.35)	—	0.350 (8.89)	0.450 (11.43)	R6011
THT-11-473-10	10,000	Polyester	White	12	0.250 (6.35)	0.250 (6.35)	0.250 (6.35)	0.375 (9.53)	3.200 (81.28)	R6002
THT-70-473-20	20,000	Polyester	White	7	0.250 (6.35)	0.250 (6.35)	0.320 (8.13)	0.350 (8.89)	2.370 (60.20)	R6000
THT-70-477-20	20,000	Polyimide	White	7	0.250 (6.35)	0.250 (6.35)	0.320 (8.13)	0.350 (8.89)	2.370 (60.20)	R6000
THTHD-70-477-12*	12,000	Polyimide	White	1	0.250 (6.35)	0.250 (6.35)	—	0.350 (8.89)	0.450 (11.43)	R6011
THT-70-478-20	20,000	Polyimide	White	7	0.250 (6.35)	0.250 (6.35)	0.320 (8.13)	0.350 (8.89)	2.370 (60.20)	R6000
THTHD-70-478-12*	12,000	Polyimide	White	1	0.250 (6.35)	0.250 (6.35)	—	0.350 (8.89)	0.450 (11.43)	R6011
THT-70-479-20	20,000	Polyimide	White	7	0.250 (6.35)	0.250 (6.35)	0.320 (8.13)	0.350 (8.89)	2.370 (60.20)	R6000
THT-70-487-20	20,000	Polyimide	White	7	0.250 (6.35)	0.250 (6.35)	0.320 (8.13)	0.350 (8.89)	2.370 (60.20)	R6000
THTHD-70-487-12*	12,000	Polyimide	White	1	0.250 (6.35)	0.250 (6.35)	—	0.350 (8.89)	0.450 (11.43)	R6011
THT-70-495-20	20,000	PEN	White	7	0.250 (6.35)	0.250 (6.35)	0.320 (8.13)	0.350 (8.89)	2.370 (60.20)	R6000
THTHD-70-495-12*	12,000	PEN	White	1	0.250 (6.35)	0.250 (6.35)	—	0.350 (8.89)	0.450 (11.43)	R6011
THT-70-497-20	20,000	Polyimide	White	7	0.250 (6.35)	0.250 (6.35)	0.320 (8.13)	0.350 (8.89)	2.370 (60.20)	R6000
THTHD-46-426-5*	5,000	Polyimide	Amber	1	0.250 (6.35)	0.750 (18.75)	—	0.850 (21.59)	0.450 (11.43)	R4311
THTHD-46-457-5*	5,000	Polyimide	White	1	0.250 (6.35)	0.750 (18.75)	—	0.850 (21.59)	0.450 (11.43)	R6011
THTHD-46-477-5*	5,000	Polyimide	White	1	0.250 (6.35)	0.750 (18.75)	—	0.850 (21.59)	0.450 (11.43)	R6011
THTHD-46-478-5*	5,000	Polyimide	White	1	0.250 (6.35)	0.750 (18.75)	—	0.850 (21.59)	0.450 (11.43)	R6011
THTHD-46-487-5*	5,000	Polyimide	White	1	0.250 (6.35)	0.750 (18.75)	—	0.850 (21.59)	0.450 (11.43)	R6011
THTHD-46-495-5*	5,000	PEN	White	1	0.250 (6.35)	0.750 (18.75)	—	0.850 (21.59)	0.450 (11.43)	R6011
THTHD-49-426-4.5*	4,500	Polyimide	Amber	1	0.250 (6.35)	0.900 (22.86)	—	1.000 (25.40)	0.450 (11.43)	R4311

Note: Labels in chart are sorted in order by width, height, 3 or 4 digit material number (within part number), then die number (within part number).

*For use with Hover-Davis vertical format label feeders.

Label Index by Size




LABEL INDEX BY SIZE THERMAL TRANSFER LABELS

Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
0.250" Label Width (Cont.)										
THTHD-49-457-4.5*	4,500	Polyimide	White	1	0.250 (6.35)	0.900 (22.86)	—	1.000 (25.40)	0.450 (11.43)	R6011
THTHD-49-477-4.5*	4,500	Polyimide	White	1	0.250 (6.35)	0.900 (22.86)	—	1.000 (25.40)	0.450 (11.43)	R6011
THTHD-49-478-4.5*	4,500	Polyimide	White	1	0.250 (6.35)	0.900 (22.86)	—	1.000 (25.40)	0.450 (11.43)	R6011
THTHD-49-487-4.5*	4,500	Polyimide	White	1	0.250 (6.35)	0.900 (22.86)	—	1.000 (25.40)	0.450 (11.43)	R6011
THTHD-49-495-4.5*	4,500	PEN	White	1	0.250 (6.35)	0.900 (22.86)	—	1.000 (25.40)	0.450 (11.43)	R6011
THTHD-103-426-4*	4,000	Polyimide	Amber	1	0.250 (6.35)	1.000 (25.40)	—	1.100 (27.94)	0.450 (11.43)	R4311
THTHD-103-457-4*	4,000	Polyimide	White	1	0.250 (6.35)	1.000 (25.40)	—	1.100 (27.94)	0.450 (11.43)	R6011
THTHD-103-477-4*	4,000	Polyimide	White	1	0.250 (6.35)	1.000 (25.40)	—	1.100 (27.94)	0.450 (11.43)	R6011
THTHD-103-478-4*	4,000	Polyimide	White	1	0.250 (6.35)	1.000 (25.40)	—	1.100 (27.94)	0.450 (11.43)	R6011
THTHD-103-487-4*	4,000	Polyimide	White	1	0.250 (6.35)	1.000 (25.40)	—	1.100 (27.94)	0.450 (11.43)	R6011
THTHD-103-495-4*	4,000	PEN	White	1	0.250 (6.35)	1.000 (25.40)	—	1.100 (27.94)	0.450 (11.43)	R6011
THTHD-43-426-3.5*	3,500	Polyimide	Amber	1	0.250 (6.35)	1.250 (31.75)	—	1.350 (34.29)	0.450 (11.43)	R4311
THTHD-43-457-3.5*	3,500	Polyimide	White	1	0.250 (6.35)	1.250 (31.75)	—	1.350 (34.29)	0.450 (11.43)	R6011
THTHD-43-477-3.5*	3,500	Polyimide	White	1	0.250 (6.35)	1.250 (31.75)	—	1.350 (34.29)	0.450 (11.43)	R6011
THTHD-43-478-3.5*	3,500	Polyimide	White	1	0.250 (6.35)	1.250 (31.75)	—	1.350 (34.29)	0.450 (11.43)	R6011
THTHD-43-487-3.5*	3,500	Polyimide	White	1	0.250 (6.35)	1.250 (31.75)	—	1.350 (34.29)	0.450 (11.43)	R6011
THTHD-43-495-3.5*	3,500	PEN	White	1	0.250 (6.35)	1.250 (31.75)	—	1.350 (34.29)	0.450 (11.43)	R6011
THTHD-44-426-3*	4,000	Polyimide	Amber	1	0.250 (6.35)	1.375 (34.93)	—	1.475 (37.47)	0.450 (11.43)	R4311
THTHD-44-457-3*	3,000	Polyimide	White	1	0.250 (6.35)	1.375 (34.93)	—	1.475 (37.47)	0.450 (11.43)	R6011
THTHD-44-477-3*	3,000	Polyimide	White	1	0.250 (6.35)	1.375 (34.93)	—	1.475 (37.47)	0.450 (11.43)	R6011
THTHD-44-478-3*	3,000	Polyimide	White	1	0.250 (6.35)	1.375 (34.93)	—	1.475 (37.47)	0.450 (11.43)	R6011
THTHD-44-487-3*	3,000	Polyimide	White	1	0.250 (6.35)	1.375 (34.93)	—	1.475 (37.47)	0.450 (11.43)	R6011
THTHD-44-495-3*	3,000	PEN	White	1	0.250 (6.35)	1.375 (34.93)	—	1.475 (37.47)	0.450 (11.43)	R6011
THT-90-498-5	5,000	Vinyl Cloth	White	6	0.250 (6.35)	1.437 (36.50)	0.350 (8.89)	1.562 (39.68)	2.200 (55.88)	R4300
THTHD-45-426-2.5*	2,500	Polyimide	Amber	1	0.250 (6.35)	1.500 (38.10)	—	1.600 (40.64)	0.450 (11.43)	R4311
THTHD-45-457-2.5*	2,500	Polyimide	White	1	0.250 (6.35)	1.500 (38.10)	—	1.600 (40.64)	0.450 (11.43)	R6011
THTHD-45-477-2.5*	2,500	Polyimide	White	1	0.250 (6.35)	1.500 (38.10)	—	1.600 (40.64)	0.450 (11.43)	R6011
THTHD-45-478-2.5*	2,500	Polyimide	White	1	0.250 (6.35)	1.500 (38.10)	—	1.600 (40.64)	0.450 (11.43)	R6011
THTHD-45-487-2.5*	2,500	Polyimide	White	1	0.250 (6.35)	1.500 (38.10)	—	1.600 (40.64)	0.450 (11.43)	R6011
THTHD-45-495-2.5*	2,500	PEN	White	1	0.250 (6.35)	1.500 (38.10)	—	1.600 (40.64)	0.450 (11.43)	R6011
0.315" Label Width										
THT-104-354-20	20,000	Polyester/Paper	White	6	0.315 (8.00)	0.177 (4.50)	0.375 (9.53)	0.278 (7.06)	2.39 (60.71)	R6200
THT-104-497-20	20,000	Polyimide	White	6	0.315 (8.00)	0.177 (4.50)	0.375 (9.53)	0.278 (7.06)	2.39 (60.71)	R6000
THT-71-457-20	20,000	Polyimide	White	6	0.315 (8.00)	0.315 (8.00)	0.375 (9.53)	0.415 (10.54)	2.39 (60.71)	R6000
THT-71-478-20	20,000	Polyimide	White	6	0.315 (8.00)	0.315 (8.00)	0.375 (9.53)	0.415 (10.54)	2.39 (60.71)	R6000
THT-71-479-20	20,000	Polyimide	White	6	0.315 (8.00)	0.315 (8.00)	0.375 (9.53)	0.415 (10.54)	2.39 (60.71)	R6000
THT-71-495-20	20,000	PEN	White	6	0.315 (8.00)	0.315 (8.00)	0.375 (9.53)	0.415 (10.54)	2.39 (60.71)	R6000
0.318" Label Width										
THT-93-498-2	1	Vinyl Cloth	White	1	0.318 (8.08)	165 ft (50.80 m)	—	—	1.000 (25.40)	R4311
0.375" Label Width										
THT-143-499-3●	3,000	Nylon Cloth	White	4	0.375 (9.53) dia.	—	0.475 (12.07)	0.500 (12.70)	2.000 (50.80)	R4302
THT-38-423-10	10,000	Polyester	White	7	0.375 (9.53)	0.375 (9.53)	0.437 (11.10)	0.475 (12.07)	3.200 (81.28)	R6002
THT-38-426-10	10,000	Polyimide	Amber	7	0.375 (9.53)	0.375 (9.53)	0.437 (11.10)	0.475 (12.07)	3.200 (81.28)	R4300
THT-38-457-10	10,000	Polyimide	White	7	0.375 (9.53)	0.375 (9.53)	0.437 (11.10)	0.475 (12.07)	3.200 (81.28)	R6002
THT-38-473-10	10,000	Polyester	White	7	0.375 (9.53)	0.375 (9.53)	0.437 (11.10)	0.475 (12.07)	3.200 (81.28)	R6002
THT-38-477-10	10,000	Polyimide	White	7	0.375 (9.53)	0.375 (9.53)	0.437 (11.10)	0.475 (12.07)	3.200 (81.28)	R6002
THT-38-478-10	10,000	Polyimide	White	7	0.375 (9.53)	0.375 (9.53)	0.437 (11.10)	0.475 (12.07)	3.200 (81.28)	R6002
THT-38-479-10	10,000	Polyimide	White	7	0.375 (9.53)	0.375 (9.53)	0.437 (11.10)	0.475 (12.07)	3.200 (81.28)	R6002
THT-38-487-10	10,000	Polyimide	White	7	0.375 (9.53)	0.375 (9.53)	0.437 (11.10)	0.475 (12.07)	3.200 (81.28)	R6002
THT-38-495-10	10,000	PEN	White	7	0.375 (9.53)	0.375 (9.53)	0.437 (11.10)	0.475 (12.07)	3.200 (81.28)	R6002
THT-38-497-10	10,000	Polyimide	White	7	0.375 (9.53)	0.375 (9.53)	0.437 (11.10)	0.475 (12.07)	3.200 (81.28)	R6002
THT-92-498-2	1	Vinyl Cloth	White	1	0.375 (9.53)	165 ft (50.80 m)	—	—	1.000 (25.40)	R4311

Note: Labels in chart are sorted in order by width, height, 3 or 4 digit material number (within part number), then die number (within part number).


*For use with Hover-Davis vertical format label feeders.



Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
0.500" Label Width										
THT-144-499-3	3,000	Nylon Cloth	White	3	0.500 (12.70)	dia.	0.600 (15.24)	0.625 (15.88)	1.900 (48.26)	R4302
THT-36-422-10	10,000	Polyester	White	5	0.500 (12.70)	0.200 (5.08)	0.625 (15.88)	0.300 (7.62)	3.200 (81.28)	R6002
THT-36-423-10	10,000	Polyester	White	5	0.500 (12.70)	0.200 (5.08)	0.625 (15.88)	0.300 (7.62)	3.200 (81.28)	R6002
THT-36-473-10	10,000	Polyester	White	5	0.500 (12.70)	0.200 (5.08)	0.625 (15.88)	0.300 (7.62)	3.200 (81.28)	R6002
THT-97-423-10	10,000	Polyester	White	1	0.500 (12.70)	0.200 (5.08)	—	0.300 (7.62)	0.700 (17.78)	R6011
THT-97-457-10	10,000	Polyimide	White	1	0.500 (12.70)	0.200 (5.08)	—	0.300 (7.62)	0.700 (17.78)	R6011
THT-97-473-10	10,000	Polyester	White	1	0.500 (12.70)	0.200 (5.08)	—	0.300 (7.62)	0.700 (17.78)	R6011
THT-97-477-10	10,000	Polyimide	White	1	0.500 (12.70)	0.200 (5.08)	—	0.300 (7.62)	0.700 (17.78)	R6011
THT-97-478-10	10,000	Polyimide	White	1	0.500 (12.70)	0.200 (5.08)	—	0.300 (7.62)	0.700 (17.78)	R6011
THT-97-479-10	10,000	Polyimide	White	1	0.500 (12.70)	0.200 (5.08)	—	0.300 (7.62)	0.700 (17.78)	R6011
THT-97-487-10	10,000	Polyimide	White	1	0.500 (12.70)	0.200 (5.08)	—	0.300 (7.62)	0.700 (17.78)	R6011
THT-97-495-10	10,000	PEN	White	1	0.500 (12.70)	0.200 (5.08)	—	0.300 (7.62)	0.700 (17.78)	R6011
THT-97-497-10	10,000	Polyimide	White	1	0.500 (12.70)	0.200 (5.08)	—	0.300 (7.62)	0.700 (17.78)	R6011
THT-96-354-10	10,000	Polyester/Paper	White	4	0.500 (12.70)	0.275 (6.99)	0.600 (15.24)	0.375 (9.53)	2.500 (63.50)	R6200
THT-96-473-10	10,000	Polyester	White	4	0.500 (12.70)	0.275 (6.99)	0.600 (15.24)	0.375 (9.53)	2.500 (63.50)	R6000
THT-96-477-10	10,000	Polyimide	White	4	0.500 (12.70)	0.275 (6.99)	0.600 (15.24)	0.375 (9.53)	2.500 (63.50)	R6000
THT-96-487-10	10,000	Polyimide	White	4	0.500 (12.70)	0.275 (6.99)	0.600 (15.24)	0.375 (9.53)	2.500 (63.50)	R6000
THT-96-497-10	10,000	Polyimide	White	4	0.500 (12.70)	0.275 (6.99)	0.600 (15.24)	0.375 (9.53)	2.500 (63.50)	R6000
THT-148-422-10	10,000	Polyester	White	4	0.500 (12.70)	0.375 (9.50)	0.600 (15.24)	0.475 (12.07)	2.500 (63.50)	R6002
THT-148-430-10	10,000	Polyester	Clear	4	0.500 (12.70)	0.375 (9.50)	0.600 (15.24)	0.500 (12.70)	2.500 (63.50)	R6002
THT-12-351-10	10,000	Tamper-Resistant Vinyl	White	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R6202
THT-12-423-10	10,000	Polyester	White	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R6002
THT-12-426-10	10,000	Polyimide	Amber	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R4300
THT-12-428-10	10,000	Metallized Polyester	Silver	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R4300
THT-12-433-10	10,000	Removable Polyester	White	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R6002
THT-12-435-10	10,000	Glossy Metallized Polyester	Silver	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R6002
THT-12-438-10	10,000	Tamper-Evident Polyester	Silver	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R4300
THT-12-457-10	10,000	Polyimide	White	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R6002
THT-12-473-10	10,000	Polyester	White	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R6002
THT-12-477-10	10,000	Polyimide	White	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R6002
THT-12-478-10	10,000	Polyimide	White	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R6002
THT-12-479-10	10,000	Polyimide	White	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R6002
THT-12-487-10	10,000	Polyimide	White	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R6002
THT-12-495-10	10,000	PEN	White	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R6002
THT-12-497-10	10,000	Polyimide	White	5	0.500 (12.70)	0.437 (11.10)	0.662 (16.81)	0.537 (13.64)	3.350 (85.09)	R6002
THT-149-358-10	10,000	Tamper-Resistant Acetate	Clear	4	0.500 (12.70)	0.500 (12.70)	0.600 (15.24)	0.600 (15.24)	2.500 (63.50)	R6202
THT-99-359-10	10,000	Tamper-Resistant Acetate	White	4	0.500 (12.70)	0.500 (12.70)	—	0.600 (15.24)	0.700 (17.78)	R6211
THT-149-422-10	10,000	Polyester	White	4	0.500 (12.70)	0.500 (12.70)	0.600 (15.24)	0.600 (15.24)	2.500 (63.50)	R6002
THT-149-430-10	10,000	Polyester	Clear	4	0.500 (12.70)	0.500 (12.70)	0.600 (15.24)	0.605 (15.38)	2.500 (63.50)	R6002
THT-99-473-10	10,000	Polyimide	White	1	0.500 (12.70)	0.500 (12.70)	—	0.600 (15.24)	0.700 (17.78)	R6011
THT-99-477-10	10,000	Polyimide	White	1	0.500 (12.70)	0.500 (12.70)	—	0.600 (15.24)	0.700 (17.78)	R6011
THT-99-478-10	10,000	Polyimide	White	1	0.500 (12.70)	0.500 (12.70)	—	0.600 (15.24)	0.700 (17.78)	R6011
THT-99-479-10	10,000	Polyimide	White	1	0.500 (12.70)	0.500 (12.70)	—	0.600 (15.24)	0.700 (17.78)	R6011
THT-99-487-10	10,000	Polyimide	White	1	0.500 (12.70)	0.500 (12.70)	—	0.600 (15.24)	0.700 (17.78)	R6011
THT-99-495-10	10,000	PEN	White	1	0.500 (12.70)	0.500 (12.70)	—	0.600 (15.24)	0.700 (17.78)	R6011
THT-99-497-10	10,000	Polyimide	White	1	0.500 (12.70)	0.500 (12.70)	—	0.600 (15.24)	0.700 (17.78)	R6011
THT-149-7566-10	10,000	Tamper-Evident Polyester	Clear	4	0.500 (12.70)	0.500 (12.70)	0.600 (15.24)	0.600 (15.24)	2.500 (63.50)	R6002
THT-68-498-10	10,000	Vinyl Cloth	White	4	0.500 (12.70)	0.750 (19.05)	0.600 (15.24)	0.850 (21.59)	2.500 (63.50)	R4300
THT-68-499-10	10,000	Nylon Cloth	White	4	0.500 (12.70)	0.750 (19.05)	0.600 (15.24)	0.850 (21.59)	2.500 (63.50)	R4902
THT-87-498-10	10,000	Vinyl Cloth	White	6	0.500 (12.70)	1.440 (36.50)	0.600 (15.24)	1.562 (39.68)	3.700 (93.98)	R4300
0.590" Label Width										
DSTHT-15-390-1	1,000	Polypropylene	White	1	0.590 (15.00)	0.163 (4.14)	—	0.402 (10.21)	—	R6200
DSTHT-15-390-2.5	2,500	Polypropylene	White	1	0.590 (15.00)	0.163 (4.14)	—	0.402 (10.21)	—	R6200

Note: Labels in chart are sorted in order by width, height, 3 or 4 digit material number (within part number), then die number (within part number).


Label Index by Size



Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
0.650" Label Width										
THT-14-351-10	10,000	Tamper-Resistant Vinyl	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R6202
THT-14-354-10	10,000	Polyester/Paper	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R6202
THT-14-423-10	10,000	Polyester	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R6002
THT-47-423-10	10,000	Polyester	White	1	0.650 (16.51)	0.200 (5.08)	—	0.300 (7.62)	0.850 (21.59)	R6011
THT-14-426-10	10,000	Polyimide	Amber	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R4300
THT-47-426-10	10,000	Polyimide	Amber	1	0.650 (16.51)	0.200 (5.08)	—	0.300 (7.62)	0.850 (21.59)	R4311
THT-14-436-10	10,000	Removable Polyimide	Amber	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R4311
THT-14-437-10	10,000	Tedlar®	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R4311
THT-14-438-10	10,000	Tamper-Evident Polyester	Silver	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R4311
THT-14-457-10	10,000	Polyimide	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R6002
THT-47-457-10	10,000	Polyimide	White	1	0.650 (16.51)	0.200 (5.08)	—	0.300 (7.62)	0.850 (21.59)	R6011
THT-14-459-10	10,000	Polyester	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R6002
THT-14-473-10	10,000	Polyester	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R6002
THT-47-473-10	10,000	Polyester	White	1	0.650 (16.51)	0.200 (5.08)	—	0.300 (7.62)	0.850 (21.59)	R6011
THT-14-477-10	10,000	Polyimide	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R6002
THT-47-477-10	10,000	Polyimide	White	1	0.650 (16.51)	0.200 (5.08)	—	0.300 (7.62)	0.850 (21.59)	R6011
THT-14-478-10	10,000	Polyimide	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R6002
THT-47-478-10	10,000	Polyimide	White	1	0.650 (16.51)	0.200 (5.08)	—	0.300 (7.62)	0.850 (21.59)	R6011
THT-14-479-10	10,000	Polyimide	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R6002
THT-47-479-10	10,000	Polyimide	White	1	0.650 (16.51)	0.200 (5.08)	—	0.300 (7.62)	0.850 (21.59)	R6011
THT-14-487-10	10,000	Polyimide	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R6002
THT-47-487-10	10,000	Polyimide	White	1	0.650 (16.51)	0.200 (5.08)	—	0.300 (7.62)	0.850 (21.59)	R6011
THT-14-488-10	10,000	Polyester	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R4300
THT-14-495-10	10,000	PEN	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R6002
THT-47-495-10	10,000	PEN	White	1	0.650 (16.51)	0.200 (5.08)	—	0.300 (7.62)	0.850 (21.59)	R6011
THT-14-497-10	10,000	Polyimide	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R6002
THT-47-497-10	10,000	Polyimide	White	1	0.650 (16.51)	0.200 (5.08)	—	0.300 (7.62)	0.850 (21.59)	R6011
THT-14-498-10	10,000	Vinyl Cloth	White	4	0.650 (16.51)	0.200 (5.08)	0.700 (17.78)	0.300 (7.62)	2.950 (74.93)	R4311
0.700" Label Width										
THT-57-423-10	10,000	Polyester	White	4	0.700 (17.78)	0.375 (9.53)	0.800 (20.32)	0.475 (12.07)	3.350 (85.09)	R6002
THT-57-426-10	10,000	Polyimide	Amber	4	0.700 (17.78)	0.375 (9.53)	0.800 (20.32)	0.475 (12.07)	3.350 (85.09)	R4300
THT-57-473-10	10,000	Polyester	White	4	0.700 (17.78)	0.375 (9.53)	0.800 (20.32)	0.475 (12.07)	3.350 (85.09)	R6002
THT-100-473-10	10,000	Polyester	White	1	0.700 (17.78)	0.375 (9.53)	—	0.475 (12.07)	0.900 (22.86)	R6011
0.750" Label Width										
THT-1-351-10	10,000	Tamper-Resistant Vinyl	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R6202
THT-46-354-10	10,000	Polyester/Paper	White	1	0.750 (19.05)	0.250 (6.35)	—	0.350 (8.89)	0.950 (24.13)	R6206
THT-1-423-10	10,000	Polyester	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R6002
THT-46-423-10	10,000	Polyester	White	1	0.750 (19.05)	0.250 (6.35)	—	0.350 (8.89)	0.950 (24.13)	R6006
THT-1-426-10	10,000	Polyimide	Amber	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R4300
THT-46-426-10	10,000	Polyimide	Amber	1	0.750 (19.05)	0.250 (6.35)	—	0.350 (8.89)	0.950 (24.13)	R4311
THT-1-428-10	10,000	Metallized Polyester	Silver	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R4300
THT-1-435-10	10,000	Glossy Metallized Polyester	Silver	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R6002
THT-1-436-10	10,000	Removable Polyimide	Amber	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R4300
THT-1-437-10	10,000	Tedlar	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R4300
THT-1-438-10	10,000	Tamper-Evident Polyester	Silver	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R4300
THT-1-457-10	10,000	Polyimide	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R6002
THT-46-457-10	10,000	Polyimide	White	1	0.750 (19.05)	0.250 (6.35)	—	0.350 (8.89)	0.950 (24.13)	R6006
THT-1-459-10	10,000	Polyester	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R6002
THT-1-473-10	10,000	Polyester	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R6002
THT-46-473-10	10,000	Polyester	White	1	0.750 (19.05)	0.250 (6.35)	—	0.350 (8.89)	0.950 (24.13)	R6006

Note: Labels in chart are sorted in order by width, height, 3 or 4 digit material number (within part number), then die number (within part number).
 Tedlar® is a registered trademark of DuPont.

LABEL INDEX BY SIZE THERMAL TRANSFER LABELS




Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
0.750" Label Width (Cont.)										
THT-1-477-10	10,000	Polyimide	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R6002
THT-46-477-10	10,000	Polyimide	White	1	0.750 (19.05)	0.250 (6.35)	—	0.350 (8.89)	0.950 (24.13)	R6006
THT-1-478-10	10,000	Polyimide	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R6002
THT-1-498-10	10,000	Vinyl Cloth	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R4311
THT-46-478-10	10,000	Polyimide	White	1	0.750 (19.05)	0.250 (6.35)	—	0.350 (8.89)	0.950 (24.13)	R6006
THT-1-479-10	10,000	Polyimide	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R6002
THT-46-479-10	10,000	Polyimide	White	1	0.750 (19.05)	0.250 (6.35)	—	0.350 (8.89)	0.950 (24.13)	R6006
THT-1-487-10	10,000	Polyimide	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R6002
THT-46-487-10	10,000	Polyimide	White	1	0.750 (19.05)	0.250 (6.35)	—	0.350 (8.89)	0.950 (24.13)	R6006
THT-1-488-10	10,000	Polyester	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R4300
THT-1-495-10	10,000	PEN	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R6002
THT-46-495-10	10,000	PEN	White	1	0.750 (19.05)	0.250 (6.35)	—	0.350 (8.89)	0.950 (24.13)	R6006
THT-1-497-10	10,000	Polyimide	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R6002
THT-46-497-10	10,000	Polyimide	White	1	0.750 (19.05)	0.250 (6.35)	—	0.350 (8.89)	0.950 (24.13)	R6006
XHT-1-8423-10	10,000	Polyester	White	4	0.750 (19.05)	0.250 (6.35)	0.800 (20.32)	0.350 (8.89)	3.350 (85.09)	R6202
THT-50-423-10	10,000	Polyester	White	4	0.750 (19.05)	0.750 (19.05)	0.800 (20.32)	0.875 (22.23)	3.350 (85.09)	R6002
THT-50-426-10	10,000	Polyimide	Amber	4	0.750 (19.05)	0.750 (19.05)	0.800 (20.32)	0.875 (22.23)	3.350 (85.09)	R4300
THT-91-498-5	5,000	Vinyl Cloth	White	4	0.750 (19.05)	0.937 (23.8)	0.875 (22.23)	1.062 (26.98)	3.500 (88.90)	R4300
0.800" Label Width										
THT-95-498-5	5,000	Vinyl Cloth	White	3	0.800 (20.32)	1.437 (36.50)	0.900 (22.86)	1.562 (39.68)	2.800 (71.12)	R4300
THT-69-499-3	3,000	Nylon Cloth	White	2	0.800 (20.32)	1.437 (36.50)	0.900 (22.86)	1.540 (39.12)	1.900 (48.26)	R4902
THT-162-499-10	10,000	Nylon Cloth	White	4	0.800 (20.32)	1.437 (36.50)	0.600 (15.24)	1.562 (39.67)	3.700 (93.98)	R4902
0.900" Label Width										
THT-2-423-10	10,000	Polyester	White	3	0.900 (22.86)	0.250 (6.35)	1.125 (28.58)	0.350 (8.89)	3.350 (85.09)	R6002
THT-49-423-10	10,000	Polyester	White	1	0.900 (22.86)	0.250 (6.35)	—	0.350 (8.89)	1.100 (27.94)	R6006
THT-2-426-10	10,000	Polyimide	Amber	3	0.900 (22.86)	0.250 (6.35)	1.125 (28.58)	0.350 (8.89)	3.350 (85.09)	R4300
THT-49-426-10	10,000	Polyimide	Amber	1	0.900 (22.86)	0.250 (6.35)	—	0.350 (8.89)	1.100 (27.94)	R4311
THT-2-437-10	10,000	Tedlar®	White	3	0.900 (22.86)	0.250 (6.35)	1.125 (28.58)	0.350 (8.89)	3.350 (85.09)	R4300
THT-2-457-10	10,000	Polyimide	White	3	0.900 (22.86)	0.250 (6.35)	1.125 (28.58)	0.350 (8.89)	3.350 (85.09)	R6002
THT-49-457-10	10,000	Polyimide	White	1	0.900 (22.86)	0.250 (6.35)	—	0.350 (8.89)	1.100 (27.94)	R6006
THT-2-473-10	10,000	Polyester	White	3	0.900 (22.86)	0.250 (6.35)	1.125 (28.58)	0.350 (8.89)	3.350 (85.09)	R6002
THT-49-473-10	10,000	Polyester	White	1	0.900 (22.86)	0.250 (6.35)	—	0.350 (8.89)	1.100 (27.94)	R6006
THT-2-478-10	10,000	Polyester	White	3	0.900 (22.86)	0.250 (6.35)	1.125 (28.58)	0.350 (8.89)	3.350 (85.09)	R6002
THT-49-478-10	10,000	Polyester	White	1	0.900 (22.86)	0.250 (6.35)	—	0.350 (8.89)	1.100 (27.94)	R6006
THT-2-479-10	10,000	Polyester	White	3	0.900 (22.86)	0.250 (6.35)	1.125 (28.58)	0.350 (8.89)	3.350 (85.09)	R6002
THT-49-479-10	10,000	Polyester	White	1	0.900 (22.86)	0.250 (6.35)	—	0.350 (8.89)	1.100 (27.94)	R6006
THT-2-488-10	10,000	Polyester	White	3	0.900 (22.86)	0.250 (6.35)	1.125 (28.58)	0.350 (8.89)	3.350 (85.09)	R4300
THT-2-495-10	10,000	PEN	White	3	0.900 (22.86)	0.250 (6.35)	1.125 (28.58)	0.350 (8.89)	3.350 (85.09)	R4300
THT-49-495-10	10,000	PEN	White	3	0.900 (22.86)	0.250 (6.35)	1.125 (28.58)	0.350 (8.89)	3.350 (85.09)	R4300
XHT-2-8423-10	10,000	Polyester	White	3	0.900 (22.86)	0.250 (6.35)	1.125 (28.58)	0.350 (8.89)	3.350 (85.09)	R6202
THT-125-499-3	3,000	Nylon Cloth	White	1	0.900 (22.86)	0.500 (12.70)	—	1.000 (25.40)	1.100 (27.94)	R4306
THT-126-499-3*	3,000	Nylon Cloth	White	2	0.900 (22.86)	0.500 (12.70) dia.	0.500 (12.70)	0.600 (15.24)	1.700 (43.18)	R4302
THT-140-488-3	3,000	Polyester	White	2	0.900 (22.86)	0.750 (19.05)	—	0.875 (22.23)	2.100 (53.34)	R4306
THT-141-488-3	3,000	Polyester	White	2	0.900 (22.86)	0.900 (22.86)	—	1.000 (25.40)	2.100 (53.34)	R4306
THT-164-488-1	1,000	Polyester	White	1	0.900 (22.86)	0.900 (22.86)	—	1.000 (25.40)	1.100 (27.94)	R4306
1.000" Label Width										
THT-42-354-10	10,000	Polyester/Paper	White	1	1.000 (25.40)	0.187 (4.75)	—	0.287 (7.29)	1.200 (30.48)	R6206
THT-41-423-10	10,000	Polyester	White	3	1.000 (25.40)	0.187 (4.75)	1.075 (27.31)	0.287 (7.29)	3.350 (85.09)	R6002
THT-42-423-10	10,000	Polyester	White	1	1.000 (25.40)	0.187 (4.75)	—	0.287 (7.29)	1.200 (30.48)	R6006
THT-41-426-10	10,000	Polyimide	Amber	3	1.000 (25.40)	0.187 (4.75)	1.075 (27.31)	0.287 (7.29)	3.350 (85.09)	R4300
THT-42-426-10	10,000	Polyimide	Amber	1	1.000 (25.40)	0.187 (4.75)	—	0.287 (7.29)	1.200 (30.48)	R4306
THT-42-457-10	10,000	Polyimide	White	1	1.000 (25.40)	0.187 (4.75)	—	0.287 (7.29)	1.200 (30.48)	R6006

Note: Labels in chart are sorted in order by width, height, 3 or 4 digit material number (within part number), then die number (within part number).

Tedlar® is a registered trademark of DuPont.

Label Index by Size




Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
1.000" Label Width (Cont.)										
THT-42-477-10	10,000	Polyimide	White	1	1.000 (25.40)	0.187 (4.75)	—	0.287 (6.93)	1.200 (30.48)	R6006
THT-42-478-10	10,000	Polyimide	White	1	1.000 (25.40)	0.187 (4.75)	—	0.287 (6.93)	1.200 (30.48)	R6006
THT-42-479-10	10,000	Polyimide	White	1	1.000 (25.40)	0.187 (4.75)	—	0.287 (6.93)	1.200 (30.48)	R6006
THT-42-487-10	10,000	Polyimide	White	1	1.000 (25.40)	0.187 (4.75)	—	0.287 (6.93)	1.200 (30.48)	R6006
THT-42-495-10	10,000	PEN	White	1	1.000 (25.40)	0.187 (4.75)	—	0.287 (6.93)	1.200 (30.48)	R6006
THT-42-497-10	10,000	Polyimide	White	1	1.000 (25.40)	0.187 (4.75)	—	0.287 (6.93)	1.200 (30.48)	R6006
THT-51-423-10	10,000	Polyester	White	3	1.000 (25.40)	0.250 (6.35)	1.075 (27.31)	0.375 (9.53)	3.350 (85.09)	R6002
THT-103-423-10	10,000	Polyester	White	1	1.000 (25.40)	0.250 (6.35)	—	0.350 (8.89)	1.200 (30.48)	R6006
THT-51-426-10	10,000	Polyimide	Amber	3	1.000 (25.40)	0.250 (6.35)	1.075 (27.31)	0.375 (9.53)	3.350 (85.09)	R4300
THT-103-426-10	10,000	Polyimide	Amber	1	1.000 (25.40)	0.250 (6.35)	—	0.350 (8.89)	1.200 (30.48)	R4306
THT-103-457-10	10,000	Polyimide	White	1	1.000 (25.40)	0.250 (6.35)	—	0.350 (8.89)	1.200 (30.48)	R6006
THT-103-473-10	10,000	Polyester	White	1	1.000 (25.40)	0.250 (6.35)	—	0.350 (8.89)	1.200 (30.48)	R6006
THT-103-477-10	10,000	Polyimide	White	1	1.000 (25.40)	0.250 (6.35)	—	0.350 (8.89)	1.200 (30.48)	R6006
THT-103-495-10	10,000	PEN	White	1	1.000 (25.40)	0.250 (6.35)	—	0.350 (8.89)	1.200 (30.48)	R6006
THT-103-478-10	10,000	Polyimide	White	1	1.000 (25.40)	0.250 (6.35)	—	0.350 (8.89)	1.200 (30.48)	R6006
THT-103-479-10	10,000	Polyimide	White	1	1.000 (25.40)	0.250 (6.35)	—	0.350 (8.89)	1.200 (30.48)	R6006
THT-103-487-10	10,000	Polyimide	White	1	1.000 (25.40)	0.250 (6.35)	—	0.350 (8.89)	1.200 (30.48)	R6006
THT-103-497-10	10,000	Polyimide	White	1	1.000 (25.40)	0.250 (6.35)	—	0.350 (8.89)	1.200 (30.48)	R6006
THT-3-422-10	10,000	Polyester	White	3	1.000 (25.40)	0.375 (9.53)	1.075 (27.31)	0.475 (12.07)	3.350 (85.09)	R6002
THT-3-423-10	10,000	Polyester	White	3	1.000 (25.40)	0.375 (9.53)	1.075 (27.31)	0.475 (12.07)	3.350 (85.09)	R6002
THT-3-426-10	10,000	Polyimide	Amber	3	1.000 (25.40)	0.375 (9.53)	1.075 (27.31)	0.475 (12.07)	3.350 (85.09)	R4300
THT-3-428-10	10,000	Metallized Polyester	Silver	3	1.000 (25.40)	0.375 (9.53)	1.075 (27.31)	0.475 (12.07)	3.350 (85.09)	R4300
THT-3-430-10	10,000	Polyester	White	3	1.000 (25.40)	0.375 (9.53)	1.075 (27.31)	0.475 (12.07)	3.350 (85.09)	R6002
THT-58-457-10	10,000	Polyimide	White	1	1.000 (25.40)	0.375 (9.53)	—	0.475 (12.07)	1.200 (30.48)	R6006
THT-3-473-10	10,000	Polyester	White	3	1.000 (25.40)	0.375 (9.53)	1.075 (27.31)	0.475 (12.07)	3.350 (85.09)	R6002
THT-58-473-10	10,000	Polyester	White	1	1.000 (25.40)	0.375 (9.53)	—	0.475 (12.07)	1.200 (30.48)	R6006
THT-3-478-10	10,000	Polyimide	White	3	1.000 (25.40)	0.375 (9.53)	1.075 (27.31)	0.475 (12.07)	3.350 (85.09)	R6002
THT-58-478-10	10,000	Polyimide	White	1	1.000 (25.40)	0.375 (9.53)	—	0.475 (12.07)	1.200 (30.48)	R6006
THT-3-479-10	10,000	Polyimide	White	3	1.000 (25.40)	0.375 (9.53)	1.075 (27.31)	0.475 (12.07)	3.350 (85.09)	R6002
THT-58-479-10	10,000	Polyimide	White	1	1.000 (25.40)	0.375 (9.53)	—	0.475 (12.07)	1.200 (30.48)	R6006
THT-3-495-10	10,000	PEN	White	3	1.000 (25.40)	0.375 (9.53)	1.075 (27.31)	0.475 (12.07)	3.350 (85.09)	R6002
THT-58-495-10	10,000	PEN	White	1	1.000 (25.40)	0.375 (9.53)	—	0.475 (12.07)	1.200 (30.48)	R6006
THT-152-499-3	3,000	Nylon Cloth	White	2	1.000 (25.40)	0.375 (9.53)	1.075 (27.31)	0.475 (12.07)	2.300 (58.42)	R4306
THT-163-499-3	3,000	Nylon Cloth	White	1	1.000 (25.40)	0.375 (9.53) dia.	—	0.875 (22.22)	1.675 (42.55)	R4306
XHT-3-8423-10	10,000	Polyester	White	3	1.000 (25.40)	0.375 (9.53)	1.075 (27.31)	0.475 (12.07)	3.350 (85.09)	R6206
THT-5-351-10	10,000	Tamper-Resistant Vinyl	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6202
THT-59-351-10	10,000	Tamper-Resistant Vinyl	White	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6206
THT-5-352-10	10,000	Tamper-Resistant Vinyl	Silver	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6002
THT-59-352-10	10,000	Tamper-Resistant Vinyl	Silver	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6006
THT-59-354-10	10,000	Polyester/Paper	White	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6206
THT-39-358-10	10,000	Tamper-Resistant Acetate	Clear	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.625 (15.88)	3.350 (85.09)	R6202
THT-59-359-10	10,000	Tamper-Resistant Acetate	White	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6206
THT-5-422-10	10,000	Polyester	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6002
THT-5-423-10	10,000	Polyester	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6002
THT-59-423-10	10,000	Polyester	White	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6006
THT-5-426-10	10,000	Polyimide	Amber	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R4300
THT-5-428-10	10,000	Metallized Polyester	Silver	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R4300
THT-39-430-10	10,000	Polyester	Clear	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.625 (15.88)	3.350 (85.09)	R6002
THT-5-433-10	10,000	Removable Polyester	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6002
THT-5-434-10	10,000	Metallized Polyester	Silver	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6002
THT-5-435-10	10,000	Glossy Metallized Polyester	Silver	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6002
THT-5-437-10	10,000	Tedlar®	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R4300
THT-5-437-10-YL	10,000	Tedlar	Yellow	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R4300
THT-5-438-10	10,000	Tamper-Evident Polyester	Silver	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R4300

Note: Labels in chart are sorted in order by width, height, 3 or 4 digit material number (within part number), then die number (within part number).

Tedlar® is a registered trademark of DuPont.


LABEL INDEX BY SIZE THERMAL TRANSFER LABELS



Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
1.000" Label Width (Cont.)										
THT-59-438-10	10,000	Tamper-Evident Polyester	Silver	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R4306
THT-5-449-10	10,000	Polypropylene	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6202
THT-59-457-10	10,000	Polyimide	White	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6006
THT-5-459-10	10,000	Polyester	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6002
THT-5-473-10	10,000	Polyester	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6002
THT-59-473-10	10,000	Polyester	White	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6006
THT-59-477-10	10,000	Polyimide	White	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6006
THT-5-478-10	10,000	Polyimide	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6002
THT-59-478-10	10,000	Polyimide	White	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6006
THT-5-479-10	10,000	Polyimide	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6002
THT-59-479-10	10,000	Polyimide	White	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6006
THT-5-483-10	10,000	Polyester	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6002
THT-59-483-10	10,000	Polyester	White	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6006
THT-5-486-10	10,000	Metallized Polyester	Silver	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R4300
THT-59-486-5	5,000	Metallized Polyester	Silver	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R4306
THT-59-487-10	10,000	Polyimide	White	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6006
THT-5-488-10	10,000	Polyester	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R4300
THT-5-489-10	10,000	Polyester	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R4300
THT-59-489-10	10,000	Polyester	White	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R4306
THT-5-495-10	10,000	PEN	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6002
THT-59-495-10	10,000	PEN	White	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6006
THT-59-497-10	10,000	Polyimide	White	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6006
THT-5-498-10	10,000	Vinyl Cloth	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R4300
THT-5-7546-10	10,000	Tamper-Evident Polyester	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6006
THT-59-7546-10	10,000	Tamper-Evident Polyester	White	1	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6006
THT-39-7566-10	10,000	Tamper-Evident Polyester	Clear	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.625 (15.88)	3.350 (85.09)	R6006
THT-5-7576-10	10,000	Tamper-Evident Polyester	Silver	3	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6006
THT-59-7576-10	10,000	Tamper-Evident Polyester	Silver	1	1.000 (25.40)	0.500 (12.70)	—	0.600 (15.24)	1.200 (30.48)	R6006
XHTHT-5-8423-10	10,000	Polyester	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6202
XHTHT-5-8425-10	10,000	Polyolefin	White	3	1.000 (25.40)	0.500 (12.70)	1.075 (27.31)	0.600 (15.24)	3.350 (85.09)	R6002
THT-88-498-5	5,000	Vinyl Cloth	White	2	1.000 (25.40)	0.750 (19.05)	1.100 (27.94)	0.875 (22.23)	2.300 (58.42)	R4300
THT-117-427-5	5,000	Vinyl	White	2	1.000 (25.40)	1.250 (31.75)	1.100 (27.94)	1.375 (34.93)	2.300 (58.42)	R4300
THT-89-498-5	5,000	Vinyl Cloth	White	3	1.000 (25.40)	1.440 (36.50)	1.100 (27.94)	1.562 (39.68)	3.400 (86.36)	R4300
1.100" Label Width										
THT-31-423-10	10,000	Polyester	White	2	1.100 (27.94)	0.380 (9.65)	1.200 (30.48)	0.500 (12.70)	2.500 (63.50)	R6002
1.181" Label Width										
DSTHT-30-390-2.5	2,500	Polypropylene	White	1	1.181 (30.00)	0.163 (4.14)	—	0.402 (10.21)	—	R6206
DSTHT-30-390-1	1,000	Polypropylene	White	1	1.181 (30.00)	0.163 (4.14)	—	0.402 (10.21)	—	R6206
1.250" Label Width										
THT-43-354-10	10,000	Polyester/Paper	White	1	1.250 (31.75)	0.250 (6.35)	—	0.350 (8.89)	1.450 (36.83)	R6006
THT-13-423-10	10,000	Polyester	White	2	1.250 (31.75)	0.250 (6.35)	1.300 (33.02)	0.375 (9.53)	2.750 (69.85)	R6002
THT-43-423-10	10,000	Polyester	White	1	1.250 (31.75)	0.250 (6.35)	—	0.350 (8.89)	1.450 (36.83)	R6006
THT-13-426-10	10,000	Polyimide	Amber	2	1.250 (31.75)	0.250 (6.35)	1.300 (33.02)	0.375 (9.53)	2.750 (69.85)	R4300
THT-43-426-10	10,000	Polyimide	Amber	1	1.250 (31.75)	0.250 (6.35)	—	0.350 (8.89)	1.450 (36.83)	R4306
THT-13-433-10	10,000	Removable Polyester	White	2	1.250 (31.75)	0.250 (6.35)	1.300 (33.02)	0.375 (9.53)	2.750 (69.85)	R6002
THT-13-449-10	10,000	Polypropylene	White	2	1.250 (31.75)	0.250 (6.35)	1.300 (33.02)	0.375 (9.53)	2.750 (69.85)	R6202
THT-13-457-10	10,000	Polyimide	White	2	1.250 (31.75)	0.250 (6.35)	1.300 (33.02)	0.375 (9.53)	2.750 (69.85)	R6002
THT-43-457-10	10,000	Polyimide	White	1	1.250 (31.75)	0.250 (6.35)	—	0.350 (8.89)	1.450 (36.83)	R6006
THT-13-473-10	10,000	Polyester	White	2	1.250 (31.75)	0.250 (6.35)	1.300 (33.02)	0.375 (9.53)	2.750 (69.85)	R6002
THT-43-473-10	10,000	Polyester	White	1	1.250 (31.75)	0.250 (6.35)	—	0.350 (8.89)	1.450 (36.83)	R6006
THT-43-477-10	10,000	Polyimide	White	1	1.250 (31.75)	0.250 (6.35)	—	0.350 (8.89)	1.450 (36.83)	R6006
THT-43-478-10	10,000	Polyimide	White	1	1.250 (31.75)	0.250 (6.35)	—	0.350 (8.89)	1.450 (36.83)	R6006
THT-43-479-10	10,000	Polyimide	White	1	1.250 (31.75)	0.250 (6.35)	—	0.350 (8.89)	1.450 (36.83)	R6006
THT-43-487-10	10,000	Polyimide	White	1	1.250 (31.75)	0.250 (6.35)	—	0.350 (8.89)	1.450 (36.83)	R6006

Note: Labels in chart are sorted in order by width, height, 3 or 4 digit material number (within part number), then die number (within part number).


Label Index by Size



Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
1.250" Label Width (Cont.)										
THT-43-495-10	10,000	PEN	White	1	1.250 (31.75)	0.250 (6.35)	—	0.350 (8.89)	1.450 (36.83)	R6006
THT-43-497-10	10,000	Polyimide	White	1	1.250 (31.75)	0.250 (6.35)	—	0.350 (8.89)	1.450 (36.83)	R6006
THT-29-423-10	10,000	Polyester	White	2	1.250 (31.75)	0.375 (9.53)	1.300 (33.02)	0.475 (12.07)	2.750 (69.85)	R6002
THT-29-426-10	10,000	Polyimide	Amber	2	1.250 (31.75)	0.375 (9.53)	1.300 (33.02)	0.475 (12.07)	2.750 (69.85)	R4300
THT-29-437-10	10,000	Tedlar®	White	2	1.250 (31.75)	0.375 (9.53)	1.300 (33.02)	0.475 (12.07)	2.750 (69.85)	R4300
THT-29-437-10-YL	10,000	Tedlar	Yellow	2	1.250 (31.75)	0.375 (9.53)	1.300 (33.02)	0.475 (12.07)	2.750 (69.85)	R4300
THT-29-478-10	10,000	Polyester	White	2	1.250 (31.75)	0.375 (9.53)	1.300 (33.02)	0.475 (12.07)	2.750 (69.85)	R6002
THT-29-479-10	10,000	Polyester	White	2	1.250 (31.75)	0.375 (9.53)	1.300 (33.02)	0.475 (12.07)	2.750 (69.85)	R6002
THT-154-490-3	3,000	Polyester	White	1	1.250 (31.75)	0.375 (9.53)	—	0.500 (12.07)	1.450 (36.83)	R4300
THT-29-495-10	10,000	PEN	White	2	1.250 (31.75)	0.375 (9.53)	1.300 (33.02)	0.475 (12.07)	2.750 (69.85)	R6002
1.375" Label Width										
THT-40-423-10	10,000	Polyester	White	2	1.375 (34.93)	0.250 (6.35)	1.475 (37.47)	0.375 (9.53)	3.050 (77.47)	R6002
THT-44-423-10	10,000	Polyester	White	1	1.375 (34.93)	0.250 (6.35)	—	0.350 (8.89)	1.600 (40.64)	R6006
THT-40-426-10	10,000	Polyimide	Amber	2	1.375 (34.93)	0.250 (6.35)	1.475 (37.47)	0.375 (9.53)	3.050 (77.47)	R4300
THT-44-426-10	10,000	Polyimide	Amber	1	1.375 (34.93)	0.250 (6.35)	—	0.350 (8.89)	1.600 (40.64)	R4306
THT-40-457-10	10,000	Polyimide	White	2	1.375 (34.93)	0.250 (6.35)	1.475 (37.47)	0.375 (9.53)	3.050 (77.47)	R6002
THT-44-457-10	10,000	Polyimide	White	1	1.375 (34.93)	0.250 (6.35)	—	0.350 (8.89)	1.600 (40.64)	R6006
THT-40-477-10	10,000	Polyimide	White	2	1.375 (34.93)	0.250 (6.35)	1.475 (37.47)	0.375 (9.53)	3.050 (77.47)	R6002
THT-44-477-10	10,000	Polyimide	White	1	1.375 (34.93)	0.250 (6.35)	—	0.350 (8.89)	1.600 (40.64)	R6006
THT-44-478-10	10,000	Polyimide	White	1	1.375 (34.93)	0.250 (6.35)	—	0.350 (8.89)	1.600 (40.64)	R6006
THT-44-479-10	10,000	Polyimide	White	1	1.375 (34.93)	0.250 (6.35)	—	0.350 (8.89)	1.600 (40.64)	R6006
THT-40-487-10	10,000	Polyimide	White	2	1.375 (34.93)	0.250 (6.35)	1.475 (37.47)	0.375 (9.53)	3.050 (77.47)	R6002
THT-44-487-10	10,000	Polyimide	White	1	1.375 (34.93)	0.250 (6.35)	—	0.350 (8.89)	1.600 (40.64)	R6006
THT-40-497-10	10,000	Polyimide	White	2	1.375 (34.93)	0.250 (6.35)	1.475 (37.47)	0.375 (9.53)	3.050 (77.47)	R6002
THT-44-495-10	10,000	PEN	White	1	1.375 (34.93)	0.250 (6.35)	—	0.350 (8.89)	1.600 (40.64)	R6006
THT-44-497-10	10,000	Polyimide	White	1	1.375 (34.93)	0.250 (6.35)	—	0.350 (8.89)	1.600 (40.64)	R6006
1.500" Label Width										
THT-28-423-10	10,000	Polyester	White	2	1.500 (38.10)	0.125 (3.18)	1.650 (41.91)	0.250 (6.35)	3.350 (85.09)	R6002
THT-28-426-10	10,000	Polyimide	Amber	2	1.500 (38.10)	0.125 (3.18)	1.650 (41.91)	0.250 (6.35)	3.350 (85.09)	R4300
THT-60-457-10	10,000	Polyimide	White	1	1.500 (38.10)	0.125 (3.18)	—	0.225 (5.72)	1.700 (43.18)	R6000
THT-60-477-10	10,000	Polyimide	White	1	1.500 (38.10)	0.125 (3.18)	—	0.225 (5.72)	1.700 (43.18)	R6000
THT-60-478-10	10,000	Polyimide	White	1	1.500 (38.10)	0.125 (3.18)	—	0.225 (5.72)	1.700 (43.18)	R6000
THT-60-479-10	10,000	Polyimide	White	1	1.500 (38.10)	0.125 (3.18)	—	0.225 (5.72)	1.700 (43.18)	R6000
THT-60-487-10	10,000	Polyimide	White	1	1.500 (38.10)	0.125 (3.18)	—	0.225 (5.72)	1.700 (43.18)	R6000
THT-60-495-10	10,000	PEN	White	1	1.500 (38.10)	0.125 (3.18)	—	0.225 (5.72)	1.700 (43.18)	R6000
THT-60-497-10	10,000	Polyimide	White	1	1.500 (38.10)	0.125 (3.18)	—	0.225 (5.72)	1.700 (43.18)	R6000
THT-4-351-10	10,000	Tamper-Resistant Vinyl	White	2	1.500 (38.10)	0.250 (6.35)	1.650 (41.91)	0.350 (8.89)	3.350 (85.09)	R6202
THT-4-423-10	10,000	Polyester	White	2	1.500 (38.10)	0.250 (6.35)	1.650 (41.91)	0.350 (8.89)	3.350 (85.09)	R6002
THT-45-423-10	10,000	Polyester	White	1	1.500 (38.10)	0.250 (6.35)	—	0.350 (8.89)	1.700 (43.18)	R6000
THT-4-426-10	10,000	Polyimide	Amber	2	1.500 (38.10)	0.250 (6.35)	1.650 (41.91)	0.350 (8.89)	3.350 (85.09)	R4300
THT-45-426-10	10,000	Polyimide	Amber	1	1.500 (38.10)	0.250 (6.35)	—	0.350 (8.89)	1.700 (43.18)	R4302
THT-4-457-10	10,000	Polyimide	White	2	1.500 (38.10)	0.250 (6.35)	1.650 (41.91)	0.350 (8.89)	3.350 (85.09)	R6002
THT-45-457-10	10,000	Polyimide	White	1	1.500 (38.10)	0.250 (6.35)	—	0.350 (8.89)	1.700 (43.18)	R6000
THT-4-473-10	10,000	Polyester	White	2	1.500 (38.10)	0.250 (6.35)	1.650 (41.91)	0.350 (8.89)	3.350 (85.09)	R6002
THT-45-473-10	10,000	Polyester	White	1	1.500 (38.10)	0.250 (6.35)	—	0.350 (8.89)	1.700 (43.18)	R6000
THT-45-477-10	10,000	Polyimide	White	1	1.500 (38.10)	0.250 (6.35)	—	0.350 (8.89)	1.700 (43.18)	R6000
THT-4-478-10	10,000	Polyester	White	2	1.500 (38.10)	0.250 (6.35)	1.650 (41.91)	0.350 (8.89)	3.350 (85.09)	R6002
THT-45-478-10	10,000	Polyimide	White	1	1.500 (38.10)	0.250 (6.35)	—	0.350 (8.89)	1.700 (43.18)	R6000
THT-4-479-10	10,000	Polyester	White	2	1.500 (38.10)	0.250 (6.35)	1.650 (41.91)	0.350 (8.89)	3.350 (85.09)	R6002
THT-45-479-10	10,000	Polyimide	White	1	1.500 (38.10)	0.250 (6.35)	—	0.350 (8.89)	1.700 (43.18)	R6000
THT-45-487-10	10,000	Polyimide	White	1	1.500 (38.10)	0.250 (6.35)	—	0.350 (8.89)	1.700 (43.18)	R6000
THT-4-495-10	10,000	PEN	White	2	1.500 (38.10)	0.250 (6.35)	1.650 (41.91)	0.350 (8.89)	3.350 (85.09)	R6002
THT-45-495-10	10,000	PEN	White	1	1.500 (38.10)	0.250 (6.35)	—	0.350 (8.89)	1.700 (43.18)	R6000
THT-45-497-10	10,000	Polyimide	White	1	1.500 (38.10)	0.250 (6.35)	—	0.350 (8.89)	1.700 (43.18)	R6000

Note: Labels in chart are sorted in order by width, height, 3 or 4 digit material number (within part number), then die number (within part number).
 Tedlar® is a registered trademark of DuPont.

LABEL INDEX BY SIZE THERMAL TRANSFER LABELS




Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
1.500" Label Width (Cont.)										
XHTT-4-8423-10	10,000	Polyester	White	2	1.500 (38.10)	0.250 (6.35)	1.605 (41.91)	0.350 (8.89)	3.350 (85.09)	R6202
THT-102-422-10	10,000	Polyester	White	1	1.500 (38.10)	0.370 (9.40)	—	0.500 (12.70)	1.700 (43.18)	R6000
THT-147-358-10	10,000	Tamper-Resistant Acetate	Clear	1	1.500 (38.10)	0.375 (9.53)	1.605 (41.91)	0.475 (12.06)	3.350 (85.09)	R6002
THT-147-359-10	10,000	Tamper-Resistant Acetate	White	2	1.500 (38.10)	0.375 (9.53)	1.605 (41.91)	0.475 (12.06)	3.350 (85.09)	R6002
THT-147-422-10	10,000	Polyester	White	2	1.500 (38.10)	0.375 (9.53)	1.605 (41.91)	0.475 (12.06)	3.350 (85.09)	R6002
THT-147-430-10	10,000	Polyester	Clear	2	1.500 (38.10)	0.375 (9.53)	1.605 (41.91)	0.500 (12.70)	3.350 (85.09)	R6002
THT-147-7566-10	10,000	Polyester	Clear	2	1.500 (38.10)	0.375 (9.53)	1.605 (41.91)	0.500 (12.70)	3.350 (85.09)	R6002
THT-37-351-10	10,000	Tamper-Resistant Vinyl	White	2	1.500 (38.10)	0.500 (12.70)	1.650 (41.91)	0.600 (15.24)	3.350 (85.09)	R6202
THT-37-352-10	10,000	Tamper-Resistant Vinyl	Silver	2	1.500 (38.10)	0.500 (12.70)	1.650 (41.91)	0.600 (15.24)	3.350 (85.09)	R6002
THT-37-422-10	10,000	Metallized Polyester	Silver	2	1.500 (38.10)	0.500 (12.70)	1.650 (41.91)	0.600 (15.24)	3.350 (85.09)	R6002
THT-37-423-10	10,000	Polyester	White	2	1.500 (38.10)	0.500 (12.70)	1.650 (41.91)	0.600 (15.24)	3.350 (85.09)	R6002
THT-37-428-10	10,000	Metallized Polyester	Silver	2	1.500 (38.10)	0.500 (12.70)	1.650 (41.91)	0.600 (15.24)	3.350 (85.09)	R4300
THT-37-430-10	10,000	Metallized Polyester	Silver	2	1.500 (38.10)	0.500 (12.70)	1.650 (41.91)	0.600 (15.24)	3.350 (85.09)	R6002
THT-37-434-10	10,000	Metallized Polyester	Silver	2	1.500 (38.10)	0.500 (12.70)	1.650 (41.91)	0.600 (15.24)	3.350 (85.09)	R6002
THT-37-438-10	10,000	Tamper-Evident Polyester	Silver	2	1.500 (38.10)	0.500 (12.70)	1.650 (41.91)	0.600 (15.24)	3.350 (85.09)	R4300
THT-37-483-10	10,000	Polyester	White	2	1.500 (38.10)	0.500 (12.70)	1.650 (41.91)	0.600 (15.24)	3.350 (85.09)	R6002
THT-37-486-10	10,000	Metallized Polyester	Silver	2	1.500 (38.10)	0.500 (12.70)	1.650 (41.91)	0.600 (15.24)	3.350 (85.09)	R4300
THT-37-489-10	10,000	Polyester	White	2	1.500 (38.10)	0.500 (12.70)	1.650 (41.91)	0.600 (15.24)	3.350 (85.09)	R4300
THT-37-7546-10	10,000	Tamper-Evident Polyester	White	2	1.500 (38.10)	0.500 (12.70)	1.650 (41.91)	0.600 (15.24)	3.350 (85.09)	R6002
THT-37-7576-10	10,000	Tamper-Evident Polyester	Silver	2	1.500 (38.10)	0.500 (12.70)	1.650 (41.91)	0.600 (15.24)	3.350 (85.09)	R6002
THT-6-351-10	10,000	Tamper-Resistant Vinyl	White	2	1.500 (38.10)	0.750 (19.05)	1.650 (41.91)	0.875 (22.23)	3.350 (85.09)	R6202
THT-6-352-10	10,000	Tamper-Resistant Vinyl	Silver	2	1.500 (38.10)	0.750 (19.05)	1.650 (41.91)	0.875 (22.23)	3.350 (85.09)	R6002
THT-6-354-10	10,000	Polyester/Paper	White	2	1.500 (38.10)	0.750 (19.05)	1.650 (41.91)	0.875 (22.23)	3.350 (85.09)	R6202
THT-6-423-10	10,000	Polyester	White	2	1.500 (38.10)	0.750 (19.05)	1.650 (41.91)	0.875 (22.23)	3.350 (85.09)	R6002
THT-135-427-AW-3*	3,000	Vinyl	White	1	1.500 (38.10)	0.750 (19.05)	—	0.875 (22.23)	1.700 (43.18)	R4302
THT-6-428-10	10,000	Metallized Polyester	Silver	2	1.500 (38.10)	0.750 (19.05)	1.650 (41.91)	0.875 (22.23)	3.350 (85.09)	R4300
THT-6-434-10	10,000	Metallized Polyester	Silver	2	1.500 (38.10)	0.750 (19.05)	1.650 (41.91)	0.875 (22.23)	3.350 (85.09)	R6002
THT-6-438-10	10,000	Tamper-Evident Polyester	Silver	2	1.500 (38.10)	0.750 (19.05)	1.650 (41.91)	0.875 (22.23)	3.350 (85.09)	R4300
THT-6-486-10	10,000	Metallized Polyester	Silver	2	1.500 (38.10)	0.750 (19.05)	1.650 (41.91)	0.875 (22.23)	3.350 (85.09)	R4300
THT-136-499-3	3,000	Nylon Cloth	White	1	1.500 (38.10)	0.750 (19.05)	—	0.875 (22.23)	1.700 (43.18)	R4302
THT-6-7546-10	10,000	Tamper-Evident Polyester	White	2	1.500 (38.10)	0.750 (19.05)	1.650 (41.91)	0.875 (22.23)	3.350 (85.09)	R6002
THT-6-7576-10	10,000	Tamper-Evident Polyester	Silver	2	1.500 (38.10)	0.750 (19.05)	1.650 (41.91)	0.875 (22.23)	3.350 (85.09)	R6002
THT-105-437	1	Tedlar®	White	1	1.500 (38.10)	300 ft (91.44 m)	—	300 ft (91.44 m)	1.750 (44.45)	R4302
THT-105-437-YL	1	Tedlar	Yellow	1	1.500 (38.10)	300 ft (91.44 m)	—	300 ft (91.44 m)	1.750 (44.45)	R4302
1.625" Label Width										
THT-155-490-3	3,000	Polyester	White	1	1.625 (41.28)	0.600 (15.24)	—	0.700 (17.78)	1.825 (46.36)	R4300
1.750" Label Width										
THT-72-457-10	10,000	Polyimide	White	1	1.750 (44.45)	0.250 (6.35)	—	0.350 (8.89)	1.950 (49.53)	R6000
THT-72-478-10	10,000	Polyimide	White	1	1.750 (44.45)	0.250 (6.35)	—	0.350 (8.89)	1.950 (49.53)	R6000
THT-72-479-10	10,000	Polyimide	White	1	1.750 (44.45)	0.250 (6.35)	—	0.350 (8.89)	1.950 (49.53)	R6000
THT-72-495-10	10,000	PEN	White	1	1.750 (44.45)	0.250 (6.35)	—	0.350 (8.89)	1.950 (49.53)	R6000
THT-72-497-10	10,000	Polyimide	White	1	1.750 (44.45)	0.250 (6.35)	—	0.350 (8.89)	1.950 (49.53)	R6000
1.900" Label Width										
THT-156-490-3	3,000	Polyester	White	1	1.900 (48.26)	1.000 (25.40)	—	1.100 (27.94)	2.100 (53.34)	R4300
1.938" Label Width										
THT-150-412-1	1,000	Polypropylene	White	1	1.938 (49.25)	0.375 (9.53)	—	0.375 (9.53)	2.200 (55.88)	R6200

Note: Labels in chart are sorted in order by width, height, 3 or 4 digit material number (within part number), then die number (within part number).

*The label is all white.

Tedlar® is a registered trademark of DuPont.


Label Index by Size



Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
2.000" Label Width										
THT-15-351-2.5	2,500	Tamper-Resistant Vinyl	White	1	2.000 (50.80)	0.250 (6.35)	—	0.375 (9.53)	2.200 (55.88)	R6200
THT-15-423-2.5	2,500	Polyester	White	1	2.000 (50.80)	0.250 (6.35)	—	0.375 (9.53)	2.200 (55.88)	R6000
THT-48-423-10	10,000	Polyester	White	1	2.000 (50.80)	0.250 (6.35)	—	0.350 (8.89)	2.200 (55.88)	R6000
THT-15-426-2.5	2,500	Polyimide	Amber	1	2.000 (50.80)	0.250 (6.35)	—	0.375 (9.53)	2.200 (55.88)	R4302
THT-48-426-10	10,000	Polyimide	Amber	1	2.000 (50.80)	0.250 (6.35)	—	0.350 (8.89)	2.200 (55.88)	R4302
THT-15-457-2.5	2,500	Polyimide	White	1	2.000 (50.80)	0.250 (6.35)	—	0.375 (9.53)	2.200 (55.88)	R6000
THT-48-457-10	10,000	Polyimide	White	1	2.000 (50.80)	0.250 (6.35)	—	0.350 (8.89)	2.200 (55.88)	R6000
THT-15-473-2.5	2,500	Polyester	White	1	2.000 (50.80)	0.250 (6.35)	—	0.375 (9.53)	2.200 (55.88)	R6000
THT-48-473-10	10,000	Polyester	White	1	2.000 (50.80)	0.250 (6.35)	—	0.350 (8.89)	2.200 (55.88)	R6000
THT-15-477-2.5	2,500	Polyimide	White	1	2.000 (50.80)	0.250 (6.35)	—	0.375 (9.53)	2.200 (55.88)	R6000
THT-48-477-10	10,000	Polyimide	White	1	2.000 (50.80)	0.250 (6.35)	—	0.350 (8.89)	2.200 (55.88)	R6000
THT-48-478-10	10,000	Polyimide	White	1	2.000 (50.80)	0.250 (6.35)	—	0.350 (8.89)	2.200 (55.88)	R6000
THT-48-479-10	10,000	Polyimide	White	1	2.000 (50.80)	0.250 (6.35)	—	0.350 (8.89)	2.200 (55.88)	R6000
THT-15-487-2.5	2,500	Polyimide	White	1	2.000 (50.80)	0.250 (6.35)	—	0.375 (9.53)	2.200 (55.88)	R6000
THT-48-487-10	10,000	Polyimide	White	1	2.000 (50.80)	0.250 (6.35)	—	0.350 (8.89)	2.200 (55.88)	R6000
THT-15-488-2.5	2,500	Polyester	White	1	2.000 (50.80)	0.250 (6.35)	—	0.375 (9.53)	2.200 (55.88)	R4302
THT-48-495-10	10,000	PEN	White	1	2.000 (50.80)	0.250 (6.35)	—	0.350 (8.89)	2.200 (55.88)	R6000
THT-48-497-10	10,000	Polyimide	White	1	2.000 (50.80)	0.250 (6.35)	—	0.350 (8.89)	2.200 (55.88)	R6000
THT-15-497-2.5	2,500	Polyimide	White	1	2.000 (50.80)	0.250 (6.35)	—	0.375 (9.53)	2.200 (55.88)	R6000
THT-151-499-3	3,000	Nylon Cloth	White	1	2.000 (50.80)	0.250 (6.35)	—	0.350 (8.89)	2.200 (55.88)	R4302
THT-79-423-10	10,000	Polyester	White	1	2.000 (50.80)	0.400 (10.16)	—	0.500 (12.70)	2.200 (55.88)	R6000
THT-53-351-3	3,000	Tamper-Resistant Vinyl	White	1	2.000 (50.80)	0.500 (12.70)	—	0.600 (15.24)	2.200 (55.88)	R6200
THT-53-352-3	3,000	Tamper-Resistant Vinyl	Silver	1	2.000 (50.80)	0.500 (12.70)	—	0.600 (15.24)	2.200 (55.88)	R6000
THT-53-423-3	3,000	Polyester	White	1	2.000 (50.80)	0.500 (12.70)	—	0.600 (15.24)	2.200 (55.88)	R6000
THT-53-424-3	3,000	Paper	White	1	2.000 (50.80)	0.500 (12.70)	—	0.600 (15.24)	2.200 (55.88)	R4302
THT-53-428-3	3,000	Metallized Polyester	Silver	1	2.000 (50.80)	0.500 (12.70)	—	0.600 (15.24)	2.200 (55.88)	R4302
THT-53-438-3	3,000	Tamper-Evident Polyester	Silver	1	2.000 (50.80)	0.500 (12.70)	—	0.600 (15.24)	2.200 (55.88)	R4302
THT-53-486-3	3,000	Metallized Polyester	Silver	1	2.000 (50.80)	0.500 (12.70)	—	0.600 (15.24)	2.200 (55.88)	R4302
THT-53-7546-3	3,000	Tamper-Evident Polyester	White	1	2.000 (50.80)	0.500 (12.70)	—	0.600 (15.24)	2.200 (55.88)	R6000
THT-53-7576-3	3,000	Tamper-Evident Polyester	Silver	1	2.000 (50.80)	0.500 (12.70)	—	0.600 (15.24)	2.200 (55.88)	R6000
THT-17-351-3	3,000	Tamper-Resistant Vinyl	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.125 (53.98)	R6200
THT-17-352-3	3,000	Tamper-Resistant Vinyl	Silver	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.125 (53.98)	R6000
THT-17-354-3	3,000	Polyester/Paper	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.125 (53.98)	R6200
THT-17-358-3	3,000	Tamper-Resistant Acetate	Clear	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.125 (53.98)	R6200
THT-17-359-3	3,000	Tamper-Resistant Acetate	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.125 (53.98)	R6200
THT-17-7566-3	3,000	Tamper-Evident Polyester	Clear	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.125 (53.98)	R6200
XHT-17-8425-5	5,000	Polypropylene	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.125 (53.98)	R6000
THT-17-402-5.2	5,200	Paper	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.125 (53.98)	R6100
THT-17-408-3	3,000	Paper	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R6100
THT-17-422-3	3,000	Polyester	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R6000
THT-17-423-3	3,000	Polyester	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R6000
THT-17-424-3	3,000	Paper	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R4302
THT-137-427-AW-3*	3,000	Vinyl	White/ Transparent	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R4302
THT-17-428-3	3,000	Metallized Polyester	Silver	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R4302
THT-17-430-3	3,000	Polyester	Clear	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R6000
THT-17-434-3	3,000	Metallized Polyester	Silver	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R6000
THT-17-438-3	3,000	Tamper-Evident Polyester	Silver	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R4302
THT-17-449-3	3,000	Polypropylene	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R6200
THT-17-483-3	3,000	Polyester	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R6000
THT-17-486-3	3,000	Metallized Polyester	Silver	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R4302
THT-17-488-3	3,000	Polyester	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R4302

Note: Labels in chart are sorted in order by width, height, 3 or 4 digit material number (within part number), then die number (within part number).

LABEL INDEX BY SIZE THERMAL TRANSFER LABELS




Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
2.000" Label Width (Cont.)										
THT-17-489-3	3,000	Polyester	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R4302
THT-137-499-3	3,000	Nylon Cloth	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R4302
THT-17-7546-3	3,000	Tamper-Evident Polyester	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R6000
THT-17-7576-3	3,000	Tamper-Evident Polyester	Silver	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.88)	R6000
XHTT-17-8423-5	5,000	Polyester	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.58)	R6200
XHTT-17-8425-5	5,000	Polyolefin	White	1	2.000 (50.80)	1.000 (25.40)	—	1.125 (28.58)	2.200 (55.58)	R6000
THT-106-423	1	Polyester	White	1	2.000 (50.80)	300 ft (9144 m)	—	300 ft (9144 m)	2.200 (55.88)	R6000
THT-106-428	1	Metallized Polyester	Silver	1	2.000 (50.80)	300 ft (9144 m)	—	300 ft (9144 m)	2.200 (55.88)	R4302
THT-106-439	1	Colored Vinyl	White	1	2.000 (50.80)	300 ft (9144 m)	—	300 ft (9144 m)	2.200 (55.88)	R6000
THT-106-483	1	Polyester	White	1	2.000 (50.80)	300 ft (9144 m)	—	300 ft (9144 m)	2.200 (55.88)	R6000
THT-106-486	1	Metallized Polyester	White	1	2.000 (50.80)	300 ft (9144 m)	—	300 ft (9144 m)	2.200 (55.88)	R4302
2.200" Label Width										
THT-157-490-3	3,000	Polyester	White	1	2.200 (55.88)	1.500 (38.10)	—	1.625 (42.28)	2.400 (60.96)	R4300
2.500" Label Width										
THT-142-423-2.5	2,500	Polyester	White	1	2.500 (63.50)	0.200 (5.08)	—	0.300 (7.62)	2.700 (68.58)	R6002
2.625" Label Width										
THT-131-461-3	3,000	Vinyl	White/ Transparent	1	2.625 (66.68)	1.000 (25.40)	—	1.125 (28.58)	2.825 (71.76)	R4300
2.750" Label Width										
THT-7-351-10	10,000	Tamper-Resistant Vinyl	White	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R6202
THT-7-352-10	10,000	Tamper-Resistant Vinyl	Silver	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R6002
THT-7-358-3	3,000	Tamper-Resistant Acetate	Clear	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R6202
THT-7-359-3	3,000	Tamper-Resistant Acetate	White	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R6202
THT-7-422-3	3,000	Polyester	White	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R6002
THT-7-423-3	3,000	Polyester	White	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R6002
THT-7-424-3	3,000	Paper	White	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R4300
THT-7-428-3	3,000	Metallized Polyester	Silver	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R4300
THT-7-438-3	3,000	Tamper-Evident Polyester	Silver	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R4300
THT-7-483-3	3,000	Polyester	White	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R6002
THT-7-486-3	3,000	Metallized Polyester	Silver	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R4300
THT-7-489-3	3,000	Polyester	White	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R4300
THT-7-7546-10	10,000	Tamper-Evident Polyester	White	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R6002
THT-7-7566-3	3,000	Tamper-Evident Polyester	Clear	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R6002
THT-7-7576-10	10,000	Tamper-Evident Polyester	Silver	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R6002
XHTT-7-8425-3	3,000	Polypropylene	White	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R6202
XHTT-7-8425-5	5,000	Polypropylene	White	1	2.750 (69.85)	1.250 (31.75)	—	1.375 (34.93)	2.950 (74.93)	R6202
2.875" Label Width										
THT-159-422-5	5,000	Polyester	White	1	2.875 (13.03)	0.375 (9.53)	—	1.375 (34.93)	2.950 (74.93)	R6202
3.000" Label Width										
THT-16-423-2.5	2,500	Polyester	White	1	3.000 (76.20)	0.250 (6.35)	—	0.375 (9.53)	3.200 (81.28)	R6002
THT-16-426-2.5	2,500	Polyimide	Amber	1	3.000 (76.20)	0.250 (6.35)	—	0.375 (9.53)	3.200 (81.28)	R4300
THT-16-478-2.5	2,500	Polyimide	White	1	3.000 (76.20)	0.250 (6.35)	—	0.375 (9.53)	3.200 (81.28)	R6002
THT-16-479-2.5	2,500	Polyimide	White	1	3.000 (76.20)	0.250 (6.35)	—	0.375 (9.53)	3.200 (81.28)	R6002
THT-16-495-2.5	2,500	PEN	White	1	3.000 (76.20)	0.250 (6.35)	—	0.375 (9.53)	3.200 (81.28)	R6002
THT-16-497-2.5	2,500	Polyimide	White	1	3.000 (76.20)	0.250 (6.35)	—	0.375 (9.53)	3.200 (81.28)	R6002
THT-18-351-3	3,000	Tamper-Resistant Vinyl	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6202
THT-18-352-3	3,000	Tamper-Resistant Vinyl	Silver	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6002
THT-18-358-3	3,000	Tamper-Resistant Acetate	Clear	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6202
THT-18-359-3	3,000	Tamper-Resistant Acetate	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6202
THT-18-402-5.2	5,200	Paper	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6102
THT-18-407-3	3,000	Polyolefin	Clear	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6202

Note: Labels in chart are sorted in order by width, height, 3 or 4 digit material number (within part number), then die number (within part number).

*For use with Hover-Davis vertical format label feeders.


Label Index by Size



Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
3.000" Label Width (Cont.)										
THT-18-408-3	3,000	Paper	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6102
THT-18-422-3	3,000	Polyester	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6002
THT-18-423-3	3,000	Polyester	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6002
THT-18-424-3	3,000	Paper	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R4300
THT-18-428-3	3,000	Metallized Polyester	Silver	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R4300
THT-18-430-3	3,000	Polyester	Clear	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6002
THT-18-433-3	3,000	Removable Polyester	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6002
THT-18-434-3	3,000	Metallized Polyester	Silver	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6002
THT-18-435-3	3,000	Glossy Metallized Polyester	Silver	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6002
THT-18-438-3	3,000	Tamper-Evident Polyester	Silver	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R4300
THT-18-449-3	3,000	Polypropylene	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6202
THT-18-483-3	3,000	Polyester	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6002
THT-18-486-3	3,000	Metallized Polyester	Silver	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R4300
THT-18-488-3	3,000	Polyester	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R4300
THT-18-489-3	3,000	Polyester	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R4300
THT-18-7546-3	3,000	Tamper-Evident Polyester	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6002
THT-18-7566-3	3,000	Tamper-Evident Polyester	Clear	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6002
THT-18-7576-3	3,000	Tamper-Evident Polyester	Silver	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6002
XHT-18-8423-5	5,000	Polyester	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6202
XHT-18-8425-5	5,000	Polyolefin	White	1	3.000 (76.20)	1.000 (25.40)	—	1.125 (28.58)	3.200 (81.28)	R6002
THT-19-351-1	1,000	Tamper-Resistant Vinyl	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6202
THT-19-352-1	1,000	Tamper-Resistant Vinyl	Silver	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6002
THT-19-358-1	1,000	Tamper-Resistant Acetate	Clear	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6202
THT-19-359-1	1,000	Tamper-Resistant Acetate	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6202
THT-19-402-3	3,000	Paper	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6102
THT-19-407-1	1,000	Polyolefin	Clear	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6202
THT-19-408-1	1,000	Paper	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6102
THT-19-422-1	1,000	Polyester	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6002
THT-19-423-1	1,000	Polyester	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6002
THT-19-424-1	1,000	Paper	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R4300
THT-19-428-1	1,000	Metallized Polyester	Silver	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R4300
THT-19-430-1	1,000	Polyester	Clear	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6002
THT-19-432-1	1,000	Polyester	Clear	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6002
THT-19-433-1	1,000	Removable Polyester	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6002
THT-19-434-1	1,000	Metallized Polyester	Silver	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6002
THT-19-435-1	1,000	Glossy Metallized Polyester	Silver	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6002
THT-19-438-1	1,000	Tamper-Evident Polyester	Silver	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R4300
THT-19-449-1	1,000	Polypropylene	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6202
THT-19-459-1	1,000	Polyester	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6002
THT-19-483-1	1,000	Polyester	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6002
THT-19-486-1	1,000	Metallized Polyester	Silver	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R4300
THT-19-488-1	1,000	Polyester	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R4300
THT-19-489-1	1,000	Polyester	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R4300
THT-19-7546-1	1,000	Tamper-Evident Polyester	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6002
THT-19-7576-1	1,000	Tamper-Evident Polyester	Silver	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6002
XHT-19-8423-3	3,000	Polyester	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6202
XHT-19-8425-3	3,000	Polyolefin	White	1	3.000 (76.20)	2.000 (50.80)	—	2.125 (53.98)	3.200 (81.28)	R6002
THT-20-402-11	1,100	Paper	White	1	3.000 (76.20)	5.000 (127.00)	—	5.125 (130.18)	3.200 (81.28)	R6102
THT-20-408-1	1,000	Paper	White	1	3.000 (76.20)	5.000 (127.00)	—	5.125 (130.18)	3.200 (81.28)	R6102
THT-20-424-1	1,000	Paper	White	1	3.000 (76.20)	5.000 (127.00)	—	5.125 (130.18)	3.200 (81.28)	R4300
XHT-20-8425-1	1,000	Polypropylene	White	1	3.000 (76.20)	5.000 (127.00)	—	5.125 (130.18)	3.200 (81.28)	R6202
THT-21-407	1	Polyolefin	Clear	1	3.000 (76.20)	300 ft (91.44 m)	—	300 ft (91.44 m)	3.200 (81.28)	R6202
THT-21-423	1	Polyester	White	1	3.000 (76.20)	300 ft (91.44 m)	—	300 ft (91.44 m)	3.200 (81.28)	R6002
THT-21-424	1	Paper	White	1	3.000 (76.20)	300 ft (91.44 m)	—	300 ft (91.44 m)	3.200 (81.28)	R4300
THT-21-428	1	Metallized Polyester	Silver	1	3.000 (76.20)	300 ft (91.44 m)	—	300 ft (91.44 m)	3.200 (81.28)	R4300
THT-21-430	1	Polyester	Clear	1	3.000 (76.20)	300 ft (91.44 m)	—	300 ft (91.44 m)	3.200 (81.28)	R6002

Note: Labels in chart are sorted in order by width, height, 3 or 4 digit material number (within part number), then die number (within part number).

LABEL INDEX BY SIZE THERMAL TRANSFER LABELS




Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
3.000" Label Width (Cont.)										
THT-21-434	1	Metallized Polyester	Silver	1	3.000 (76.20)	300 ft (91.44 m)	—	300 ft (91.44 m)	3.200 (81.28)	R6002
THT-21-437	1	Tedlar®	White	1	3.000 (76.20)	300 ft (91.44 m)	—	300 ft (91.44 m)	3.200 (81.28)	R4300
THT-21-437-YL	1	Tedlar	Yellow	1	3.000 (76.20)	300 ft (91.44 m)	—	300 ft (91.44 m)	3.200 (81.28)	R4300
THT-21-438	1	Tamper-Evident Polyester	Silver	1	3.000 (76.20)	300 ft (91.44 m)	—	300 ft (91.44 m)	3.200 (81.28)	R4300
THT-21-439	1	Colored Vinyl	White	1	3.000 (76.20)	300 ft (91.44 m)	—	300 ft (91.44 m)	3.200 (81.28)	R6002
THT-21-483	1	Polyester	White	1	3.000 (76.20)	300 ft (91.44 m)	—	300 ft (91.44 m)	3.200 (81.28)	R6002
THT-21-486	1	Metallized Polyester	Silver	1	3.000 (76.20)	300 ft (91.44 m)	—	300 ft (91.44 m)	3.200 (81.28)	R4300
THT-21-489	1	Polyester	White	1	3.000 (76.20)	300 ft (91.44 m)	—	300 ft (91.44 m)	3.200 (81.28)	R4300
3.600" Label Width										
THT-160-422-5	5,000	Polyester	White	1	3.600 (91.44)	0.375 (9.50)	—	0.475 (12.07)	3.800 (96.52)	R6007
3.750" Label Width										
THT-158-490-3	3,000	Polyester	White	1	3.750 (95.25)	1.500 (38.10)	—	1.625 (41.28)	3.950 (100.33)	R4300
4.000" Label Width										
THT-55-402-3	3,000	Paper	White	1	4.000 (101.60)	2.000 (50.80)	—	2.125 (53.98)	4.200 (106.68)	R6107
THT-55-408-1	1,000	Paper	White	1	4.000 (101.60)	2.000 (50.80)	—	2.125 (53.98)	4.200 (106.68)	R6107
THT-55-423-1	1,000	Polyester	White	1	4.000 (101.60)	2.000 (50.80)	—	2.125 (53.98)	4.200 (106.68)	R6007
THT-55-424-1	1,000	Paper	White	1	4.000 (101.60)	2.000 (50.80)	—	2.125 (53.98)	4.200 (106.68)	R4307
THT-55-428-1	1,000	Metallized Polyester	Silver	1	4.000 (101.60)	2.000 (50.80)	—	2.125 (53.98)	4.200 (106.68)	R4307
THT-55-434-1	1,000	Metallized Polyester	Silver	1	4.000 (101.60)	2.000 (50.80)	—	2.125 (53.98)	4.200 (106.68)	R6007
THT-55-435-1	1,000	Glossy Metallized Polyester	Silver	1	4.000 (101.60)	2.000 (50.80)	—	2.125 (53.98)	4.200 (106.68)	R6007
THT-55-449-1	1,000	Polypropylene	White	1	4.000 (101.60)	2.000 (50.80)	—	2.125 (53.98)	4.200 (106.68)	R6207
THT-55-483-1	1,000	Polyester	White	1	4.000 (101.60)	2.000 (50.80)	—	2.125 (53.98)	4.200 (106.68)	R6007
THT-55-488-1	1,000	Polyester	White	1	4.000 (101.60)	2.000 (50.80)	—	2.125 (53.98)	4.200 (106.68)	R4307
THT-55-489-1	1,000	Polyester	White	1	4.000 (101.60)	2.000 (50.80)	—	2.125 (53.98)	4.200 (106.68)	R4307
XTHT-55-8423-3	3,000	Polyester	White	1	4.000 (101.60)	2.000 (50.80)	—	2.125 (53.98)	4.200 (106.68)	R6207
XTHT-55-8425-3	3,000	Polyolefin	White	1	4.000 (101.60)	2.000 (50.80)	—	2.125 (53.98)	4.200 (106.68)	R6007
THT-76-422-1	1,000	Polyester	White	1	4.000 (101.60)	3.000 (76.20)	—	3.125 (79.38)	4.200 (106.68)	R6007
THT-76-449-1	1,000	Polypropylene	White	1	4.000 (101.60)	3.000 (76.20)	—	3.125 (79.38)	4.200 (106.68)	R6207
THT-76-483-1	1,000	Polyester	White	1	4.000 (101.60)	3.000 (76.20)	—	3.125 (79.38)	4.200 (106.68)	R6007
THT-76-489-1	1,000	Polyester	White	1	4.000 (101.60)	3.000 (76.20)	—	3.125 (79.38)	4.200 (106.68)	R4300
XTHT-76-8425-1	1,000	Polypropylene	White	1	4.000 (101.60)	3.000 (76.20)	—	3.125 (79.38)	4.200 (106.68)	R6207
THT-77-402-1.4	1,400	Paper	White	1	4.000 (101.60)	4.000 (101.60)	—	4.125 (104.78)	4.125 (104.78)	R6107
THT-161-423-1	1,000	Polyester	White	1	4.000 (101.60)	4.000 (101.60)	—	4.125 (104.78)	4.200 (106.68)	R6007
THT-161-483-1	1,000	Polyester	White	1	4.000 (101.60)	4.000 (101.60)	—	4.125 (104.78)	4.200 (106.68)	R6007
THT-161-486-1	1,000	Metallized Polyester	Silver	1	4.000 (101.60)	4.000 (101.60)	—	4.125 (104.78)	4.200 (106.68)	R4307
THT-25-402-1	1,000	Paper	White	1	4.000 (101.60)	6.000 (152.40)	—	6.125 (155.58)	4.200 (106.68)	R6107
THT-25-408-1	1,000	Paper	White	1	4.000 (101.60)	6.000 (152.40)	—	6.125 (155.58)	4.200 (106.68)	R6107
THT-25-424-1	1,000	Paper	White	1	4.000 (101.60)	6.000 (152.40)	—	6.125 (155.58)	4.200 (106.68)	R4307
THT-78-402-0.9	900	Paper	White	1	4.000 (101.60)	6.500 (165.10)	—	6.625 (168.28)	4.125 (104.78)	R6107
THT-78-408-1	1,000	Paper	White	1	4.000 (101.60)	6.500 (165.10)	—	6.625 (168.28)	4.200 (106.68)	R6107
THT-107-423	1	Polyester	White	1	4.000 (101.60)	300 ft (91.44 m)	—	300 ft (91.44 m)	4.200 (106.68)	R6007
THT-107-428	1	Metallized Polyester	Silver	1	4.000 (101.60)	300 ft (91.44 m)	—	300 ft (91.44 m)	4.200 (106.68)	R4307
THT-107-439	1	Colored Vinyl	White	1	4.000 (101.60)	300 ft (91.44 m)	—	300 ft (91.44 m)	4.200 (106.68)	R6007
THT-107-483	1	Polyester	White	1	4.000 (101.60)	300 ft (91.44 m)	—	300 ft (91.44 m)	4.200 (106.68)	R6007
THT-107-486	1	Metallized Polyester	Silver	1	4.000 (101.60)	300 ft (91.44 m)	—	300 ft (91.44 m)	4.200 (106.68)	R4307

Note: Labels in chart are sorted in order by width, height, 3 or 4 digit material number (within part number), then die number (within part number).

Tedlar® is a registered trademark of DuPont.

PermaShield™ Markers by Size




Clear polyester (B-966) overlaminate extends 0.125" outside of label on each side.

Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
1.250" Label Width										
THT-22-423-2	2,000	Polyester	White	2	1.250 (31.75)	0.750 (19.05)	1.650 (41.91)	1.125 (28.58)	3.350 (85.09)	R6002
THT-22-428-2	2,000	Metallized Polyester	Silver	2	1.250 (31.75)	0.750 (19.05)	1.650 (41.91)	1.125 (28.58)	3.350 (85.09)	R4300
2.000" Label Width										
THT-23-423-2	2,000	Polyester	White	1	2.000 (50.80)	1.000 (25.40)	NA	1.375 (34.93)	2.450 (62.23)	R6000
THT-23-428-2	2,000	Metallized Polyester	Silver	1	2.000 (50.80)	1.000 (25.40)	NA	1.375 (34.93)	2.450 (62.23)	R4302
2.750" Label Width										
THT-24-423-1	1,000	Polyester	White	1	2.750 (69.85)	1.750 (44.45)	NA	2.125 (53.98)	3.200 (81.28)	R6002
THT-24-428-1	1,000	Metallized Polyester	Silver	1	2.750 (69.85)	1.750 (44.45)	NA	2.125 (53.98)	3.200 (81.28)	R4300

Note: Labels in chart are sorted in order by width, height, 3 or 4 digit material number (within part number), then die number (within part number).

* This product is sold in Japan under the Overlaminated Labels name and not under the PermaShield name.




Part Number	Pieces Per Pkg.	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Write-On Height Inch (mm) C	Horizontal Repeat Inch (mm) D	Vertical Repeat Inch (mm) E	Web Width Inch (mm) F	Recommended Ribbon
0.500" Label Width											
THT-80-427-5	5,000	Vinyl	White/Transparent	4	0.500 (12.70)	0.750 (19.05)	0.375 (9.53)	0.600 (15.24)	0.950 (24.13)	2.500 (63.50)	R4302
THT-113-427-5	5,000	Vinyl	White/Transparent	4	0.500 (12.70)	1.000 (25.90)	0.375 (9.53)	0.600 (15.24)	1.125 (28.58)	2.500 (63.50)	R4302
THT-114-427-5	5,000	Vinyl	White/Transparent	4	0.500 (12.70)	1.250 (31.75)	0.500 (12.70)	0.600 (15.24)	1.375 (34.93)	2.500 (63.50)	R4302
THT-8-427-10	10,000	Vinyl	White/Transparent	5	0.500 (12.70)	1.437 (36.50)	0.500 (12.70)	0.662 (16.81)	1.625 (41.28)	3.350 (85.09)	R4300
0.750" Label Width											
THT-56-427-10	10,000	Vinyl	White/Transparent	4	0.750 (19.05)	0.938 (23.81)	0.375 (9.52)	0.800 (20.32)	1.125 (28.58)	3.350 (85.09)	R4300
THT-73-427-10	10,000	Vinyl	White/Transparent	4	0.750 (19.05)	1.750 (44.45)	0.500 (12.70)	0.800 (20.32)	1.875 (47.63)	3.350 (85.09)	R4300
0.800" Label Width											
THT-74-427-10	10,000	Vinyl	White/Transparent	4	0.800 (20.32)	1.437 (36.50)	0.500 (12.70)	0.800 (20.32)	1.625 (41.28)	3.350 (85.09)	R4300
1.000" Label Width											
THT-115-427-5	5,000	Vinyl	White/Transparent	2	1.000 (25.40)	0.750 (19.05)	0.375 (9.53)	1.100 (27.94)	0.875 (22.23)	2.300 (58.42)	R4302
THT-116-427-5	5,000	Vinyl	White/Transparent	2	1.000 (25.40)	1.000 (25.40)	0.375 (9.53)	1.100 (27.94)	1.125 (28.58)	2.300 (58.42)	R4302
THT-9-427-10	10,000	Vinyl	White/Transparent	3	1.000 (25.40)	1.437 (36.50)	0.500 (12.70)	1.075 (27.30)	1.625 (41.28)	3.350 (85.09)	R4300
THT-75-427-3	3,000	Vinyl	White/Transparent	2	1.000 (25.40)	2.250 (57.15)	0.750 (19.05)	1.100 (27.94)	2.375 (60.33)	2.300 (58.42)	R4302
THT-10-427-3	3,000	Vinyl	White/Transparent	3	1.000 (25.40)	3.750 (95.25)	1.000 (25.40)	1.075 (27.30)	4.000 (101.60)	3.350 (85.09)	R4300
THT-139-461-2	2,000	Polyester	White/Transparent	1	1.000 (25.40)	5.250 (133.35)	1.500 (38.10)	N/A	5.325 (135.26)	1.200 (30.48)	R4306
THT-81-427-1	1,000	Vinyl	White/Transparent	2	1.000 (25.40)	6.000 (152.40)	1.500 (38.10)	1.100 (27.94)	6.187 (157.15)	2.200 (55.88)	R4302
1.500" Label Width											
THT-118-427-5	5,000	Vinyl	White/Transparent	1	1.500 (38.10)	1.000 (25.40)	0.375 (9.53)	N/A	1.125 (28.58)	1.700 (43.18)	R4302
THT-119-427-2.5	2,500	Vinyl	White/Transparent	1	1.500 (38.10)	1.500 (38.10)	0.500 (12.70)	N/A	1.625 (41.28)	1.700 (43.18)	R4302
1.750" Label Width											
THT-120-427-5	5,000	Vinyl	White/Transparent	1	1.750 (44.45)	1.000 (25.40)	0.375 (9.53)	N/A	1.125 (28.58)	1.950 (49.53)	R4302
THT-121-427-2.5	2,500	Vinyl	White/Transparent	1	1.750 (44.45)	1.500 (38.10)	0.500 (12.70)	N/A	1.625 (41.28)	1.950 (49.53)	R4302
2.000" Label Width											
THT-27-427-1	1,000	Vinyl	White/Transparent	1	2.000 (50.80)	3.750 (95.25)	1.000 (25.40)	N/A	4.000 (101.60)	2.200 (55.88)	R4302
THT-82-427-5	5,000	Vinyl	White/Transparent	1	2.000 (50.80)	6.000 (152.40)	1.500 (38.10)	N/A	6.250 (158.75)	2.200 (55.88)	R4302
THT-83-427-5	5,000	Vinyl	White/Transparent	1	2.000 (50.80)	7.000 (177.80)	1.500 (38.10)	N/A	7.187 (182.55)	2.200 (55.88)	R4302
2.500" Label Width											
THT-26-427-1	1,000	Vinyl	White/Transparent	1	2.500 (63.50)	2.250 (57.15)	0.750 (19.05)	N/A	2.438 (61.93)	2.700 (68.58)	R4300

Perforations exist between each row of self-laminating labels for easy tear off and fan folding.

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).

Self-Laminating Labels by Size

One-Across Rotated



Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Write-On Height Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon
0.500" Label Width										
THT-61-427-5	5,000	Vinyl	White/Transparent	1	0.500 (12.70)	1.437 (36.50)	0.500 (12.70)	0.687 (17.45)	1.637 (41.58)	R4306
0.750" Label Width										
THT-62-427-3.5	3,500	Vinyl	White/Transparent	1	0.750 (19.05)	1.750 (44.45)	0.500 (12.70)	0.937 (23.80)	1.950 (49.53)	R4302
0.800" Label Width										
THT-63-427-3.5	3,500	Vinyl	White/Transparent	1	0.800 (20.32)	1.437 (36.50)	0.500 (12.70)	0.987 (25.07)	1.637 (41.58)	R4306
1.000" Label Width										
THT-64-427-3	3,000	Vinyl	White/Transparent	1	1.000 (25.40)	2.250 (57.15)	0.750 (19.05)	1.187 (30.15)	2.450 (62.23)	R4302
THT-65-427-3	3,000	Vinyl	White/Transparent	1	1.000 (25.40)	3.750 (95.25)	1.000 (25.40)	1.187 (30.15)	3.950 (100.33)	R4307
THT-84-427-3	3,000	Vinyl	White/Transparent	1	1.000 (25.40)	6.000 (152.40)	1.500 (38.10)	1.20 (30.48)	6.200 (157.48)	R4308
1.625" Label Width										
THT-133-461-3	3,000	Polyester	White/Transparent	1	1.625 (41.28)	0.600 (15.24)	1.000 (25.40)	0.700 (17.78)	1.825 (46.35)	R4302
1.800" Label Width										
THT-123-461-3	3,000	Polyester	White/Transparent	1	1.800 (45.72)	0.375 (9.53)	0.750 (19.05)	0.475 (12.07)	2.000 (50.80)	R4302
THT-122-461-3	3,000	Polyester	White/Transparent	1	1.800 (45.72)	0.500 (12.70)	0.750 (19.05)	0.625 (15.88)	2.000 (50.80)	R4302
1.900" Label Width										
THT-66-427-1.5	1,500	Vinyl	White/Transparent	1	1.900 (48.26)	3.187 (80.95)	0.750 (19.05)	2.150 (54.61)	3.387 (86.03)	R4300
2.000" Label Width										
THT-67-427-1.5	1,500	Vinyl	White/Transparent	1	2.000 (50.80)	2.250 (57.15)	0.750 (19.05)	2.187 (55.55)	2.450 (62.23)	R4302
THT-85-427-2	2,000	Vinyl	White/Transparent	1	2.000 (50.80)	6.000 (152.40)	1.500 (38.10)	2.200 (55.88)	6.200 (157.48)	R4308
THT-86-427-2	2,000	Vinyl	White/Transparent	1	2.000 (50.80)	7.000 (177.80)	1.500 (38.10)	2.200 (55.88)	7.200 (182.88)	R4308
2.200" Label Width										
THT-127-427-3	3,000	Vinyl	White/Transparent	1	2.200 (55.88)	0.500 (12.70)	0.750 (19.05)	0.625 (15.88)	2.400 (60.96)	R4302
THT-127-461-3	3,000	Polyester	White/Transparent	1	2.200 (55.88)	0.500 (12.70)	0.750 (19.05)	0.625 (15.88)	2.400 (60.96)	R4302
2.625" Label Width										
THT-153-461-3	3,000	Polyester	White/Transparent	1	2.625 (66.68)	0.600 (15.24)	1.000 (25.40)	0.750 (19.05)	2.825 (71.76)	R4300
THT-131-427-3	3,000	Vinyl	White/Transparent	1	2.625 (66.68)	1.000 (25.40)	1.000 (25.40)	1.125 (28.58)	2.825 (71.76)	R4300
3.500" Label Width										
THT-134-461-3	3,000	Polyester	White/Transparent	1	3.500 (88.90)	1.500 (38.10)	1.250 (31.75)	1.625 (41.28)	3.700 (93.98)	R4307

Perforations exist between each row of self-laminating labels for easy tear off and fan folding.

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).

Tags by Size

One-Across




Diagram	Pieces Part Number	Per Package	Material	Color	Tag Width Inch (mm) A	Tag Height Inch (mm) B	Recommended Ribbon
1.938" Label Width							
▼	THT-150-412-1	1,000	Polyethylene Tag	White	1.938 (49.20)	0.375 (9.53)	R6200
3.000" Label Width							
▶	THT-33-109-0.5	500	Polyethylene Tag	White	3.000 (76.20)	6.000 (152.40)	R4300
▶	THT-33-411-1	2 rolls of 500	Polyolefin Tag	White	3.000 (76.20)	6.000 (152.40)	R4300
▶	THT-33-412-1	2 rolls of 500	Polypropylene Tag	White	3.000 (76.20)	6.000 (152.40)	R6202

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).

Circuit Board and Component Identification Labels



Brady polyimide materials are specially engineered to resist the harsh environments associated with the processing of printed circuit boards, including the high temperatures associated with lead-free processing. The B-473, B-477, B-478 and B-479 materials can also help reduce ESD by utilizing a static dissipative adhesive and liner.

THERMAL TRANSFER PRINTABLE PRODUCTS CIRCUIT BOARD PROCESS CHART

	 Through Hole Technology Top Bottom		 Surface Mount Technology (SMT) Top or Bottom		After Process
B-426, B-436, B-457, B-477, B-478, B-479, B-487, B-497	● Yes	● Yes	● Yes		● Yes
B-495	● Yes	✘ No	● Yes		● Yes
B-422, B-423, B-428, B-433, B-435, B-438, B-459, B-473, B-488, B-498	▲ Yes*	✘ No	✘ No		● Yes

* In extreme high temperatures, testing of these materials is recommended.

► POLYIMIDES

High-Temperature White Polyimides (B-457, B-487, B-497)
Static Dissipative Polyimide (B-477, B-478, B-479)
High-Temperature Amber Polyimide (B-426)
Removable Amber Polyimide (B-436)

Part Number	Size Inch (mm)	Specifications on Page	 Through Hole Technology Top / Bottom	 SMT Top / Bottom	After Process
THT-1-426	0.750 x 0.250 (19.05 x 6.35)	88	●	●	●
THT-1-436	0.750 x 0.250 (19.05 x 6.35)	88	●	●	●
THT-1-457	0.750 x 0.250 (19.05 x 6.35)	88	●	●	●
THT-1-477	0.750 x 0.250 (19.05 x 6.35)	88	●	●	●
THT-1-478	0.750 x 0.250 (19.05 x 6.35)	89	●	●	●
THT-1-479	0.750 x 0.250 (19.05 x 6.35)	89	●	●	●
THT-1-487	0.750 x 0.250 (19.05 x 6.35)	89	●	●	●
THT-1-497	0.750 x 0.250 (19.05 x 6.35)	89	●	●	●
THT-2-426	0.900 x 0.250 (22.86 x 6.35)	89	●	●	●
THT-2-457	0.900 x 0.250 (22.86 x 6.35)	89	●	●	●
THT-2-478	0.900 x 0.250 (22.86 x 6.35)	89	●	●	●
THT-2-479	0.900 x 0.250 (22.86 x 6.35)	89	●	●	●
THT-3-426	1.000 x 0.375 (25.40 x 9.53)	90	●	●	●
THT-3-478	1.000 x 0.375 (25.40 x 9.53)	90	●	●	●
THT-3-479	1.000 x 0.375 (25.40 x 9.53)	90	●	●	●
THT-4-426	1.500 x 0.250 (38.10 x 6.35)	90	●	●	●
THT-4-457	1.500 x 0.250 (38.10 x 6.35)	90	●	●	●
THT-4-478	1.500 x 0.250 (38.10 x 6.35)	90	●	●	●
THT-4-479	1.500 x 0.250 (38.10 x 6.35)	90	●	●	●
THT-5-426	1.000 x 0.500 (25.40 x 12.70)	90	●	●	●
THT-5-478	1.000 x 0.500 (25.40 x 12.70)	91	●	●	●
THT-5-479	1.000 x 0.500 (25.40 x 12.70)	91	●	●	●
THT-11-426	0.250 x 0.250 (6.35 x 6.35)	85	●	●	●
THT-11-436	0.250 x 0.250 (6.35 x 6.35)	85	●	●	●
THT-11-457	0.250 x 0.250 (6.35 x 6.35)	85	●	●	●

● Yes, this material will work with this application.



✘ No, this material does not work with this application.

▲ In extreme high temperatures, testing of these materials is recommended.

Circuit Board and Component Identification Labels

► POLYIMIDES CONTINUED

High-Temperature White Polyimides (B-457, B-487, B-497)
Static Dissipative Polyimide (B-477, B-478, B-479)
High-Temperature Amber Polyimide (B-426)
Removable Amber Polyimide (B-436)



Part Number	Size Inch (mm)	Specifications on Page	Through Hole Technology Top / Bottom	SMT Top / Bottom	After Process
THT-12-426	0.500 x 0.437 (12.70 x 11.10)	87	●	●	●
THT-12-457	0.500 x 0.437 (12.70 x 11.10)	87	●	●	●
THT-12-477	0.500 x 0.437 (12.70 x 11.10)	87	●	●	●
THT-12-478	0.500 x 0.437 (12.70 x 11.10)	87	●	●	●
THT-12-479	0.500 x 0.437 (12.70 x 11.10)	87	●	●	●
THT-12-487	0.500 x 0.437 (12.70 x 11.10)	87	●	●	●
THT-12-497	0.500 x 0.437 (12.70 x 11.10)	87	●	●	●
THT-13-426	1.250 x 0.250 (31.75 x 6.35)	91	●	●	●
THT-13-457	1.250 x 0.250 (31.75 x 6.35)	91	●	●	●
THT-14-426	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THT-14-436	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THT-14-457	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THT-14-477	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THT-14-478	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THT-14-479	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THT-14-487	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THT-14-497	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THT-15-426	2.000 x 0.250 (50.80 x 6.35)	94	●	●	●
THT-15-457	2.000 x 0.250 (50.80 x 6.35)	94	●	●	●
THT-15-477	2.000 x 0.250 (50.80 x 6.35)	94	●	●	●
THT-15-487	2.000 x 0.250 (50.80 x 6.35)	94	●	●	●
THT-15-497	2.000 x 0.250 (50.80 x 6.35)	94	●	●	●
THT-16-426	3.000 x 0.250 (76.20 x 6.35)	95	●	●	●
THT-16-478	3.000 x 0.250 (76.20 x 6.35)	95	●	●	●
THT-16-479	3.000 x 0.250 (76.20 x 6.35)	95	●	●	●
THT-16-497	3.000 x 0.250 (76.20 x 6.35)	95	●	●	●
THT-28-426	1.500 x 0.125 (38.10 x 3.18)	92	●	●	●
THT-29-426	1.250 x 0.375 (31.75 x 9.53)	92	●	●	●
THT-29-478	1.250 x 0.375 (31.75 x 9.53)	92	●	●	●
THT-29-479	1.250 x 0.375 (31.75 x 9.53)	92	●	●	●
THT-38-426	0.375 x 0.375 (9.53 x 9.53)	86	●	●	●
THT-38-457	0.375 x 0.375 (9.53 x 9.53)	86	●	●	●
THT-38-477	0.375 x 0.375 (9.53 x 9.53)	86	●	●	●
THT-38-478	0.375 x 0.375 (9.53 x 9.53)	86	●	●	●
THT-38-479	0.375 x 0.375 (9.53 x 9.53)	86	●	●	●
THT-38-487	0.375 x 0.375 (9.53 x 9.53)	86	●	●	●
THT-38-497	0.375 x 0.375 (9.53 x 9.53)	86	●	●	●
THT-40-426	1.375 x 0.250 (34.93 x 6.35)	92	●	●	●
THT-40-457	1.375 x 0.250 (34.93 x 6.35)	92	●	●	●
THT-40-477	1.375 x 0.250 (34.93 x 6.35)	92	●	●	●
THT-40-487	1.375 x 0.250 (34.93 x 6.35)	92	●	●	●
THT-40-497	1.375 x 0.250 (34.93 x 6.35)	92	●	●	●
THT-41-426	1.000 x 0.187 (25.40 x 4.75)	89	●	●	●
THT-42-426	1.000 x 0.187 (25.40 x 4.75)	89	●	●	●
THTHD-42-426*	0.187 x 1.000 (4.75 x 25.40)	85	●	●	●
THT-42-457	1.000 x 0.187 (25.40 x 4.75)	89	●	●	●
THTHD-42-457*	0.187 x 1.000 (4.75 x 25.40)	85	●	●	●
THT-42-477	1.000 x 0.187 (25.40 x 4.75)	90	●	●	●
THTHD-42-477*	0.187 x 1.000 (4.75 x 25.40)	85	●	●	●
THT-42-478	1.000 x 0.187 (25.40 x 4.75)	90	●	●	●
THTHD-42-478*	0.187 x 1.000 (4.75 x 25.40)	85	●	●	●
THT-42-479	1.000 x 0.187 (25.40 x 4.75)	90	●	●	●
THT-42-487	1.000 x 0.187 (25.40 x 4.75)	90	●	●	●
THTHD-42-487*	0.187 x 1.000 (4.75 x 25.40)	85	●	●	●
THT-42-497	1.000 x 0.187 (25.40 x 4.75)	90	●	●	●
THT-43-426	1.250 x 0.250 (31.75 x 6.35)	91	●	●	●


* For use with Hover-Davis vertical format label feeders.

- Yes, this material will work with this application.
- ✘ No, this material does not work with this application.
- ▲ In extreme high temperatures, testing of these materials is recommended.

CIRCUIT BOARD AND COMPONENT IDENTIFICATION LABELS THERMAL TRANSFER LABELS

► POLYIMIDES CONTINUED

High-Temperature White Polyimides (B-457, B-487, B-497)
 Static Dissipative Polyimide (B-477, B-478, B-479)
 High-Temperature Amber Polyimide (B-426)
 Removable Amber Polyimide (B-436)



Part Number	Size Inch (mm)	Specifications on Page	Through Hole Technology Top / Bottom	SMT Top / Bottom	After Process
THTHD-43-426*	0.250 x 1.250 (6.35 x 31.75)	86	●	●	●
THT-43-457	1.250 x 0.250 (31.75 x 6.35)	91	●	●	●
THTHD-43-457*	0.250 x 1.250 (6.35 x 31.75)	86	●	●	●
THT-43-477	1.250 x 0.250 (31.75 x 6.35)	91	●	●	●
THTHD-43-477*	0.250 x 1.250 (6.35 x 31.75)	86	●	●	●
THT-43-478	1.250 x 0.250 (31.75 x 6.35)	91	●	●	●
THTHD-43-478*	0.250 x 1.250 (6.35 x 31.75)	86	●	●	●
THT-43-479	1.250 x 0.250 (31.75 x 6.35)	91	●	●	●
THT-43-487	1.250 x 0.250 (31.75 x 6.35)	91	●	●	●
THTHD-43-487*	0.250 x 1.250 (6.35 x 31.75)	86	●	●	●
THT-43-497	1.250 x 0.250 (31.75 x 6.35)	92	●	●	●
THT-44-426	1.375 x 0.250 (34.93 x 6.35)	92	●	●	●
THTHD-44-426*	0.250 x 1.375 (6.35 x 34.93)	86	●	●	●
THT-44-457	1.375 x 0.250 (34.93 x 6.35)	92	●	●	●
THTHD-44-457*	0.250 x 1.375 (6.35 x 34.93)	86	●	●	●
THT-44-477	1.375 x 0.250 (34.93 x 6.35)	92	●	●	●
THTHD-44-477*	0.250 x 1.375 (6.35 x 34.93)	86	●	●	●
THT-44-478	1.375 x 0.250 (34.93 x 6.35)	92	●	●	●
THTHD-44-478*	0.250 x 1.375 (6.35 x 34.93)	86	●	●	●
THT-44-479	1.375 x 0.250 (34.93 x 6.35)	92	●	●	●
THT-44-487	1.375 x 0.250 (34.93 x 6.35)	92	●	●	●
THTHD-44-487*	0.250 x 1.375 (6.35 x 34.93)	86	●	●	●
THT-44-497	1.375 x 0.250 (34.93 x 6.35)	92	●	●	●
THT-45-426	1.500 x 0.250 (38.10 x 6.35)	92	●	●	●
THTHD-45-426*	0.250 x 1.500 (6.35 x 38.10)	86	●	●	●
THT-45-457	1.500 x 0.250 (38.10 x 6.35)	92	●	●	●
THTHD-45-457*	0.250 x 1.500 (6.35 x 38.10)	86	●	●	●
THT-45-477	1.500 x 0.250 (38.10 x 6.35)	92	●	●	●
THTHD-45-477*	0.250 x 1.500 (6.35 x 38.10)	86	●	●	●
THT-45-478	1.500 x 0.250 (38.10 x 6.35)	92	●	●	●
THTHD-45-478*	0.250 x 1.500 (6.35 x 38.10)	86	●	●	●
THT-45-479	1.500 x 0.250 (38.10 x 6.35)	92	●	●	●
THT-45-487	1.500 x 0.250 (38.10 x 6.35)	92	●	●	●
THTHD-45-487*	0.250 x 1.500 (6.35 x 38.10)	86	●	●	●
THT-45-497	1.500 x 0.250 (38.10 x 6.35)	92	●	●	●
THT-46-426	0.750 x 0.250 (19.05 x 6.35)	88	●	●	●
THTHD-46-426*	0.250 x 0.750 (6.35 x 19.05)	85	●	●	●
THT-46-457	0.750 x 0.250 (19.05 x 6.35)	88	●	●	●
THTHD-46-457*	0.250 x 0.750 (6.35 x 19.05)	85	●	●	●
THT-46-477	0.750 x 0.250 (19.05 x 6.35)	89	●	●	●
THTHD-46-477*	0.250 x 0.750 (6.35 x 19.05)	85	●	●	●
THT-46-478	0.750 x 0.250 (19.05 x 6.35)	89	●	●	●
THTHD-46-478*	0.250 x 0.750 (6.35 x 19.05)	85	●	●	●
THT-46-479	0.750 x 0.250 (19.05 x 6.35)	89	●	●	●
THT-46-487	0.750 x 0.250 (19.05 x 6.35)	89	●	●	●
THTHD-46-487*	0.250 x 0.750 (6.35 x 19.05)	85	●	●	●
THT-46-497	0.750 x 0.250 (19.05 x 6.35)	89	●	●	●
THT-47-426	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THTHD-47-426*	0.200 x 0.650 (5.08 x 16.51)	85	●	●	●
THT-47-457	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THTHD-47-457*	0.200 x 0.650 (5.08 x 16.51)	85	●	●	●
THT-47-477	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THTHD-47-477*	0.200 x 0.650 (5.08 x 16.51)	85	●	●	●
THT-47-478	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THTHD-47-478*	0.200 x 0.650 (5.08 x 16.51)	85	●	●	●


* For use with Hover-Davis vertical format label feeders.

- Yes, this material will work with this application.
- ✘ No, this material does not work with this application.
- ▲ In extreme high temperatures, testing of these materials is recommended.

Circuit Board and Component Identification Labels

► POLYIMIDES CONTINUED

High-Temperature White Polyimides (B-457, B-487, B-497)
Static Dissipative Polyimide (B-477, B-478, B-479)
High-Temperature Amber Polyimide (B-426)
Removable Amber Polyimide (B-436)




Part Number	Size Inch (mm)	Specifications on Page	Through Hole Technology Top / Bottom	SMT Top / Bottom	After Process
THT-47-479	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THT-47-487	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THTHD-47-487*	0.200 x 0.650 (5.08 x 16.51)	85	●	●	●
THT-47-497	0.650 x 0.200 (16.51 x 5.08)	88	●	●	●
THT-48-426	2.000 x 0.250 (50.80 x 6.35)	94	●	●	●
THT-48-457	2.000 x 0.250 (50.80 x 6.35)	94	●	●	●
THT-48-477	2.000 x 0.250 (50.80 x 6.35)	94	●	●	●
THT-48-478	2.000 x 0.250 (50.80 x 6.35)	94	●	●	●
THT-48-479	2.000 x 0.250 (50.80 x 6.35)	94	●	●	●
THT-48-487	2.000 x 0.250 (50.80 x 6.35)	94	●	●	●
THT-48-497	2.000 x 0.250 (50.80 x 6.35)	94	●	●	●
THT-49-426	0.900 x 0.250 (22.86 x 6.35)	89	●	●	●
THTHD-49-426*	0.250 x 0.900 (6.35 x 22.86)	85	●	●	●
THT-49-457	0.900 x 0.250 (22.86 x 6.35)	89	●	●	●
THTHD-49-457*	0.250 x 0.900 (6.35 x 22.86)	86	●	●	●
THTHD-49-477*	0.250 x 0.900 (6.35 x 22.86)	86	●	●	●
THT-49-478	0.900 x 0.250 (22.86 x 6.35)	89	●	●	●
THTHD-49-478*	0.250 x 0.900 (6.35 x 22.86)	86	●	●	●
THT-49-479	0.900 x 0.250 (22.86 x 6.35)	89	●	●	●
THTHD-49-487*	0.250 x 0.900 (6.35 x 22.86)	86	●	●	●
THT-50-426	0.750 x 0.750 (19.05 x 19.05)	89	●	●	●
THT-51-426	1.000 x 0.250 (25.40 x 6.35)	90	●	●	●
THT-57-426	0.700 x 0.375 (17.78 x 9.53)	88	●	●	●
THT-58-457	1.000 x 0.375 (25.40 x 9.53)	90	●	●	●
THT-58-478	1.000 x 0.375 (25.40 x 9.53)	90	●	●	●
THT-58-479	1.000 x 0.375 (25.40 x 9.53)	90	●	●	●
THT-59-457	1.000 x 0.500 (25.40 x 12.70)	91	●	●	●
THT-59-477	1.000 x 0.500 (25.40 x 12.70)	91	●	●	●
THT-59-478	1.000 x 0.500 (25.40 x 12.70)	91	●	●	●
THT-59-479	1.000 x 0.500 (25.40 x 12.70)	91	●	●	●
THT-59-487	1.000 x 0.500 (25.40 x 12.70)	91	●	●	●
THT-59-497	1.000 x 0.500 (25.40 x 12.70)	91	●	●	●
THT-60-457	1.500 x 0.125 (38.10 x 3.18)	92	●	●	●
THT-60-477	1.500 x 0.125 (38.10 x 3.18)	92	●	●	●
THT-60-478	1.500 x 0.125 (38.10 x 3.18)	92	●	●	●
THT-60-479	1.500 x 0.125 (38.10 x 3.18)	92	●	●	●
THT-60-487	1.500 x 0.125 (38.10 x 3.18)	92	●	●	●
THT-60-497	1.500 x 0.125 (38.10 x 3.18)	92	●	●	●
THTHD-70-426*	0.250 x 0.250 (6.35 x 6.35)	85	●	●	●
THT-70-457	0.250 x 0.250 (6.35 x 6.35)	85	●	●	●
THTHD-70-457*	0.250 x 0.250 (6.35 x 6.35)	85	●	●	●
THT-70-477	0.250 x 0.250 (6.35 x 6.35)	85	●	●	●
THTHD-70-477*	0.250 x 0.250 (6.35 x 6.35)	85	●	●	●
THT-70-478	0.250 x 0.250 (6.35 x 6.35)	85	●	●	●
THTHD-70-478*	0.250 x 0.250 (6.35 x 6.35)	85	●	●	●
THT-70-479	0.250 x 0.250 (6.35 x 6.35)	85	●	●	●
THT-70-487	0.250 x 0.250 (6.35 x 6.35)	85	●	●	●
THTHD-70-487*	0.250 x 0.250 (6.35 x 6.35)	85	●	●	●
THT-70-497	0.250 x 0.250 (6.35 x 6.35)	85	●	●	●
THT-71-457	0.315 x 0.315 (8.00 x 8.00)	86	●	●	●
THT-71-478	0.315 x 0.315 (8.00 x 8.00)	86	●	●	●
THT-71-479	0.315 x 0.315 (8.00 x 8.00)	86	●	●	●
THT-72-457	1.750 x 0.250 (44.45 x 6.35)	93	●	●	●
THT-72-478	1.750 x 0.250 (44.45 x 6.35)	93	●	●	●

* For use with Hover-Davis vertical format label feeders.

- Yes, this material will work with this application.
- ✘ No, this material does not work with this application.
- ▲ In extreme high temperatures, testing of these materials is recommended.

► POLYIMIDES CONTINUED

High-Temperature White Polyimides (B-457, B-487, B-497)
 Static Dissipative Polyimide (B-477, B-478, B-479)
 High-Temperature Amber Polyimide (B-426)
 Removable Amber Polyimide (B-436)



Part Number	Size Inch (mm)	Specifications on Page	Through Hole Technology Top / Bottom	SMT Top / Bottom	After Process
THT-72-479	1.750 x 0.250 (44.45 x 6.35)	93	●	●	●
THT-72-497	1.750 x 0.250 (44.45 x 6.35)	93	●	●	●
THT-96-477	0.500 x 0.275 (12.70 x 7.00)	87	●	●	●
THT-96-487	0.500 x 0.275 (12.70 x 7.00)	87	●	●	●
THT-96-497	0.500 x 0.275 (12.70 x 7.00)	87	●	●	●
THT-97-457	0.500 x 0.200 (12.70 x 5.08)	87	●	●	●
THT-97-477	0.500 x 0.200 (12.70 x 5.08)	87	●	●	●
THT-97-478	0.500 x 0.200 (12.70 x 5.08)	87	●	●	●
THT-97-479	0.500 x 0.200 (12.70 x 5.08)	87	●	●	●
THT-97-487	0.500 x 0.200 (12.70 x 5.08)	87	●	●	●
THT-97-497	0.500 x 0.200 (12.70 x 5.08)	87	●	●	●
THT-99-477	0.500 x 0.500 (12.70 x 12.70)	87	●	●	●
THT-99-478	0.500 x 0.500 (12.70 x 12.70)	87	●	●	●
THT-99-479	0.500 x 0.500 (12.70 x 12.70)	87	●	●	●
THT-99-487	0.500 x 0.500 (12.70 x 12.70)	87	●	●	●
THT-99-497	0.500 x 0.500 (12.70 x 12.70)	87	●	●	●
THT-103-426	1.000 x 0.250 (25.40 x 6.35)	90	●	●	●
THTHD-103-426*	0.250 x 1.000 (6.35 x 25.40)	86	●	●	●
THT-103-457	1.000 x 0.250 (25.40 x 6.35)	90	●	●	●
THTHD-103-457*	0.250 x 1.000 (6.35 x 25.40)	86	●	●	●
THT-103-477	1.000 x 0.250 (25.40 x 6.35)	90	●	●	●
THTHD-103-477*	0.250 x 1.000 (6.35 x 25.40)	86	●	●	●
THT-103-478	1.000 x 0.250 (25.40 x 6.35)	90	●	●	●
THTHD-103-478*	0.250 x 1.000 (6.35 x 25.40)	86	●	●	●
THT-103-479	1.000 x 0.250 (25.40 x 6.35)	90	●	●	●
THT-103-487	1.000 x 0.250 (25.40 x 6.35)	90	●	●	●
THTHD-103-487*	0.250 x 1.000 (6.35 x 25.40)	86	●	●	●
THT-103-497	1.000 x 0.250 (25.40 x 6.35)	90	●	●	●
THT-104-497	0.315 x 0.177 (8.00 x 4.50)	86	●	●	●
THTHD-108-426*	0.150 x 1.500 (3.81 x 38.10)	86	●	●	●
THTHD-108-457*	0.150 x 1.500 (3.81 x 38.10)	86	●	●	●
THTHD-108-477*	0.150 x 1.500 (3.81 x 38.10)	86	●	●	●
THTHD-108-478*	0.150 x 1.500 (3.81 x 38.10)	86	●	●	●
THTHD-108-487*	0.150 x 1.500 (3.81 x 38.10)	86	●	●	●


* For use with Hover-Davis vertical format label feeders.

- Yes, this material will work with this application.
- ✘ No, this material does not work with this application.
- ▲ In extreme high temperatures, testing of these materials is recommended.

Circuit Board and Component Identification Labels

► POLYETHYLENE NAPHTHALATE (PEN)

High Temperature White PEN (B-495)




Part Number	Size Inch (mm)	Specifications on Page	Through Hole Technology		SMT Top / Bottom	After Process
			Top	Bottom		
THT-1-495	0.750 x 0.250 (19.05 x 6.35)	89	●	✘	●	●
THT-2-495	0.900 x 0.250 (22.86 x 6.35)	89	●	✘	●	●
THT-3-495	1.000 x 0.375 (25.40 x 9.53)	90	●	✘	●	●
THT-4-495	1.500 x 0.250 (38.10 x 6.35)	90	●	✘	●	●
THT-5-495	1.000 x 0.500 (25.40 x 12.70)	91	●	✘	●	●
THT-12-495	0.500 x 0.437 (12.70 x 11.10)	87	●	✘	●	●
THT-14-495	0.650 x 0.200 (16.51 x 5.08)	88	●	✘	●	●
THT-16-495	3.000 x 0.250 (76.20 x 6.35)	95	●	✘	●	●
THT-29-495	1.250 x 0.375 (31.75 x 9.53)	92	●	✘	●	●
THT-38-495	0.375 x 0.375 (9.53 x 9.53)	86	●	✘	●	●
THT-42-495	1.000 x 0.187 (25.40 x 4.75)	90	●	✘	●	●
THTHD-42-495*	0.187 x 1.000 (4.75 x 25.40)	85	●	✘	●	●
THT-43-495	1.250 x 0.250 (31.75 x 6.35)	92	●	✘	●	●
THTHD-43-495*	0.250 x 1.250 (6.35 x 31.75)	86	●	✘	●	●
THT-44-495	1.375 x 0.250 (35.05 x 6.35)	92	●	✘	●	●
THTHD-44-495*	0.250 x 1.375 (6.35 x 35.05)	86	●	✘	●	●
THT-45-495	1.500 x 0.250 (38.10 x 6.35)	92	●	✘	●	●
THTHD-45-495*	0.250 x 1.500 (6.35 x 38.10)	86	●	✘	●	●
THT-46-495	0.750 x 0.250 (19.05 x 6.35)	89	●	✘	●	●
THTHD-46-495*	0.250 x 0.750 (6.35 x 19.05)	85	●	✘	●	●
THT-47-495	0.650 x 0.200 (16.51 x 5.08)	88	●	✘	●	●
THTHD-47-495*	0.200 x 0.650 (5.08 x 16.51)	85	●	✘	●	●
THT-48-495	2.000 x 0.250 (50.80 x 6.35)	94	●	✘	●	●
THT-49-495	0.900 x 0.250 (22.86 x 6.35)	89	●	✘	●	●
THTHD-49-495*	0.250 x 0.900 (6.35 x 22.86)	86	●	✘	●	●
THT-58-495	1.000 x 0.375 (25.40 x 9.53)	90	●	✘	●	●
THT-59-495	1.000 x 0.500 (25.40 x 12.70)	91	●	✘	●	●
THT-60-495	1.500 x 0.125 (38.10 x 3.18)	92	●	✘	●	●
THT-70-495	0.250 x 0.250 (6.35 x 6.35)	85	●	✘	●	●
THTHD-70-495*	0.250 x 0.250 (6.35 x 6.35)	85	●	✘	●	●
THT-71-495	0.315 x 0.315 (8.00 x 8.00)	86	●	✘	●	●
THT-72-495	1.750 x 0.250 (44.45 x 6.35)	93	●	✘	●	●
THT-97-495	0.500 x 0.200 (12.70 x 5.08)	87	●	✘	●	●
THT-99-495	0.500 x 0.500 (12.70 x 12.70)	87	●	✘	●	●
THT-103-495	1.000 x 0.250 (25.40 x 6.35)	90	●	✘	●	●
THTHD-103-495*	0.250 x 1.000 (6.35 x 25.40)	86	●	✘	●	●
THTHD-108-495*	0.150 x 1.500 (3.81 x 38.10)	86s	●	✘	●	●

* For use with Hover-Davis vertical format label feeders.

- Yes, this material will work with this application.
- ✘ No, this material does not work with this application.
- ▲ In extreme high temperatures, testing of these materials is recommended.

► POLYESTERS

Permanent White Polyesters (B-422, B-423, B-459, B-488)
 Static Dissipative Polyester (B-473)
 Removable Polyester (B-433)



Part Number	Size Inch (mm)	Specifications on Page	Through Hole Technology		SMT Top / Bottom	After Process
			Top	Bottom		
THT-1-423	0.750 x 0.250 (19.05 x 6.35)	88	▲	✘	✘	●
THT-1-459	0.750 x 0.250 (19.05 x 6.35)	88	▲	✘	✘	●
THT-1-473	0.750 x 0.250 (19.05 x 6.35)	88	▲	✘	✘	●
THT-1-488	0.750 x 0.250 (19.05 x 6.35)	89	▲	✘	✘	●
THT-2-423	0.900 x 0.250 (22.86 x 6.35)	89	▲	✘	✘	●
THT-2-473	0.900 x 0.250 (22.86 x 6.35)	89	▲	✘	✘	●
THT-2-488	0.900 x 0.250 (22.86 x 6.35)	89	▲	✘	✘	●
THT-3-423	1.000 x 0.375 (25.40 x 9.53)	90	▲	✘	✘	●
THT-3-473	1.000 x 0.375 (25.40 x 9.53)	90	▲	✘	✘	●
THT-4-423	1.500 x 0.250 (38.10 x 6.35)	90	▲	✘	✘	●
THT-4-473	1.500 x 0.250 (38.10 x 6.35)	90	▲	✘	✘	●
THT-5-423	1.000 x 0.500 (25.40 x 12.70)	90	▲	✘	✘	●
THT-5-433	1.000 x 0.500 (25.40 x 12.70)	90	▲	✘	✘	●
THT-5-459	1.000 x 0.500 (25.40 x 12.70)	91	▲	✘	✘	●
THT-5-473	1.000 x 0.500 (25.40 x 12.70)	91	▲	✘	✘	●
THT-11-423	0.250 x 0.250 (6.35 x 6.35)	85	▲	✘	✘	●
THT-11-473	0.250 x 0.250 (6.35 x 6.35)	85	▲	✘	✘	●
THT-12-423	0.500 x 0.437 (12.70 x 11.10)	87	▲	✘	✘	●
THT-12-433	0.500 x 0.437 (12.70 x 11.10)	87	▲	✘	✘	●
THT-12-473	0.500 x 0.437 (12.70 x 11.10)	87	▲	✘	✘	●
THT-13-423	1.250 x 0.250 (31.75 x 6.35)	91	▲	✘	✘	●
THT-13-433	1.250 x 0.250 (31.75 x 6.35)	91	▲	✘	✘	●
THT-13-473	1.250 x 0.250 (31.75 x 6.35)	91	▲	✘	✘	●
THT-14-423	0.650 x 0.200 (16.51 x 5.08)	88	▲	✘	✘	●
THT-14-459	0.650 x 0.200 (16.51 x 5.08)	88	▲	✘	✘	●
THT-14-473	0.650 x 0.200 (16.51 x 5.08)	88	▲	✘	✘	●
THT-14-488	0.650 x 0.200 (16.51 x 5.08)	88	▲	✘	✘	●
THT-15-423	2.000 x 0.250 (50.80 x 6.35)	94	▲	✘	✘	●
THT-15-473	2.000 x 0.250 (50.80 x 6.35)	94	▲	✘	✘	●
THT-15-488	2.000 x 0.250 (50.80 x 6.35)	94	▲	✘	✘	●
THT-16-423	3.000 x 0.250 (76.20 x 6.35)	95	▲	✘	✘	●
THT-28-423	1.500 x 0.125 (38.10 x 3.18)	92	▲	✘	✘	●
THT-29-423	1.250 x 0.375 (31.75 x 9.53)	92	▲	✘	✘	●
THT-36-422	0.500 x 0.200 (12.70 x 5.08)	87	▲	✘	✘	●
THT-36-423	0.500 x 0.200 (12.70 x 5.08)	87	▲	✘	✘	●
THT-36-473	0.500 x 0.200 (12.70 x 5.08)	87	▲	✘	✘	●
THT-38-423	0.375 x 0.375 (9.53 x 9.53)	86	▲	✘	✘	●
THT-38-473	0.375 x 0.375 (9.53 x 9.53)	86	▲	✘	✘	●
THT-40-423	1.375 x 0.250 (34.93 x 6.35)	92	▲	✘	✘	●
THT-41-423	1.000 x 0.187 (25.40 x 4.75)	89	▲	✘	✘	●
THT-42-423	1.000 x 0.187 (25.40 x 4.75)	89	▲	✘	✘	●
THT-43-423	1.250 x 0.250 (31.75 x 6.35)	91	▲	✘	✘	●
THT-43-473	1.250 x 0.250 (31.75 x 6.35)	91	▲	✘	✘	●
THT-44-423	1.380 x 0.250 (35.05 x 6.35)	92	▲	✘	✘	●
THT-45-423	1.500 x 0.250 (38.10 x 6.35)	92	▲	✘	✘	●
THT-45-473	1.500 x 0.250 (38.10 x 6.35)	92	▲	✘	✘	●
THT-46-423	0.750 x 0.250 (19.05 x 6.35)	88	▲	✘	✘	●
THT-46-473	0.750 x 0.250 (19.05 x 6.35)	88	▲	✘	✘	●
THT-47-423	0.650 x 0.200 (16.51 x 5.08)	88	▲	✘	✘	●
THT-47-473	0.650 x 0.200 (16.51 x 5.08)	88	▲	✘	✘	●

- Yes, this material will work with this application.
- ✘ No, this material does not work with this application.
- ▲ In extreme high temperatures, testing of these materials is recommended.

Circuit Board and Component Identification Labels

► **POLYESTERS** CONTINUED



Permanent White Polyesters (B-422, B-423, B-459, B-488)
Static Dissipative Polyester (B-473)
Removable Polyester (B-433)



Part Number	Size Inch (mm)	Specifications on Page	Through Hole Technology		SMT Top / Bottom	After Process
			Top	Bottom		
THT-48-423	2.000 x 0.250 (50.80 x 6.35)	94	▲	✘	✘	●
THT-48-473	2.000 x 0.250 (50.80 x 6.35)	94	▲	✘	✘	●
THT-49-423	0.900 x 0.250 (22.86 x 6.35)	89	▲	✘	✘	●
THT-49-473	0.900 x 0.250 (22.86 x 6.35)	89	▲	✘	✘	●
THT-50-423	0.750 x 0.750 (19.05 x 19.05)	89	▲	✘	✘	●
THT-51-423	1.000 x 0.250 (25.40 x 6.35)	90	▲	✘	✘	●
THT-57-473	0.700 x 0.375 (17.78 x 9.53)	88	▲	✘	✘	●
THT-58-473	1.000 x 0.375 (25.40 x 9.53)	90	▲	✘	✘	●
THT-59-423	1.000 x 0.500 (25.40 x 12.70)	90	▲	✘	✘	●
THT-59-473	1.000 x 0.500 (25.40 x 12.70)	91	▲	✘	✘	●
THT-70-473	0.250 x 0.250 (6.35 x 6.35)	85	▲	✘	✘	●
THT-79-423	2.000 x 0.400 (50.80 x 10.16)	94	▲	✘	✘	●
THT-96-473	0.500 x 0.275 (12.70 x 6.99)	87	▲	✘	✘	●
THT-97-423	0.500 x 0.200 (12.70 x 5.08)	87	▲	✘	✘	●
THT-97-473	0.500 x 0.200 (12.70 x 5.08)	87	▲	✘	✘	●
THT-99-473	0.500 x 0.500 (12.70 x 12.70)	87	▲	✘	✘	●
THT-100-473	0.700 x 0.375 (17.78 x 9.53)	88	▲	✘	✘	●
THT-103-423	1.000 x 0.250 (25.40 x 6.35)	90	▲	✘	✘	●
THT-103-473	1.000 x 0.250 (25.40 x 6.35)	90	▲	✘	✘	●

► **METALLIZED POLYESTERS**

Permanent Metallized Polyester (B-428)
Rough Surface Metallized Polyester (B-434)
Glossy Metallized Polyester (B-435)



Part Number	Size Inch (mm)	Specifications on Page	Through Hole Technology		SMT Top / Bottom	After Process
			Top	Bottom		
THT-1-428	0.750 x 0.250 (19.05 x 6.35)	88	▲	✘	✘	●
THT-1-435	0.750 x 0.250 (19.05 x 6.35)	88	▲	✘	✘	●
THT-3-428	1.000 x 0.375 (25.40 x 9.53)	90	▲	✘	✘	●
THT-5-428	1.000 x 0.500 (25.40 x 12.70)	90	▲	✘	✘	●
THT-5-434	1.000 x 0.500 (25.40 x 12.70)	90	▲	✘	✘	●
THT-5-435	1.000 x 0.500 (25.40 x 12.70)	90	▲	✘	✘	●
THT-12-428	0.500 x 0.437 (12.70 x 11.10)	87	▲	✘	✘	●
THT-12-435	0.500 x 0.437 (12.70 x 11.10)	87	▲	✘	✘	●

- Yes, this material will work with this application.
- ✘ No, this material does not work with this application.
- ▲ In extreme high temperatures, testing of these materials is recommended.



Circuit Board and Component Identification Labels



The B-351 tamper-resistant vinyl label destroys itself upon removal.

MISCELLANEOUS MATERIALS

Flame-Retardant White or Yellow Tedlar® (B-437)
White Vinyl Cloth Repositional Adhesive (B-498)



Part Number	Size Inch (mm)	Specifications on Page	Through Hole Technology Top	Through Hole Technology Bottom	SMT Top / Bottom	After Process
THT-1-437	0.750 x 0.25 (19.05 x 6.35)	88	▲	✘	✘	●
THT-1-498	0.750 x 0.25 (19.05 x 6.35)	89	▲	✘	✘	●
THT-2-437	0.900 x 0.25 (22.86 x 6.35)	89	▲	✘	✘	●
THT-5-437	1.000 x 0.50 (25.40 x 12.70)	90	▲	✘	✘	●
THT-5-437-YL	1.000 x 0.50 (25.40 x 12.70)	90	▲	✘	✘	●
THT-14-437	0.650 x 0.20 (16.51 x 5.08)	88	▲	✘	✘	●
THT-14-498	0.650 x 0.20 (16.51 x 5.08)	88	▲	✘	✘	●
THT-29-437	1.250 x 0.375 (31.75 x 9.53)	92	▲	✘	✘	●
THT-29-437-YL	1.250 x 0.375 (31.75 x 9.53)	92	▲	✘	✘	●

Tedlar® is a registered trademark of DuPont.

- Yes, this material will work with this application.
- ✘ No, this material does not work with this application.
- ▲ In extreme high temperatures, testing of these materials is recommended.

Wire and Cable Marking Labels

Self-Extinguishing White or Yellow Tedlar® Film For cable marking (B-437)

Part Number	Size Inch (mm)	Specifications on Page
THT-21-437	3.000 (76.20) x 100 LYD	97
THT-21-437-YL	3.000 (76.20) x 100 LYD	97
THT-105-437	1.500 (38.10) x 100 LYD	93
THT-105-437-YL	1.500 (38.10) x 100 LYD	93

Self-Laminating Vinyl (B-427) For flat ribbon cable marking.

Part Number	Size Inch (mm)	Specifications on Page
THT-10-427	1.000 x 3.750 (25.40 x 95.25)	99
THT-27-427	2.000 x 3.750 (50.80 x 95.25)	99

Self-Laminating Vinyl (B-427) For wire and cable identification.

Part Number	Size Inch (mm)	Specifications on Page
THT-8-427	0.500 x 1.437 (12.70 x 36.50)	99
THT-9-427	1.000 x 1.437 (25.40 x 36.50)	99
THT-10-427	1.000 x 3.750 (25.40 x 95.25)	99
THT-26-427	2.500 x 2.250 (63.50 x 57.15)	99
THT-27-427	2.000 x 3.750 (50.80 x 95.25)	99
THT-56-427	0.750 x 0.938 (19.05 x 23.81)	99
THT-61-427	0.500 x 1.437 (12.70 x 36.50)	100
THT-62-427	0.750 x 1.750 (19.05 x 44.45)	100
THT-63-427	0.800 x 1.437 (20.32 x 36.50)	100
THT-64-427	1.000 x 2.250 (25.40 x 57.15)	100
THT-65-427	1.000 x 3.750 (25.40 x 95.25)	100
THT-66-427	1.900 x 3.187 (48.26 x 80.95)	100
THT-67-427	2.000 x 2.250 (50.80 x 57.15)	100
THT-73-427	0.750 x 1.750 (19.05 x 44.45)	99
THT-74-427	0.800 x 1.437 (20.32 x 36.50)	99
THT-75-427	1.000 x 2.250 (25.40 x 57.15)	99
THT-80-427	0.500 x 0.750 (12.70 x 19.05)	99
THT-81-427	1.000 x 6.000 (25.40 x 152.40)	99
THT-82-427	2.000 x 6.000 (50.80 x 152.40)	99
THT-83-427	2.000 x 7.000 (50.80 x 177.80)	99
THT-84-427	1.000 x 6.000 (25.40 x 152.40)	100
THT-85-427	2.000 x 6.000 (50.80 x 152.40)	100
THT-86-427	2.000 x 7.000 (50.80 x 177.80)	100

Perforations exist between each row of labels for easy tear-off.

General Purpose Nylon Cloth (B-499) Permanent Adhesive


Part Number	Size Inch (mm)	Specifications on Page
THT-68-499	0.500 x 0.750 (12.70 x 19.05)	87
THT-69-499	0.800 x 1.437 (20.32 x 36.50)	89
THT-162-499	0.800 x 1.437 (20.32 x 36.50)	89

White Vinyl Cloth Repositionable Adhesive (B-498)


Part Number	Size Inch (mm)	Specifications on Page
THT-5-498	1.000 x 0.500 (25.40 x 12.70)	91
THT-68-498	0.500 x 0.750 (12.70 x 19.05)	87
THT-87-498	0.500 x 1.440 (12.70 x 36.50)	87
THT-88-498	1.000 x 0.750 (25.40 x 19.05)	91
THT-89-498	1.000 x 1.440 (25.40 x 36.50)	91
THT-90-498	0.250 x 1.437 (6.35 x 36.50)	86
THT-91-498	0.750 x 0.940 (19.05 x 23.80)	89
THT-95-498	0.800 x 1.440 (20.32 x 36.50)	89

Tedlar® is a registered trademark of DuPont.

Perforations exist between each row of labels for easy tear-off.



B-437 Yellow Tedlar in aerospace applications provides permanent identification of wire bundles.




Identifying flat ribbon and multi-paired color cable is fast and easy with legends this sharp.

Sleeves for Wire and Cable Marking by Size

► 3-TO-1 SHRINK RATIO ONE-SIDED PRINTABLE PERMASLEEVE™ WIRE MARKERS



PermaSleeve markers fit snugly around wires for maximum insulation protection and permanent identification.



Brady PermaSleeve full-circle insulating wire markers meet the rigid insulating, material requirements and physical properties of MIL-DTL-23053/5 Class 1, MIL-M-81531, MIL-STD-202F, METHOD 215, and UL224. The heat-shrinkable irradiated polyolefin does not smudge or fade when printed. The unique flattened full-circle design provides fast, permanent wire marking. PermaSleeve markers may be printed on Brady's thermal transfer printers.

White Polyolefin (B-342) One-Sided Printable PermaSleeve Markers

Part Number	Markers Per Box	Range of Wire Dia. Inch (mm)		Approx. Wire Gauge**	Marker Width Inch (mm) A	Marker Height Inch (mm) B	Vertical Repeat Inch (mm) C	Recommended Ribbon
		Min.	Max.					
1.500" Marker Width								
PS-094-150-WT	2,500	0.023	(0.58)–(0.80) (2.03)	28-18	1.500 (38.10)	0.182 (4.60)	0.500 (12.70)	R4300
PS-094-150-WT-S	500	0.023	(0.58)–(0.80) (2.03)	28-18	1.500 (38.10)	0.182 (4.60)	0.500 (12.70)	R4300
PS-125-150-WT	2,500	0.046	(1.17)–(0.110) (2.79)	22-16	1.500 (38.10)	0.235 (6.00)	0.500 (12.70)	R4300
PS-125-150-WT-S	500	0.046	(1.17)–(0.110) (2.79)	22-16	1.500 (38.10)	0.235 (6.00)	0.500 (12.70)	R4300
PS-187-150-WT	2,500	0.062	(1.57)–(0.150) (3.81)	18-12	1.500 (38.10)	0.335 (8.50)	0.625 (15.88)	R4300
PS-187-150-WT-S	500	0.062	(1.57)–(0.150) (3.81)	18-12	1.500 (38.10)	0.335 (8.50)	0.625 (15.88)	R4300
PS-250-150-WT	2,500	0.094	(2.39)–(0.215) (5.46)	16-10	1.500 (38.10)	0.439 (11.15)	0.750 (19.05)	R4300
PS-250-150-WT-S	500	0.094	(2.39)–(0.215) (5.46)	16-10	1.500 (38.10)	0.439 (11.15)	0.750 (19.05)	R4300
PS-375-150-WT	1,000	0.125	(3.18)–(0.320) (8.13)	12-6	1.500 (38.10)	0.645 (16.40)	1.000 (25.40)	R4300
PS-375-150-WT-S	250	0.125	(3.18)–(0.320) (8.13)	12-6	1.500 (38.10)	0.645 (16.40)	1.000 (25.40)	R4300
PS-500-150-WT	500	0.187	(4.75)–(0.450) (11.43)	8-1	1.500 (38.10)	0.851 (21.60)	1.250 (31.75)	R4300
PS-500-150-WT-S	250	0.187	(4.75)–(0.450) (11.43)	8-1	1.500 (38.10)	0.851 (21.60)	1.250 (31.75)	R4300
2.000" Marker Width								
PS-094-2-WT	2,500	0.023	(0.58)–(0.80) (2.03)	28-18	2.000 (50.80)	0.182 (4.60)	0.500 (12.70)	R4300
PS-094-2-WT-S	500	0.023	(0.58)–(0.80) (2.03)	28-18	2.000 (50.80)	0.182 (4.60)	0.500 (12.70)	R4300
PS-125-2-WT	2,500	0.046	(1.17)–(0.110) (2.79)	22-16	2.000 (50.80)	0.235 (6.00)	0.500 (12.70)	R4300
PS-125-2-WT-S	500	0.046	(1.17)–(0.110) (2.79)	22-16	2.000 (50.80)	0.235 (6.00)	0.500 (12.70)	R4300
PS-187-2-WT	2,500	0.062	(1.57)–(0.150) (3.81)	18-12	2.000 (50.80)	0.335 (8.50)	0.625 (15.88)	R4300
PS-187-2-WT-S	500	0.062	(1.57)–(0.150) (3.81)	18-12	2.000 (50.80)	0.335 (8.50)	0.625 (15.88)	R4300
PS-250-2-WT	2,500	0.094	(2.39)–(0.215) (5.46)	16-10	2.000 (50.80)	0.439 (11.15)	0.750 (19.05)	R4300
PS-250-2-WT-S	500	0.094	(2.39)–(0.215) (5.46)	16-10	2.000 (50.80)	0.439 (11.15)	0.750 (19.05)	R4300
PS-375-2-WT	1,000	0.125	(3.18)–(0.320) (8.13)	12-6	2.000 (50.80)	0.645 (16.40)	1.000 (25.40)	R4300
PS-375-2-WT-S	250	0.125	(3.18)–(0.320) (8.13)	12-6	2.000 (50.80)	0.645 (16.40)	1.000 (25.40)	R4300
PS-500-2-WT	500	0.187	(4.75)–(0.450) (11.43)	8-1	2.000 (50.80)	0.851 (21.60)	1.250 (31.75)	R4300
PS-500-2-WT-S	250	0.187	(4.75)–(0.450) (11.43)	8-1	2.000 (50.80)	0.851 (21.60)	1.250 (31.75)	R4300

2-to-1 Shrink Ratio White Polyolefin (B-341) One-Sided Printable PermaSleeve Markers

Part Number	Markers Per Box	Range of Wire Dia. Inch (mm)		Approx. Wire Gauge**	Marker Width Inch (mm) A	Marker Height Inch (mm) B	Vertical Repeat Inch (mm) C	Recommended Ribbon
		Min.	Max.					
2.000" Marker Width								
PS-1000-2-WT	250	0.450	(11.43)–(0.950) (24.13)	1-500	2.000 (50.80)	1.660 (42.16)	2.000 (50.80)	R4300

**Based on National Electric Code insulation measurement of THHN wire.


Sleeves may be perforated at factory for shorter marker lengths. Depending on overall length, sleeves may be perforated in halves, thirds or fourths. Contact your Brady Identification Solutions Distributor or Customer Service Representative for ordering information.

Sleeves for Wire and Cable Marking by Size

► 3-TO-1 SHRINK RATIO TWO-SIDED PRINTABLE PERMASLEEVE™ MARKERS



Brady's PermaSleeve markers provide a complete wire marking solution that combines speed, ease of use, and permanence to create long-lasting, high quality identification.



PermaSleeve full-circle markers are available in a 3-to-1 shrink ratio to cover a wider range of wire diameters per sleeve size.

White Polyolefin (B-342) Two-Sided Printable PermaSleeve Markers


Part Number	Markers Per Box	Range of Wire Dia. Inch (mm)		Approx. Wire Gauge**	Marker Width Inch (mm)		Marker Height Inch (mm)		Vertical Repeat Inch (mm)	Recommended Ribbon	
		Min.	Max.		A	B	C				
2.000" Marker Width											
3PS-094-2-WT	2,500	0.023	(0.58)–(0.080 (2.03)	28-18	2.000	(50.80)	0.182	(4.60)	0.500	(12.70)	R4300
3PS-094-2-WT-S	500	0.023	(0.58)–(0.080 (2.03)	28-18	2.000	(50.80)	0.182	(4.60)	0.500	(12.70)	R4300
3PS-125-2-WT	2,500	0.046	(1.17)–(0.110 (2.79)	22-16	2.000	(50.80)	0.235	(6.00)	0.500	(12.70)	R4300
3PS-125-2-WT-S	500	0.046	(1.17)–(0.110 (2.79)	22-16	2.000	(50.80)	0.235	(6.00)	0.500	(12.70)	R4300
3PS-187-2-WT	2,500	0.062	(1.57)–(0.150 (3.81)	18-12	2.000	(50.80)	0.335	(8.50)	0.625	(16.00)	R4300
3PS-187-2-WT-S	500	0.062	(1.57)–(0.150 (3.81)	18-12	2.000	(50.80)	0.335	(8.50)	0.625	(16.00)	R4300
3PS-250-2-WT	2,500	0.094	(2.39)–(0.215 (5.46)	16-10	2.000	(50.80)	0.439	(11.15)	0.750	(19.05)	R4300
3PS-250-2-WT-S	500	0.094	(2.39)–(0.215 (5.46)	16-10	2.000	(50.80)	0.439	(11.15)	0.750	(19.05)	R4300
3PS-375-2-WT	1,000	0.125	(3.18)–(0.320 (8.13)	12-6	2.000	(50.80)	0.645	(16.40)	1.000	(25.40)	R4300
3PS-375-2-WT-S	250	0.125	(3.18)–(0.320 (8.13)	12-6	2.000	(50.80)	0.645	(16.40)	1.000	(25.40)	R4300
3PS-500-2-WT	500	0.187	(4.75)–(0.450 (11.43)	8-1	2.000	(50.80)	0.851	(21.60)	1.250	(31.75)	R4300
3PS-500-2-WT-S	250	0.187	(4.75)–(0.450 (11.43)	8-1	2.000	(50.80)	0.851	(21.60)	1.250	(31.75)	R4300

**Based on National Electric Code insulation measurement of THHN wire.

Sleeves may be perforated at factory for shorter marker lengths. Depending on overall length, sleeves may be perforated in halves, thirds or fourths. Contact your Brady Identification Solutions Distributor or Customer Service Representative for ordering information.

Sleeves for Wire and Cable Marking by Size

▶ COLORED TWO-SIDED 3-TO-1 SHRINK RATIO PERMASLEEVE™ MARKERS



PermaSleeve full-circle markers are available in a 3-to-1 shrink ratio to cover a wider range of wire diameters per sleeve size.

3-to-1 Shrink Ratio Colored Polyolefin (B-342) Two-Sided Printable PermaSleeve Markers

Part Number	Markers Per Box	Range of Wire Dia. Inch (mm)		Approx. Wire Gauge***	Marker Width Inch (mm) A	Marker Height Inch (mm) B	Vertical Repeat Inch (mm) C	Recommended Ribbon
		Min.	Max.					
2.000" Marker Width								
3PS-094-2-YL	2,500	0.023	(0.58)–0.080 (2.03)	28-18	2.000 (50.80)	0.182 (4.60)	0.500 (12.70)	R4300
3PS-094-2**-S	500	0.023	(0.58)–0.080 (2.03)	28-18	2.000 (50.80)	0.182 (4.60)	0.500 (12.70)	R4300
3PS-125-2-YL	2,500	0.046	(1.17)–0.110 (2.79)	22-16	2.000 (50.80)	0.235 (6.00)	0.500 (12.70)	R4300
3PS-125-2**-S	500	0.046	(1.17)–0.110 (2.79)	22-16	2.000 (50.80)	0.235 (6.00)	0.500 (12.70)	R4300
3PS-187-2-YL	2,500	0.062	(1.57)–0.150 (3.81)	18-12	2.000 (50.80)	0.335 (8.50)	0.625 (15.88)	R4300
3PS-187-2**-S	500	0.062	(1.57)–0.150 (3.81)	18-12	2.000 (50.80)	0.335 (8.50)	0.625 (16.00)	R4300
3PS-250-2-YL	2,500	0.094	(2.39)–0.215 (5.46)	16-10	2.000 (50.80)	0.439 (11.15)	0.750 (19.05)	R4300
3PS-250-2**-S	500	0.094	(2.39)–0.215 (5.46)	16-10	2.000 (50.80)	0.439 (11.15)	0.750 (19.05)	R4300
3PS-375-2-YL	1,000	0.125	(3.18)–0.320 (8.13)	12-6	2.000 (50.80)	0.645 (16.40)	1.000 (25.40)	R4300
3PS-375-2**-S	250	0.125	(3.18)–0.320 (8.13)	12-6	2.000 (50.80)	0.645 (16.40)	1.000 (25.40)	R4300
3PS-500-2-YL	500	0.187	(4.75)–0.450 (11.43)	8-1	2.000 (50.80)	0.851 (21.60)	1.250 (31.75)	R4300
3PS-500-2**-S	250	0.187	(4.75)–0.450 (11.43)	8-1	2.000 (50.80)	0.851 (21.60)	1.250 (31.75)	R4300

Contact your Brady Identification Solutions Distributor or Customer Service Representative for ordering information.

**When ordering a color add YL (Yellow), RD (Red), BL (Blue), OR (Orange), GR (Green), BK (Black). Color is on both sides.

2-to-1 Shrink Ratio Colored Polyolefin (B-341) One-Sided Printable PermaSleeve Markers


Part Number	Markers Per Box	Range of Wire Dia. Inch (mm)		Approx. Wire Gauge***	Marker Width Inch (mm) A	Marker Height Inch (mm) B	Vertical Repeat Inch (mm) C	Recommended Ribbon
		Min.	Max.					
2.000" Marker Width								
PS-1000-2-YL	250	0.450	(11.43)–0.950 (24.13)	1-500	2.000 (50.80)	1.660 (42.16)	2.000 (50.80)	R4300
PS-1000-2-BK-S	100	0.450	(11.43)–0.950 (24.13)	1-500	2.000 (50.80)	1.660 (42.16)	2.000 (50.80)	R4300

*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 123.

***Based on National Electric Code insulation measurement of THHN wire.

Sleeves may be perforated at factory for shorter marker lengths. Depending on overall length, sleeves may be perforated in halves, thirds or fourths. Contact your Brady Identification Solutions Distributor or Customer Service Representative for ordering information.

Terminal Block Marking



White Vinyl Cloth (B-498)

Part Number	Inches Per Package	Label Size Inch (mm)	Label Width A	Label Height B	Web Width C	Specifications On Page
THT-92-498-2	2,000	0.375 x 165 ft (9.53 x 50.80 m)	0.375 (9.53)	165 ft (50.80 m)	1.000 (25.40)	86
THT-93-498-2	2,000	0.318 x 165 ft (8.08 x 50.80 m)	0.318 (8.08)	165 ft (50.80 m)	1.000 (25.40)	86
THT-94-498-2	2,000	0.240 x 165 ft (6.10 x 50.80 m)	0.240 (6.10)	165 ft (50.80 m)	1.000 (25.40)	85

Data Communications Equipment and Cabling Labels and Tags

► WORKSTATION LABELS

Polypropylene (B-412), Permanent Glossy Polyester (B-422), Clear Polyester (B-430)

Part Number	Applications	Size Inch (mm)	Specifications on Page
THT-3-422	1-4 Outlet Faceplates	1.000 x 0.375 (25.40 x 9.53)	90
THT-3-430	1-4 Outlet Faceplates	1.000 x 0.375 (25.40 x 9.53)	90
THT-5-422	1-4 Outlet Faceplates	1.000 x 0.500 (25.40 x 12.70)	90
THT-37-422	1-2 Outlet Faceplates	1.500 x 0.500 (38.10 x 12.70)	93
THT-37-430	1-2 Outlet Faceplates	1.500 x 0.500 (38.10 x 12.70)	93
THT-39-430	1-4 Outlet Faceplates	1.000 x 0.500 (25.40 x 12.70)	90
THT-147-422	1-2 Outlet Faceplates	1.500 x 0.375 (38.10 x 9.53)	93
THT-147-430	1-2 Outlet Faceplates	1.500 x 0.375 (38.10 x 9.53)	93
THT-148-422	1-6 Outlet Faceplates	0.500 x 0.375 (12.70 x 9.53)	87
THT-148-430	1-6 Outlet Faceplates	0.500 x 0.375 (12.70 x 9.53)	87
THT-149-422	1-6 Outlet Faceplates	0.500 x 0.500 (12.70 x 12.70)	87
THT-149-430	1-6 Outlet Faceplates	0.500 x 0.500 (12.70 x 12.70)	87
THT-150-412	Faceplate Desi-Strip Inserts	1.938 x 0.375 (49.23 x 9.53)	93

► COMMUNICATIONS CABLING

Vinyl (B-427)

Part Number	Applications	Size Inch (mm)	Specifications on Page
THT-9-427	4 pair, UTP	1.000 x 1.437 (25.40 x 36.50)	99
THT-10-427	50 pair copper	1.000 x 3.759 (25.40 x 95.48)	99
THT-56-427	2 pair fiber, single/multi mode	0.750 x 0.938 (19.05 x 23.83)	99
THT-75-427	25 pair copper	1.000 x 2.250 (25.40 x 57.15)	99
THT-117-427	2 pair fiber, single/multi mode	1.000 x 1.250 (25.40 x 31.75)	91
THT-118-427	2 pair fiber, single/multi mode	1.500 x 1.000 (38.10 x 25.40)	99
THT-119-427	4 pair, UTP	1.500 x 1.500 (38.10 x 38.10)	99
THT-120-427	2 pair fiber, single/multi mode	1.750 x 1.000 (44.45 x 25.40)	99
THT-121-427	4 pair, UTP	1.750 x 1.500 (44.45 x 38.10)	99

► TELECOMMUNICATIONS SPACE

Permanent Glossy Polyester (B-422), Clear Polyester (B-430)







Part Number	Applications	Size Inch (mm)	Specifications on Page
THT-148-422	Patch Panel – (label each port)	0.500 x 0.375 (12.70 x 9.53)	87
THT-148-430	Patch Panel – (label each port)	0.500 x 0.375 (12.70 x 9.53)	87
THT-149-422	Patch Panel – (label each port)	0.500 x 0.500 (12.70 x 12.70)	87
THT-149-430	Patch Panel – (label each port)	0.500 x 0.500 (12.70 x 12.70)	87

► GENERAL COMMUNICATIONS IDENTIFICATION

Permanent Glossy Polyester (B-422), Clear Polyester (B-430)

Part Number	Applications	Size Inch (mm)	Specifications on Page
THT-17-422	General Identification	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-430	General Identification	2.000 x 1.000 (50.80 x 25.40)	94
THT-18-422	General Identification	3.000 x 1.000 (76.20 x 25.40)	96
THT-18-430	General Identification	3.000 x 1.000 (76.20 x 25.40)	96
THT-19-422	General Identification	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-430	General Identification	3.000 x 2.000 (76.20 x 50.80)	96

MATERIAL TO SURFACE CROSS REFERENCE GUIDE

Part Number	SMOOTH	TEXTURED/ROUGH	HIGHLY TEXTURED/ LOW SURFACE ENERGY
BRADYBONDZ™ <i>White</i> B-423, B-433, B-354, B-359, B-459, B-488, B-7546, B-8423, B-8425 <i>Metallized</i> B-428, B-438, B-7576 <i>Clear</i> B-358, B-430, B-7566	 YES (i.e. Steel, Aluminum, Plastic, Glass)	NO	NO
SUPER BRADYBONDZ™ <i>White</i> B-350, B-351, B-353, B-422, B-437, B-439, B-498 <i>Metallized</i> B-352, B-434, B-435 <i>Clear</i> B-432	 YES (i.e. Steel, Aluminum, Plastic, Glass)	 YES (i.e. Textured ABS, Painted Enamel Cast Metal, Polycarbonate)	NO
ULTRA BRADYBONDZ™ <i>White</i> B-483, B-484, B-489, B-499 <i>Metallized</i> B-486	 YES (i.e. Steel, Aluminum, Plastic, Glass)	 YES (i.e. Textured ABS, Painted Enamel Cast Metal, Polycarbonate)	 YES (i.e. Powder Coated, Polypropylene Highly Textured & Low Surface Energy ABS)

MATERIALS CHART

Material	Color	Finish	Adhesive	Max. Service Temp. (30 days)	Ribbon	Agency Approvals	Color Code	
B-350	Polyester/Paper	White	Gloss	Acrylic	194° F (90° C)	R6000	UL	●
B-351	Vinyl	White	Matte	Acrylic	176° F (80° C)	R6200		●
B-352	Vinyl	Silver	Matte	Acrylic	176° F (80° C)	R6000		●
B-353	Paper	White	Matte	Acrylic	194° F (90° C)	R4300		●
B-354	Polyester/Paper	White	Gloss	Acrylic	194° F (90° C)	R6200	UL**	◆
B-358	Acetate	Clear	Gloss	Acrylic	176° F (80° C)	R6200		◆
B-359	Acetate	White	Gloss	Acrylic	176° F (80° C)	R6200		◆
B-407	Polyolefin	Clear	Matte	Acrylic	194° F (90° C)	R6200		◆
B-422	Polyester	White	Glossy	Acrylic	248° F (120° C)	R6000	CS UL	●
B-423	Polyester	White	Glossy	Acrylic	248° F (120° C)	R6000	CS UL AGA	◆
B-428	Polyester	Silver	Matte	Acrylic	176° F (80° C)	R4300	CS UL AGA	◆
B-430	Polyester	Clear	Glossy	Acrylic	212° F (100° C)	R6000	CS UL	◆
B-432	Polyester	Clear	Glossy	Acrylic	212° F (100° C)	R6000	CS UL	●
B-433	Polyester	White	Glossy	Acrylic	212° F (100° C)	R4900	UL	◆
B-434	Polyester	Silver	Glossy	Acrylic	194° F (90° C)	R6000	CS UL	●
B-435	Polyester	Silver	Glossy	Acrylic	194° F (90° C)	R6000	CS UL AGA	●
B-437	Polyvinylfluoride	White/Yellow	Matte	Acrylic	275° F (135° C)	R4300		●
B-438	Polyester	Silver	Matte	Acrylic	104° F (40° C)	R4300	UL	◆
B-439	Vinyl	*	Glossy	Acrylic	104° F (40° C)	R6000		●
B-459	Polyester	White	Matte	Acrylic	212° F (100° C)	R6000	CS UL	◆
B-483	Polyester	White	Glossy	Synth. Rubber	248° F (120° C)	R6000	CS UL	■
B-484	Polyester	White	Glossy	Synth. Rubber	248° F (120° C)	R6000	UL	■
B-486	Polyester	Silver	Matte	Synth. Rubber	248° F (120° C)	R4300	CS UL	■
B-488	Polyester	White	Matte	Acrylic	370° F (160° C)	R4300	CS UL AGA	◆
B-489	Polyester	White	Matte	Synth. Rubber	248° F (120° C)	R4300	CS UL	■
B-498	Cloth	White	Matte	Rubber	175° F (80° C)	R4300		●
B-499	Nylon Cloth	White	Matte	Acrylic	194° F (90° C)	R4900	CS UL	■
B-7546	Polyester	White	Gloss	Acrylic	175° F (80° C)	R6000	CS UL	◆
B-7566	Polyester	Clear	Gloss	Acrylic	175° F (80° C)	R6000		◆
B-7576	Polyester	Silver	Matte	Acrylic	212° F (100° C)	R6000	UL	◆
B-8423	Polyester	White	Glossy	Acrylic	248° F (120° C)	R6000	CS UL AGA	◆
B-8425	Polyolefin	White	Matte	Acrylic	194° F (90° C)	R6200	CS UL	◆

* B-439 is available in 10 colors (Black, Gold, Green, Light Blue, Orange, Purple, Red, Silver, White, Yellow).



*These materials are UL recognized.



*These materials are CSA approved.



*These materials are AGA approved.

*Refer to the full page charts on pages 280-281 for more information and complete listing of parts.

**Currently in testing.




Industrial Material Comparison Chart

SMOOTH	
Typical surface energy levels for this category are above 50 Dynes/cm.	
SURFACES	
Stainless Steel	Tin
Copper	Glass
Aluminum	Smooth Metal
Smooth Plastic	

TEXTURED/ROUGH	
Typical surface energy levels for this category are between 38 Dynes/cm and 50 Dynes/cm.	
SURFACES	
Cast Metal	Polyurethane
Nylon	ABS
Alkyd Enamel	Polycarbonate
Polyester	PVC
Epoxy Paint	Acrylic

HIGHLY TEXTURED/ LOW SURFACE ENERGY	
Typical surface energy levels for low surface energy products are below 38 Dynes/cm.	
SURFACES	
Polystyrene	Polypropylene
Acetal	Teflon
Polyethylene	Powder Coatings
Highly Textured	ABS

1 = LOWEST ADHESIVE BOND 10 = HIGHEST ADHESIVE BOND



These charts are based on relative adhesion after 24 hour dwell within each given surface energy category.

Adhesion is the attraction between unlike materials. The strength of the adhesion is determined by the surface energy of the item being identified. The higher the surface energy, the greater the likelihood for the label to adhere. A lower surface energy product will be more difficult for a label to adhere.

For additional technical information on any Brady material, please visit the Brady website at www.bradyid.com.

► PAPER LABELS

Tamper Resistant White Paper (B-353)
General-Purpose White Paper (B-424, B-402)
Removable White Paper (B-408)

Part Number	Size Inch (mm)	Specifications on Page
THT-17-402	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-408	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-424	2.000 x 1.000 (50.80 x 25.40)	94
THT-18-402	3.000 x 1.000 (76.20 x 25.40)	95
THT-18-408	3.000 x 1.000 (76.20 x 25.40)	96
THT-18-424	3.000 x 1.000 (76.20 x 25.40)	96
THT-19-402	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-408	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-424	3.000 x 2.000 (76.20 x 50.80)	96
THT-20-402	3.000 x 5.000 (76.20 x 127.00)	96
THT-20-408	3.000 x 5.000 (76.20 x 127.00)	96
THT-25-402	4.000 x 6.000 (101.60 x 152.40)	97
THT-25-408	4.000 x 6.000 (101.60 x 152.40)	97
THT-53-424	2.000 x .5000 (50.80 x 12.70)	94
THT-55-402	4.000 x 2.000 (101.60 x 50.80)	97
THT-55-408	4.000 x 2.000 (101.60 x 50.80)	97
THT-55-424	4.000 x 2.000 (101.60 x 50.80)	97
THT-77-402	4.000 x 4.000 (101.60 x 101.60)	97
THT-78-402	4.000 x 6.500 (101.60 x 165.10)	97
THT-78-408	4.000 x 6.500 (101.60 x 165.10)	97



Brady's paper labels are ideal for shipping and general purpose labeling.

► RATING PLATES AND ASSET IDENTIFICATION

Permanent Metallized Polyester (B-428)
Rough Surface Metallized Polyester (B-434, B-486)
Glossy Metallized Polyester (B-435)

Part Number	Size Inch (mm)	Specifications on Page
THT-5-434	1.000 x 0.500 (25.40 x 12.70)	90
THT-5-438	1.000 x 0.500 (25.40 x 12.70)	90
THT-5-486	1.000 x 0.500 (25.40 x 12.70)	91
THT-6-428	1.500 x 0.750 (38.10 x 19.05)	93
THT-6-434	1.500 x 0.750 (38.10 x 19.05)	93
THT-6-486	1.500 x 0.750 (38.10 x 19.05)	93
THT-7-428	2.750 x 1.250 (69.85 x 31.75)	95
THT-7-486	2.750 x 1.250 (69.85 x 31.75)	95
THT-17-428	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-434	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-486	2.000 x 1.000 (50.80 x 25.40)	94
THT-18-428	3.000 x 1.000 (76.20 x 25.40)	96
THT-18-434	3.000 x 1.000 (76.20 x 25.40)	96
THT-18-435	3.000 x 1.000 (76.20 x 25.40)	96
THT-18-486	3.000 x 1.000 (76.20 x 25.40)	96
THT-19-428	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-434	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-435	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-486	3.000 x 2.000 (76.20 x 50.80)	96
THT-37-428	1.500 x 0.500 (38.10 x 12.70)	93
THT-37-434	1.500 x 0.500 (38.10 x 12.70)	93
THT-37-486	1.500 x 0.500 (38.10 x 12.70)	93
THT-53-428	2.000 x 0.500 (50.80 x 12.70)	94
THT-53-486	2.000 x 0.500 (50.80 x 12.70)	94
THT-55-428	4.000 x 2.000 (101.60 x 50.80)	97
THT-55-434	4.000 x 2.000 (101.60 x 50.80)	97
THT-55-435	4.000 x 2.000 (101.60 x 50.80)	97
THT-59-486	1.000 x 0.500 (25.40 x 12.70)	91



Brady's metallized polyester material is perfect for on-demand printing of serialized rating plates. It eliminates the lead time needed for purchasing pre-printed labels, giving you better control over label design and cost.

General and Industrial Identification

► RATING PLATES AND ASSET IDENTIFICATION CONTINUED

Clear Polyolefin (B-407) - Clear Polyester (B-430)
Rough Surface Clear Polyester (B-432)

Part Number	Size Inch (mm)	Specifications on Page
THT-17-407	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-430	2.000 x 1.000 (50.80 x 25.40)	94
THT-18-407	3.000 x 1.000 (76.20 x 25.40)	95
THT-18-430	3.000 x 1.000 (76.20 x 25.40)	96
THT-19-407	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-430	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-432	3.000 x 2.000 (76.20 x 50.80)	96
THT-39-407	1.000 x 0.500 (25.40 x 12.70)	90

White Polyolefin (B-8425)

Part Number	Size Inch (mm)	Specifications on Page
XTHT-5-8425	1.000 x 0.500 (25.40 x 12.70)	91
XTHT-17-8425	2.000 x 1.000 (50.80 x 25.40)	95
XTHT-18-8425	3.000 x 1.000 (76.20 x 25.40)	96
XTHT-19-8425	3.000 x 2.000 (76.20 x 50.80)	96
XTHT-55-8425	4.000 x 2.000 (101.60 x 50.80)	97

Removable White Polypropylene (B-449)

Part Number	Size Inch (mm)	Specifications on Page
THT-5-449	1.000 x 0.500 (25.40 x 12.70)	91
THT-13-449	1.250 x 0.250 (31.75 x 6.35)	91
THT-17-449	2.000 x 1.000 (50.80 x 25.40)	94
THT-18-449	3.000 x 1.000 (76.20 x 25.40)	96
THT-19-449	3.000 x 2.000 (76.20 x 50.80)	96
THT-55-449	4.000 x 2.000 (101.60 x 50.80)	97
THT-76-449	4.000 x 3.000 (101.60 x 76.20)	97


PermaShield™* Labels
(B-423/B-966) (B-428/B-966)

Part Number	Size Inch (mm)	Specifications on Page
THT-22-423	1.250 x 0.750 (31.75 x 19.05)	98
THT-22-428	1.250 x 0.750 (31.75 x 19.05)	98
THT-23-423	2.000 x 1.000 (50.80 x 25.40)	98
THT-23-428	2.000 x 1.000 (50.80 x 25.40)	98
THT-24-423	2.750 x 1.750 (69.85 x 44.45)	98
THT-24-428	2.750 x 1.750 (69.85 x 44.45)	98

* This product is sold in Japan under the Overlaminated Labels name and not under the PermaShield name.



Application of PermaShield labels is easy. Print the label on a thermal transfer printer and put in place, covering with the clear overlaminate.



Brady's durable, easy-to-read labels help you keep track of assets. Ideal for bar coded inventory control.

► RATING PLATES AND ASSET IDENTIFICATION CONTINUED

Permanent White Polyesters (B-422, B-423, B-459, B-483, B-484, B-488, B-489 & B-8423)
Removable White Polyester (B-433)

Part Number	Size Inch (mm)	Specifications on Page
XTHT-1-8423	0.750 x 0.250 (19.05 x 6.35)	89
XTHT-2-8423	0.900 x 0.250 (22.86 x 6.35)	89
XTHT-3-8423	1.000 x 0.375 (25.40 x 9.53)	89
XTHT-4-8423	1.500 x 0.250 (38.10 x 6.35)	93
THT-5-422	1.000 x 0.500 (25.40 x 12.70)	90
THT-5-423	1.000 x 0.500 (25.40 x 12.70)	90
THT-5-433	1.000 x 0.500 (25.40 x 12.70)	90
THT-5-459	1.000 x 0.500 (25.40 x 12.70)	91
THT-5-483	1.000 x 0.500 (25.40 x 12.70)	91
THT-5-484	1.000 x 0.500 (25.40 x 12.70)	91
THT-5-488	1.000 x 0.500 (25.40 x 12.70)	91
THT-5-489	1.000 x 0.500 (25.40 x 12.70)	91
XTHT-5-8423	1.000 x 0.500 (25.40 x 12.70)	91
THT-6-423	1.500 x 0.750 (38.10 x 19.05)	93
THT-7-422	2.750 x 1.250 (69.85 x 31.75)	95
THT-7-423	2.750 x 1.250 (69.85 x 31.75)	95
THT-7-483	2.750 x 1.250 (69.85 x 31.75)	95
THT-7-489	2.750 x 1.250 (69.85 x 31.75)	95
THT-17-422	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-423	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-483	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-484	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-488	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-489	2.000 x 1.000 (50.80 x 25.40)	95
XTHT-17-8423	2.000 x 1.000 (50.80 x 25.40)	95
THT-18-422	3.000 x 1.000 (76.20 x 25.40)	96
THT-18-423	3.000 x 1.000 (76.20 x 25.40)	96
THT-18-433	3.000 x 1.000 (76.20 x 25.40)	96
THT-18-483	3.000 x 1.000 (76.20 x 25.40)	96
THT-18-484	3.000 x 1.000 (76.20 x 25.40)	96
THT-18-488	3.000 x 1.000 (76.20 x 25.40)	96
THT-18-489	3.000 x 1.000 (76.20 x 25.40)	96
XTHT-18-8423	3.000 x 1.000 (76.20 x 25.40)	96
THT-19-422	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-423	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-433	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-459	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-483	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-484	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-488	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-489	3.000 x 2.000 (76.20 x 50.80)	96
XTHT-19-8423	3.000 x 2.000 (76.20 x 50.80)	96
THT-31-423	1.100 x 0.380 (27.94 x 9.65)	91
THT-37-423	1.500 x 0.500 (38.10 x 12.70)	93
THT-37-483	1.500 x 0.500 (38.10 x 12.70)	93
THT-37-489	1.500 x 0.500 (38.10 x 12.70)	93
THT-53-423	2.000 x 0.500 (50.80 x 12.70)	94
THT-55-423	4.000 x 2.000 (101.60 x 50.80)	97
THT-55-483	4.000 x 2.000 (101.60 x 50.80)	97
THT-55-484	4.000 x 2.000 (101.60 x 50.80)	97
THT-55-488	4.000 x 2.000 (101.60 x 50.80)	97
THT-55-489	4.000 x 2.000 (101.60 x 50.80)	97
XTHT-55-8423	4.000 x 2.000 (101.60 x 50.80)	97
THT-59-483	1.000 x 0.500 (25.40 x 12.70)	91
THT-59-489	1.000 x 0.500 (25.40 x 12.70)	91
THT-76-422	4.000 x 3.000 (101.60 x 76.20)	97
THT-76-483	4.000 x 3.000 (101.60 x 76.20)	97
THT-76-489	4.000 x 3.000 (101.60 x 76.20)	97
THT-79-423	2.000 x 0.400 (50.80 x 10.16)	94
THT-102-422	1.500 x 0.370 (38.10 x 9.40)	93



B-8423 material is ideal for numerous applications such as rating plates for electronic equipment.

General and Industrial Identification

▶ CONTINUOUS LABEL ROLLS

- Clear Polyolefin (B-407)
- Permanent White Polyester (B-423, B-483 & B-489)
- General-Purpose White Paper (B-424)
- Metallized Polyester (B-428)
- Translucent Polyester (B-430)
- Rough Surface Metallized Polyester (B-434, B-486)
- Flame-Retardant White or Yellow Tedlar® Film (B-437)
- Tamper-Evident Metallized Polyester (B-438)
- Colored Vinyl (B-439)


Part Number	Size Inch (mm)	Specifications on Page
THT-21-407	3.000 (76.20) x 300 ft (91.44 m)	96
THT-21-423	3.000 (76.20) x 300 ft (91.44 m)	96
THT-21-424	3.000 (76.20) x 300 ft (91.44 m)	96
THT-21-428	3.000 (76.20) x 300 ft (91.44 m)	96
THT-21-430	3.000 (76.20) x 300 ft (91.44 m)	96
THT-21-434	3.000 (76.20) x 300 ft (91.44 m)	97
THT-21-437	3.000 (76.20) x 300 ft (91.44 m)	97
THT-21-437-YL	3.000 (76.20) x 300 ft (91.44 m)	97
THT-21-438	3.000 (76.20) x 300 ft (91.44 m)	97
THT-21-483	3.000 (76.20) x 300 ft (91.44 m)	97
THT-21-486	3.000 (76.20) x 300 ft (91.44 m)	97
THT-21-489	3.000 (76.20) x 300 ft (91.44 m)	97
THT-106-423	2.000 (50.80) x 300 ft (91.44 m)	95
THT-106-428	2.000 (50.80) x 300 ft (91.44 m)	95
THT-106-439	2.000 (50.80) x 300 ft (91.44 m)	95
THT-106-483	2.000 (50.80) x 300 ft (91.44 m)	95
THT-106-486	2.000 (50.80) x 300 ft (91.44 m)	95
THT-107-423	4.000 (101.60) x 300 ft (91.44 m)	97
THT-107-428	4.000 (101.60) x 300 ft (91.44 m)	97
THT-107-439	4.000 (101.60) x 300 ft (91.44 m)	97
THT-107-483	4.000 (101.60) x 300 ft (91.44 m)	97
THT-107-486	4.000 (101.60) x 300 ft (91.44 m)	97

Tedlar® is a registered trademark of DuPont.

▶ TAG IDENTIFICATION

- Polyethylene Tag (B-109)
- Polypropylene Tag (B-412)
- Polyolefin Tag (B-411)

Part Number	Size Inch (mm)	Specifications on Page
THT-33-109	3.000 x 6.000 (76.20 x 152.40)	100
THT-33-411	3.000 x 6.000 (76.20 x 152.40)	100
THT-33-412	3.000 x 6.000 (76.20 x 152.40)	100
THT-150-412	1.938 x 0.375 (49.20 x 9.53)	93



Continuous rolls are ideal for prototype labels and small quantity production runs.



B-412 polypropylene tag material is designed for outdoor and harsh environmental applications.

► WATER INDICATING LABELS

Water Indicating Polyester/Paper (B-350, B-354)

Part Number	Size Inch (mm)	Specifications on Page
THT-6-354-10	1.500 x 0.750 (35.10 x 19.10)	93
THT-14-354-10	0.650 x 0.200 (16.50 x 5.10)	88
THT-17-354-3	2.000 x 1.000 (50.80 x 25.40)	94
THT-42-354-10	1.000 x 0.187 (25.40 x 4.80)	89
THT-43-354-10	1.250 x 0.250 (31.80 x 6.40)	91
THT-46-354-10	0.750 x 0.250 (19.10 x 6.40)	88
THT-59-354-10	1.000 x 0.500 (25.40 x 12.70)	90
THT-70-350-5	0.250 x 0.250 (6.35 x 6.35)	85
THT-70-350-20	0.250 x 0.250 (6.35 x 6.35)	85
THT-70-354-20	0.250 x 0.250 (6.35 x 6.35)	85
THT-96-354-10	0.500 x 0.275 (12.70 x 7.00)	87
THT-104-354-20	0.315 x 0.177 (8.00 x 4.50)	86
WIL-1-350-5*	0.160 diameter (4.10)	234
WIL-1-350-20*	0.160 diameter (4.10)	234
WIL-1-354-20*	0.160 diameter (4.10)	234

*The WIL parts are not provided in a format and size acceptable for thermal transfer printers. These parts are to be used only as water indicating labels.



Water indicating labels provide clear evidence of water intrusion for controlling invalid warranty claims, failure analysis, design assistance or repair troubleshooting.

► TAMPER-RESISTANT LABELS

- Tamper-Resistant White Vinyl (B-351)**
- Tamper-Resistant Metallized Vinyl (B-352)**
- Tamper-Resistant Clear Acetate (B-358)**
- Tamper-Resistant White Acetate (B-359)**

Part Number	Size Inch (mm)	Specifications on Page
THT-1-351	0.750 x 0.250 (19.05 x 6.35)	88
THT-4-351	1.500 x 0.250 (38.10 x 6.35)	90
THT-5-351	1.000 x 0.500 (25.40 x 12.70)	90
THT-5-352	1.000 x 0.500 (25.40 x 12.70)	90
THT-6-351	1.500 x 0.750 (38.10 x 19.05)	93
THT-6-352	1.500 x 0.750 (38.10 x 19.05)	93
THT-7-351	2.750 x 1.250 (69.85 x 31.75)	95
THT-7-352	2.750 x 1.250 (69.85 x 31.75)	95
THT-7-358	2.750 x 1.250 (69.85 x 31.75)	95
THT-7-359	2.750 x 1.250 (69.85 x 31.75)	95
THT-12-351	0.500 x 0.437 (12.70 x 11.10)	87
THT-14-351	0.650 x 0.200 (13.51 x 5.08)	88
THT-15-351	2.000 x 0.250 (50.80 x 6.35)	94
THT-17-351	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-352	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-358	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-359	2.000 x 1.000 (50.80 x 25.40)	94
THT-18-351	3.000 x 1.000 (76.20 x 25.40)	95
THT-18-352	3.000 x 1.000 (76.20 x 25.40)	95



Brady offers several tamper-resistant label materials that are ideal for package seals. If desired, covert or overt security features can also be added to provide additional package protection.

Part Number	Size Inch (mm)	Specifications on Page
THT-18-358	3.000 x 1.000 (76.20 x 25.40)	95
THT-18-359	3.000 x 1.000 (76.20 x 25.40)	95
THT-19-351	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-352	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-358	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-359	3.000 x 2.000 (76.20 x 50.80)	96
THT-37-351	1.500 x 0.500 (38.10 x 12.70)	93
THT-37-352	1.500 x 0.500 (38.10 x 12.70)	93
THT-39-358	1.000 x 0.500 (25.40 x 12.70)	90
THT-53-351	2.000 x 0.500 (50.80 x 12.70)	94
THT-53-352	2.000 x 0.500 (50.80 x 12.70)	94
THT-59-351	1.000 x 0.500 (25.40 x 12.70)	90
THT-59-352	1.000 x 0.500 (25.40 x 12.70)	90
THT-59-359	1.000 x 0.500 (25.40 x 12.70)	90
THT-99-359	0.500 x 0.500 (12.70 x 12.70)	87
THT-147-358	1.500 x 0.375 (38.10 x 9.50)	93
THT-147-359	1.500 x 0.375 (38.10 x 9.50)	93
THT-149-358	0.500 x 0.500 (12.70 x 12.70)	87s

Security Identification

► TAMPER-EVIDENT LABELS

Tamper-Evident Metallized Polyester (B-438)

Tamper-Evident White Polyester (B-7546)

Tamper-Evident Clear Polyester (B-7566)

Tamper-Evident Silver Polyester (B-7576)

Part Number	Size Inch (mm)	Specifications on Page
THT-1-438	0.750 x 0.250 (19.05 x 6.35)	88
THT-5-438	1.000 x 0.500 (25.40 x 12.70)	90
THT-5-7546	1.000 x 0.500 (25.40 x 12.70)	91
THT-5-7576	1.000 x 0.500 (25.40 x 12.70)	91
THT-6-438	1.500 x 0.750 (38.10 x 19.05)	93
THT-6-7546	1.500 x 0.750 (38.10 x 19.05)	93
THT-6-7576	1.500 x 0.750 (38.10 x 19.05)	93
THT-7-438	2.750 x 1.250 (69.85 x 31.75)	95
THT-7-7546	2.750 x 1.250 (69.85 x 31.75)	95
THT-7-7566	2.750 x 1.250 (69.85 x 31.75)	95
THT-7-7576	2.750 x 1.250 (69.85 x 31.75)	85
THT-12-438	0.500 x 0.437 (12.70 x 11.10)	87
THT-14-438	0.650 x 0.200 (16.51 x 5.08)	88
THT-17-438	2.000 x 1.000 (50.80 x 25.40)	94
THT-17-7546	2.000 x 1.000 (50.80 x 25.40)	95
THT-17-7566	2.000 x 1.000 (50.80 x 25.40)	95
THT-17-7576	2.000 x 1.000 (50.80 x 25.40)	95
THT-18-438	3.000 x 1.000 (76.20 x 25.40)	96
THT-18-7546	3.000 x 1.000 (76.20 x 25.40)	96
THT-18-7566	3.000 x 1.000 (76.20 x 25.40)	96
THT-18-7576	3.000 x 1.000 (76.20 x 25.40)	96
THT-19-438	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-7546	3.000 x 2.000 (76.20 x 50.80)	96
THT-19-7576	3.000 x 2.000 (76.20 x 50.80)	96
THT-21-438	3.000 x 30 ft (76.20 x 9.10 m)	97
THT-37-438	1.500 x 0.500 (38.10 x 12.70)	93
THT-37-7546	1.500 x 0.500 (38.10 x 12.70)	93
THT-37-7576	1.500 x 0.500 (38.10 x 12.70)	93
THT-39-7566	1.000 x 0.500 (25.40 x 12.70)	91
THT-53-438	2.000 x 0.500 (50.80 x 12.70)	94
THT-53-7546	2.000 x 0.500 (50.80 x 12.70)	94
THT-53-7576	2.000 x 0.500 (50.80 x 12.70)	94
THT-59-438	1.000 x 0.500 (25.40 x 12.70)	91
THT-59-7546	1.000 x 0.500 (25.40 x 12.70)	91
THT-59-7576	1.000 x 0.500 (25.40 x 12.70)	91
THT-147-7566	1.500 x 0.375 (38.10 x 9.50)	93
THT-149-7566	0.500 x 0.500 (12.70 x 12.70)	87



Tamper-evident labels are ideal for warranty fraud protection. They're designed to leave a footprint when the label is removed. In addition, a pattern will appear on the top surface of the label in order to prevent it from being reused.

All Brady ribbons are developed to meet the performance requirements of the materials to be printed. The reason for this is that the bond between the ribbon and the label is critical to the success of the legend permanence. Brady offers a complete line of ribbons that are designed to cover all your label application requirements.

Please refer to Ribbon/Material Cross Reference Chart on the following page to determine the appropriate ribbon/material combination.

Ribbon Series	Formulation	Available Colors	Performance Characteristics
R4300	Wax/Resin	Black	Strong environmental resistance against smearing and chemicals. Also, reliable, sharp-edge print quality to maximize bar code readability.
R4400	Resin	Red, Blue, Green & White	High density, excellent solvent resistance, high heat resistance, super scratch resistance.
R4500	Wax/Resin	Red, Blue & Green	Strong environmental resistance against smearing and chemicals. Also, reliable, sharp-edge print quality to maximize bar code readability.
R4800	Resin	Black	Excellent solvent and scratch resistance. High heat resistance.
R4900	Resin	Black	Superb smear resistance at high temperatures. Superior solvent resistance.
R6000	Resin	Black	High density, excellent solvent resistance, high heat resistant, super scratch resistance.
R6100	Wax	Black	Outstanding durability for a general purpose ribbon. Reduced printhead energy requirements.
R6200	Resin	Black	Designed for harsh environment labeling applications. Superior abrasion, chemical, and heat resistance.
R6300	Resin	Black	Strong environmental resistance against chemicals and washes. Excellent heat resistance.

Ribbon / Width Cross-Reference Guide

	Widths	Series 4300	Series 4400* (colors)	Series 4500* (colors)	Series 4800	Series 4900	Series 6000	Series 6100	Series 6200	Series 6300
A	0.800" x 984'				R4811		R6011		R6211	
	1.000" x 984'	R4311								
	1.570" x 984'	R4306			R4806		R6006**		R6206	
	2.360" x 984'	R4302	R4400	R4500	R4800	R4902	R6000	R6100	R6200	
	3.270" x 984'	R4300	R4402	R4502	R4802	R4900	R6002**	R6102	R6202	R6302
	4.330" x 984'	R4307	R4407		R4807		R6007**	R6107	R6207	
	5.120" x 984'	R4304	R4404			R4904	R6004	R6104		
6.850" x 984'	R4308				R4908	R6008		R6208		
B	4.000" x 360'	R4301				R4901	R6001	R6101	R6201	
C	1.570" x 500'	R4303					R6003**	R6103		
	2.360" x 500'	R4305					R6005	R6105		
	4.330" x 500'	R4309					R6009**	R6109		

A- Ribbons for standard Brady printers, core ID 1.000", ink side out
 B- THT Model 1024, THT Model 1244 and THT Model 1344, core ID 0.500", ink side in
 C- Ribbons for THT Model 4042 and Intermec 3440 printers, core ID 1.000", ink side out

* The Series 4400 and 4500 ribbons are offered in the following colors: Red, Blue, Green, White (R4400 only) and Silver (R4500 only).

**The Series 6000 ribbons marked with double asterisks are available on fiber or plastic cores for clean room applications. (example: R6006 and R6006PC)

FYI

How to find out how many labels per THT ribbon:

Our THT ribbons are 984 feet long.

984 ft x 12 inches = 11,808 inches
 11,808 divided by label vertical repeat = labels per ribbon.

To find your vertical repeat, see Index starting on page 84. Use column D for your vertical repeat.

Ribbon / Material Cross-Reference Guide

RIBBON / MATERIAL CROSS-REFERENCE GUIDE THERMAL TRANSFER LABELS

B#s	Material	Series 4300	Series 4400 (colors)	Series 4500 (colors)	Series 4800	Series 4900	Series 6000	Series 6100	Series 6200	Series 6300
109	Tag	●							△	
341	PermaSleeve™	●								
342	PermaSleeve	●								
350	Polyester/Paper		△			△	●			
351	Vinyl	△							●	
352	Vinyl						● UL			
402	Paper	△		△				●		
407	Polyolefin					△			●	
408	Paper	△		△				●		
411	Tag	●								
412	Tag	△							●	
422	Polyester		△			△ UL/CSA	● UL/CSA		△	
423	Polyester		△			△ UL/CSA	● UL/CSA/AGA		△	
424	Paper	●		△				△		
426	Polyimide	●								
427	Vinyl	● UL		△					△ UL	
428	Polyester	● UL/CSA/AGA		△					△ CSA	
430	Polyester		△			△ UL/CSA	● UL/CSA		△	
432	Polyester		△			△ UL/CSA	● UL/CSA		△	
433	Polyester		△			△ UL	●		△	
434	Polyester				△ UL/CSA	△ UL/CSA	● UL/CSA		△	
435	Polyester					△ UL	● UL/CSA/AGA		△	
436	Polyimide	●								
437	Tedlar	●							△	
438	Polyester	● UL		△						
439	Vinyl		△			△	●		△	
449	Polyolefin								●	
457	Polyimide						● UL			
459	Polyester		△ UL			△ UL/CSA	● UL/CSA			
461	Polyester	●		△					△	
464	Polyester						●			
473	Polyester					△ UL	● UL/CSA		△	
477	Polyimide						● UL			
478	Polyimide						● UL			
479	Polyimide				△ UL		● UL			
483	Polyester		△			△ UL	● UL/CSA		△	
484	Polyester		△			△ UL	● UL/CSA*			
486	Polyester	● UL/CSA		△					△ CSA	
487	Polyimide				△ UL		● UL			
488	Polyester	● UL/CSA/AGA							△ UL/CSA	
489	Polyester	● UL/CSA							△ UL/CSA	
495	PEN						● UL			
497	Polyimide				△ UL		● UL			
498	Vinyl Cloth	△			△ UL		● UL		● UL	
499	Nylon	△ UL		△		● UL	△		△	
520	Glass Cloth									●
7546	Polyester		△				● UL/CSA			
7576	Polyester		△				● UL			
8423	Polyester		△				△ UL*/CSA*		● UL*/CSA*	
8425	Polyolefin		△						●	

- Recommended ribbon for use with respective material.
- △ Acceptable ribbon for use with respective material.
- *UL These materials are now in UL testing.
- UL These materials are UL recognized with its respective ribbon.
- *CSA These materials are now in CSA testing.
- CSA These materials are CSA approved with its respective ribbon.
- UL/CSA These materials are UL & CSA approved with its respective ribbon.
- AGA These materials are AGA approved.

All Brady ribbons are developed to meet the performance requirements of the materials to be printed. The reason for this is the bond between the ribbon and the label is critical to the success of the legend permanence. Brady offers a complete line of ribbons that are designed to cover all your label application requirements.



Rue de l'Espérance 42 | 4000 LIEGE | Tél. +32 (0)4/224 99 99 | Fax. +32 (0)4/226 11 06 | E-mail : info@etilux.be | www.etilux.com
 Milcampsiaan 237 | 1030 BRUXELLES | Tel. +32 (0)2/736 80 10 | Fax. +32 (0)2/736 46 34 | E-mail : info@etilux.be | www.etilux.com
 Rue de la Platinerie 8 | 8552 Oberpallen -LUX. | Tél. +352/266 243-1 | Fax. +352/266 243-43 | E-mail : info@etilux.lu | www.etilux.lu